

FUNGAL DATABASE IN TAMIL NADU

1. INTRODUCTION

The first Indian fungus to be recorded was from Tranquebar, (Tarangambadi) in the erstwhile Madras State (Tamil Nadu) . A fungus collected by the Danish Missionary, Koenig was sent by him to Linnaeus who named it *Lycoperdon pistillaris*. This fungus is now known as *Podaxis pistillaris* (earlier known as *Podaxon pistillaris*). Subsequently several records of fungi from Tamil Nadu were made and these were described mostly by the British Mycologists Berkely, Cooke and Massee. With the appointment of E. J. Butler as Cryptogamic Botanist to the Government of India more systematic surveys of Indian fungal floras were initiated . However, large scale collections of fungi in Tamil Nadu were made only after the establishment of the Mycology section at the Agricultural college and Research Institute, Coimbatore (Presently Tamil Nadu Agricultural University) with William Mc Rae as Government Mycologist. Mc Rae and his staff made many collections of Indian fungi. A large number of these fungi were studied by Butler and the Sydows, H and P., and described or recorded in the series of papers entitled "Fungi India Orientalis" published in the latter's journal. In later years many mycologists notably T.S. Ramakrishnan and his colleagues K. Ramakrishnan and N.V. Sundaram have added substantially to our knowledge of fungi from Tamil Nadu through their series of papers "Additions to fungi of Madras". They mainly concentrated on fungi causing diseases in plants. During this period a school of Mycology was established in the University of Madras under the leadership of C.V. Subramanian. Over a Period of four decades he and his students have

contributed much to the knowledge of fungi from Tamil Nadu. These fungi mainly belonged to the Deuteromycotina and Basidiomycotina.

The present list consists of fungi recorded from Tamil Nadu up to 2002. A total number of 1077 species in 370 genera have been recorded. Regarding the distribution of fungi it is not possible to arrive at any clear conclusion from a study of the list. This is because most of the collections have been casual and not made during systematic surveys. Excepting the crop parasites most of the other fungi are represented by single collections. Nilgiris, Pulney hills and Anamalai hills seem to be the favorite collecting grounds for mycologists and these regions appear to be rich in fungi.

2. LIST OF FUNGI REPORTED FROM TAMIL NADU

The fungi have been listed alphabetically under genera. As far as possible the fungi have been listed under their latest generic and specific names.

ABSIDIA van Tiegh. Phyco., Mucorales, Mucoraceae.
A. spinosa Lendner Isolated from soil, Madras (114A : 55).

ACHORELLA Theiss. and Syd Asco., Dothideales, Dothideaceae.
A. plectroniae Ramakr. T.S. and K. On leaves of Plectronia didyma, Kallar (136:34;).
A. vaccinii Ramakr. See Gibbera ramakrishnanii.

ACTINICEPS Berk. and Br. Imp., Moniliales, Stilbaceae.
A. cocos Subram. on dead spathes of Cocos nucifera, Tirur (184:36).

ACREMONIUM Link. Ex. Fr. Hypho., Moniliales.
A. persicinum (Nicot) Gams. On branches of Grevillae robusta Cunn. In Valpari (844).

ACROSTAPHYLUS Arnaud ex C. V. Subramanian (J. Indian bot. Soc., 35: 482, 1956) Imp.
Moniliales, Dematiaceae .
A. hyperparasiticus Subram. As a hyperparasite on Comptomeris crataevae on Crataeva religiosa, Guindy , Madras (216 : 485).

AECIDIUM Pers. Basidio., Uredinales.
A. anaphalis-leptophyllae Ramakr., Sriniv. and Sund. On leaves of Anaphalis leptophylla, Sholada, Nilgiris (150:87).

- A. amaryllidis Syd. and Butl. See A. crini.
- A. blepharidis Har. and Pat.. On leaves of Blepharis boerhaaviaefolia, Coimbatore (207:488).
- A. crini Kalchbr. On leaves of Crinum asiaticum, Coimbatore A. amaryllidis (213:174) is synonymous with this fungus fide Mundkur and Thirumalachar (105:16).
- A. iquitosense P. Henn. On leaves of Psychotria elongata, Burliar, Nilgiris (156:29).
- A. leiocarpum Syd. see Puccinia leiocarpum.
- A. luculentum Syd. see Puccinia luculenta.
- A. marsdeniae Ramakr. T.S. and K. On leaves of Marsdenia volublis, Burliar, Nilgiris; (138:57) but see A. Marsdeniae Syd., 1937.
- A. melaleucum Syd. On leaves of Maba buxifolia var. ebenus, Tinaikadu, Coimbatore (209:143 ; 206:327).
- A. meliosmae-wightiae Ramakr., Sriniv. and Sund. On leaves of Meliosma wightii, Ootacamund, Nilgiris (150:87).
- A. nummulare Berk. On leaves of Ceropegia intermedia Kollar , (151:87).
- A. pavoniae-odoratae Ramakr., Sriniv. and Sund. On leaves of Pavonia odorata, Kollar , (150:89).
- A. pulneyensis Ramakr. and Sriniv. On leaves and stems of Canarium commune, Kodaikanal (124:46).
- A. rhytismoideum Berk. On leaves of Diospyros tomentosa, Tirunelveli Hills (210:441).
- A. spilanthes Ramakr. and Sund. On leaves of Spilanthes acmella, Valparai Coimbatore district (157:143).
- A. terminaliae Ramakr. T.S. and K. see Puccinia terminaliae.

AGARICUS L: Fr. Syst. Mycol. 1: 5 (1821) . Agaricales, Basidio.

A. trisulphuratus Berk. On soil, Post-graduate Women's Hostel , Chepauk; IIT campus, Guindy, Madras, Tamil Nadu.

AGARICOCHAETE Eichelbaum in Verhand l. Natruwiss. Vereins Hamburg 3: 58 (1906) .

Agaricales, Basidio.

A. indica Natarajan & Raman. On ground, Tiger Shola, Kodaikanal, Tamil Nadu.(898).

AGROCYBE Fayod in Ann. Sci. Nat. VII, 9 : 358 (1889). Agaricales, Basidiomycetes.

A. broadwayi (Murrill) Dennis var. Indica Natarajan & Raman var. nov., solitary, New pine plantation, near Pillar rocks, Kodaikanal, Tamil Nadu.

A. fimicola (Speg.) Singer in Lilloa 23: 209 (1951). On ground, solitary, Women's Hostel campus, Chepauk, Madras, Tamil Nadu.

A. manihotis Pegler. On ground among grass, Madras University campus, Madras. Tamil Nadu.

A. manihotis Pegler in Kew Bull. 21: 508 (1968). On wood solitary, Mylapore, Madras, Tamil Nadu.

A. manihotis Pegler var. Microsporai Natarajan & Raman var. nov. On litter Natarajan Vilas Cardamon Estate, near Kailasapara, Kerala.

A. retigera (Speg.) Singer in Lilloa 22: 493 (1951). On ground, Indian Institute of Technology campus, Guindy, Madras, Tamil Nadu.

A. semiorbicularis (Bull. ex St. Amans) Fayod in Ann. Sci. Nat., ser. VII, 9 : 358 (1889). Kattery Manthanai Forest, Ootacamund, Nilgiris, T.N.

ALBUGO Pers. ex S.F. Gray for *Cystopus* Lev., Phyco., Peronosporales, Albuginaceae.
A. mollugini S. Itoapud Tokunaga (Trans. Sapporo. nat. Hist. Soc. Japan, 14:18, 1935). On leaves and peduncles of *Mollugo nudicaulis*, Coimbatore (142:97) as *Cystopus molluginicola* Ramakr. T.S. and K.). Saffeulla (167:282) is of the opinion that *Cystopus molluginicola* is synonymous with this fungus.

ALTERNARIA Neos ex Wallr. Imp., Moniliales, Dematiaceae .

A. cyamopsisidis Rangaswami & Venkata Rao, on living leaves of *Cyamopsis tetragonoloba* Taub. Agric. College Orchard, Coimbatore.

A. melongenae Rangaswami & Samb., on *Solanum melongena* L., and *Capsicum annuum* L., Annamalainagar, Madras.

A. palandui Ayyangar (BB.139). On leaves of *Allium cepa*, Coimbatore, (6:13); Palur, Perambalur, Namakkal, Palakuppam .

A. solani (Ell. & Mart.) Zones & Gourt. On Tomato causing leaf spot in Solan. H.P. (1224); on *Solanum muricatum* Ait. Causing Alternaria blight (early blight) in Ooty , Tamil Nadu. (821).

AMANITA Pers: Hooker, Flora . Scot., 2: 19 (1821) Agaricales, Basidio.

A. flovofloccosa Nagasawa & Hongo. On ground in Madras. Tamil Nadu (1053).

A. muscaria (Linn. ex Fr.) J.D.Hook. On ground among pine litter, Kundar, Kodaikanal, Tamil Nadu.

A. pantherina (DC. ex Fr.) Kummer, Kodaikanal, Tamil Nadu.

AMAZONIA Theiss., Asco., Meliolales.

A. abutili Hosagoudar sp. nov. in Coimbatore (508).

A. mayteni Hosagoudar, Kaveriappa Raghu and Goss. Sp.Nov. in Kerela, Karnataka and Tamil Nadu. (753).

AMPHISPHAERIA Ces. and de Not. Asco., Sphaeriales .

A. lantanae Ramakr. On dead stems of *Lantana camara* var. *aculeata* University Botany Laboratory Campus, Madras (117:251).

ANGIOSPORA Mains (Mycologia, 26:216, 1934). Basidio., Uredinales, Pucciniaceae

A. cyrtococci Ramakr. and Sund. On leaves of *Cyrtococcum oxyphyllum*, Periakallar, Anamalais (157:144). A. vernoniae Ramakr. On leaves of *Vernonia bourneana*, Kodaikanal, Madras (124:43).

ANNELLOPHORA Hughes (Trans. Brit. mycol. Soc., 34:544, 1951). Imp., Moniliales, Dematiaceae .

A. indica Subram. On leaves of *Photinia* sp., Kodaikanal (Madras) (188:53).

ANTHRACOPHYLLUM ces. Myc. Borneo. 3: (1879) Agaricales, Basidio.

A. berterii (Mont.) Singer (as *Xerotus berterii* Mont.) . On tree branches, near Ootacamund, Nilgiris, Tamil Nadu.

A. nigrum (Lev.) Kalchbr. On twigs, Tiger Shola, Kodaikanal, Tamil Nadu.

ANTROMYCOPSIS Pat. and Trab. Imp., Moniliales, Stilbaceae .
A. broussonetiae, Pat. and Trab. var minor Penz. and Sacc. On dead wood, Madras (184:37).

ANUNGITEA Sutton., Hypho.
A. globosa Sutton & Hodges. On leaf litter of Eucalyptus globules Labill. Ootakmand, Tamil Nadu. (348a).

APPENDICULELLA Hohn., Asco., Dothideales.
A. calophylli var. Apetali. Hosagoudar, Kaveriappa, Raghu and Goss sp. nov. in Kerala, Karnataka and Tamil Nadu (753).

APHYSA Theiss. and Syd. Asco., Hemisphaeriales, Polystomellceae.
A. rhynchosiae (Kalchbr. and Cke.) Theiss. and Syd.. On leaves of Rhynchosia cyanosperma Benth., Ootacamund (151:84).

ARMATELLA Theis. & Syd., Asco. Dothideales.
A. cinnamomocola Hosagoudar in Coimbatore (508).
A. katumotoi Hosagoudar on leaves of Persea macrantha (Nees) Kosterm., Valparai, Tamil Nadu (494b).

ARMILLARIA Kummer, Fuhr. Pilzk., 25 (1871) Agaricales, Basidio.
A. fuscipes Petch. On Accaia decurrents, Nilgiris, Tamil Nadu.

ARTHRINIUM Kunze ex Fr. Imp., Moniliales, Dematiaceae or Tuberculariaceae .
A. saccharicola Stevens apud Johnston and Stevenson . On dead stems, Thanthipandal, Kambakkam (180:160).

ARTHROBOTRYUM Ces. Imp., Moniliales, Stilbaceae .
A. coonoorense Subram., On leaves of Thysanolaena maxima, Sims Park, Coonoor (186:285).
A. nilgirense Subram. On dead bamboo, Sim's Park, Coonoor.

ARTHURIA Jackson (Mycologia, 23:463, 1931). Basidio., Uredinales, Pucciniaceae.
A. tylophorae Ramakr., On leaves of Tylophora nollissima and T. tenuis, Kodaikanal. (124:45).

ASCOCHYTALib. . Imp., Sphaeropsidales, Sphaerioidaceae .
A. commiphorae Ramakr. and Sund. On leaves of Commiphora caudata, Aduthurai (157:146).
A. infortunata Ramakr. On leaves of Clerodendron infortunatum, Kallar (Coimbatore district). (125:163).

ASCOMYCETELLA Ellis . Asco., Myriangiales, Myriangiopsis.
A. symploci Ramakr. On leaves of Symplocos spicata, Sim's Park, Coonoor (141:69).

ASEROE La Bill ex Fr. Basidio., Phallales.
A. rubra La Bill v. ceylanica (Berk) Ed. Fischer . On the ground, Kodaikanal. (62:257).

ASPERGILLUS Mich. ex Fr. Imp., Moniliales, Moniliaceae .

- A. candidus Link From soil Madras (219:145).
- A. flavus Link in soil Madras (219:145).
- A. giganteus Wehmer in soil Madras (219:145; 2: 99).
- A. nidulans see Emericella nidulans.
- A. niger van Tiegh. in soil, Madras (119:145; 116:112).
- A. phaeocephalus Dur. and Mont. In roots of Asparagus racemosus, Madras (37:118).
- A. repens (Corda) de Bary. and Wor. soil, Madras (219:145).
- A. sydowii (Bain. and Sart.) Thom. and Church (From soil, Madras) (112).
- A. terreus Thom. Isolated from soil, Vandalur (Madras) (116:112).
- A. ustus (Bain). Thom. and Church (Thom and Church, The Aspergillii, 1926, P.152). Isolated from soil, Vandalur (Madras) (116:112).
- A. variecolor see Emericella variecolor.

ASPLENIUMSPORITES Srivastava. Gen. Nov. Dentro.

- A. tridevii Srivastava gen. Et. Sp. nov . in Neyveli lignite mine, Tamil Nadu (1596).

ASTERIDIELLA McALp., Dothideales.

- A. elaoarpi-tuberculati Hosagoudar sp. nov. in Coimbatore (508).
- A. vivekananthanii Hosagoudar. On leave of Clerodendrum viscosum Vent. Pudukadu. Valparai. Tamil Nadu. (494b).

ASTERINA Lev. Asco., Hemisphaeriales, Microthyriaceae.

- A. banguiensis Yates. On leaves of Glycosmis pentaphylla Corr. In Ootacamund, Tamil Nadu (628).
- A. bissiliens in Coimbatore, Tamil Nadu (518).
- A. celtidicola P. Henn. var. capparidis (Syd. and Butl.) Thesis. On leaves of Capparis sp., Madras (212:390 A.capparidis Syd. and Butl., 223:94).
- A. cinnamomi Sydow. On leaves of Cinnamomum zeylanicum Bl. In Ootacamund, Tamil Nadu (628).
- A. crebra Syd. On leaves of Opilia amentacea, Bolampatti, Coimbatore (206:327).
- A. euonymi Hosagoudar and Goss sp. nov. in Coimbatore, Tamil Nadu (518).
- A. garciniae Hansf. On leaves of Garcinia mangostana, Ootacamund (60:44).
- A. mitteriana Syd. On leaves of Ilex wightiana, Ootacamund (218:232).
- A. sabiacerum Hosagoudar and Goss sp. nov. in Coimbatore, Tamil Nadu (518).
- A. tertia in Coimbatore, Tamil Nadu (518).
- A. toddaliae in Coimbatore, Tamil Nadu. (518).

ASTERINELLA Theiss. Asco., Hemisphaeriales, Microthyriaceae.

- A. intensa (Cke. and Mass.) Theiss. (Sacc. IX, 382 as Asterina; BB.16) On Elaeodendron glaucum, Madras (222a:120; 165:105).

ASTEROCONIUM Syd.. Imp., Melanconiales .

- A. nothopégiae Ramakr., Sriniv. and Sund. On leaves of Nothopégia dalzellii, Naduvattam (Nilgiris) (151:93).

ASTEROSTOMELLA Speg., Coelo., Sphaeropsidales.

A. isonnandrae Hosagoudar and Goss sp. nov. in Coimbatore, Tamil Nadu (518).

AURICULARIA Bull. ex Merat . Basidio., Tremellales, Auriculariaceae.

A. epitricha Berk. in Herb. On bark, Nilgiris (Madras) (46:15).

A. zeicola (Cochliobolus carborum) on Euphorbia geniculata causing leaf and stem blight Coimbatore Tamil Nadu (713).

BAGCHEEA Mueller and Menon (Phytopath. Z., 22:417; 1954). Asco., Sphaeriales,

Cryptosporellaceae .

B. castaneae Muller and Menon. On leave of Castanea sp., Kotagiri (95:418).

BAHUSAKALA Subram. (J. Indian bot. Soc., 37, p. 63, 1958). Imp, Moniliales, Dematiaceae.

B. olivaceo- nigra (Berk. & Br.) Subram. On dead Liliaceae, Government Garden, Ootacamund, Nilgiris District, Madras; on Yucca gloriosa, Govt. Gardern, Ootacamund, Nilgiris, Madras.

BAHUSANDHIKA Subram.(J.Indian bot. Soc., 35, p 469, 1956). Imp., Moniliales, Dematiaceae .

B. indica (Subram.) Subram. On dead spathe of Cocos nucifera L.,Ernakulam,T.C. State (216: 469).

BALANSIA Speg. Asco., Hypocreales .

B. oryzae (Syd.) Naras. and Thirum. (106:276) see Ephelis oryzae.

B. sclerotica on Panicum flavidum, Coimbatore (3), on Urochloa reptans, Burliar Nilgiris (151:83).

BASIDIELIA Cooke Imp., Moniliales, Stilbaceae .

B. sphaerocarpa Cke. In decayed roots of Gloriosa superba, Madras (37:118).

BELTRANIA Penzig . Imp., Moniliales, Dematiaceae.

B. indica Subram. On pods of Caesalpinia pulcherrima, Madras (176:45).

BELTRANIPELLA Subram. (Proc. Indian Acad. Sci., B.36; 227, 1952). Imp., Moniliales, Dematiaceae .

B. odinae Subram. On dead leaves of Odina wodier, Madras (178:227). Blastospora ascotela see Maravalia ascotela

BIPOLARIS Shoemaker (Canad. J. Bot., 37, p. 882, 1959) Imp., Moniliales, Dematiaceae .

B longirostrata (Subram.) Subram. (Mycopathologia, 26 : 377, 1965) on dead leaves of Borassus flabellifer, Sevvapet, Madras. (216: 463 as Helminthosporium longirostratum Subram.)

BLODGETTIA Wright, Imp., Moniliales, Dematiaceae .

B. indica Subram. On stubble submerged in water, Madras (184:38).

BOLBITIUS Fr. in Epicrisis : 253 (1853). Agaricales, Basidiomycetes.
B. aleuriatus (Fr.) Singer in Lilloa 22 : 490 (1951). On rotting wood, solitary, Tiger Shola, Kodaikanal, Tamil Nadu.

BOTRYODIPLODIA Sacc. Imp., Sphaeropsidales, Sphaerioidaceae.
B. hypoxylloidea (Cks.) Sacc. On Moringa oleifera, Coimbatore .
B. theobromate on Eugenia jambolana causing leaf spot in Coimbatore Tamil Nadu. On Gossupium in Coimbatore, Tamil Nadu (710).

BOTRYOSPHAERIA Ces. & de Not., Asco., Dothideales.
B. Philoprina (Berk. & Curt.) Arx & Muller on Manihot glaziovii in M.P., Tamil Nadu and Kerala (1163).

BOTRYOSPORIUM Corda . Imp., Moniliales, Moniliaceae.
B. longibrachiatum (Oudem.) Maire). On dead plants of Arachis hypogea, Madras (Subramanian and Ramakrishnan, List of Indian Fungi, J. Madras Univ., B.24:336, 1956).

BOTRYOTINIA Whetzel (Mycologia, 37:678, 1945) Asco., Sclerotiniaceae.
B. ricini (Godfrey) Whetzel (Mycologia, 37:680; as Sclerotinia ricini, but not from Madras). On inflorescence of Ricinus communis Tindivanam

BOTRYTIS Pers. ex Fr. Imp., Moniliales, Moniliaceae.
B. cinerea Pers. From soil Madras (219; 145).

BUBAKIA Arthur (Resutl. Sci. Congr. Internat. Bot Wien, 1905, 338, 1906) Basidio., Uredinales, Melampsoraceae.
B. indica Ramakr., T.S. and K. On leaves of Glochidion neilgherrense, Dodabetta Nilgiris (141:75).

BULGARIASTRUM Syd.. Asco., Helotiales.
B. tumefaciens Ramakr., T.S. and K. On leaves and inflorescence of Capparis sepiaria, Kallar and Hasanur, Coimbatore district (136:33).

CALOCHAETIS Syd. = Dimeriella fide Hansford, Asco., Sphaeriales.
C. indica Syd. On leaves of Andropogon nardus, Ootacamund (217:58).

CALONECTRIA de Not. Asco., Hypocreales.
C. theae Loos (Trans. Brit. Mycol. Soc., 33:17, 1950). On Thea sinensis, S. India.

CALATHISCUS Mont = Aseroe fide Cunningham. Basidio, Phallales.
C. sepia Mont. On tree trunks in a damp forest near Ootacamund (92:23).

CAMAROTELLA Theiss. and Syd. Asco., Dothideales, Dothideaceae.
C. symploci Ramakr. T.S. and K. On leaves of Symplocos foliosa Ootacamund (141:71).

CAMPANELLA Henn. Engl. Bot. Jahrb. 22: 95 (1895). Agaricales, Basidio.
C. junghuhnii (Mont.) Singer. On rotting wood, Tiger Shola, Kodaikanal, Tamil Nadu.

CAMPTROMERIS Syd. (Ann. Mycol., 25:142, 1927) Imp.; Moniliales, Tuberculariaceae
C. acaciae (Syd.) Cif. (Mycopath., 6:25, 1951). Recorded as *Septogloeum acaciae* Syd., on
Acacia arabica, Coimbatore (207:489; 214:220). Bessey (Mycologia, 45:385, 1953) doubts this
nov. comb.
C. crataevae Subram. On leaves of *Crataeva religiosa*, Madras (180:167).

CANDELOSPORA Rea and Hawley (Proc. Roy. Irish. Acad., 13:11, 1912). Imp., Moniliales,
Moniliaceae.

C. theae (Petch) Wakefield ex Gadd . On *Thea sinensis* S. India, see also *Calonectria theae*.

CANTHAROCYBE H.E. Bigelow and A.H. Smith (1973) Agaricales, Basidio.
C. gruberi (A.H. Sm.) Bigelow & A.H. Sm. On soil at the base of *Mangifera indica* Linn., Deer
Park, Guindy, Madras, Tamil Nadu.

CAPNODIUM Mont. Asco., Dothideales, Capnodiaceae.
C. citri Berk. and Desm. On leaves and twigs of *Citrus* sp., Hosur .
C. theae Boed. (Bull Jard. bot. Buitenz., Ser. III, 11:223, 1931). On *Thea sinensis*, S. India (Rept.
United Pl. Assoc. S. India, 1939, 131).

CATACAUMA Theiss and Syd. Asco., Dothideales, Phyllachoraceae.
C. acaciae Theiss and Syd. On leaves of *Acacia leucophloea* Coimbatore (224:389).
C. elaeocarpi Ramakr. T.S. and K. On leaves of *Elaeocarpus munroi*, Coonoor, Nilgiris district
(137:57); of *E. oblongus*, Ootacamund (224:389).
C. elettariae Ramakr. T.S. and K. On leaves of *Elettaria cardamomum*, Papanasam, Tirunelveli
district (142:100).
C. repens (Corda) Theiss and Syd. On leaves of *Ficus religiosa*, Madras (32a:16 and 38:95 as
Dothidea repens Corda; 212:396; 224:383) Palni .

CATACAUMELLA Theiss and Syd. Asco., Dothideales, Phyllachoraceae.
C. calamicola Ramakr. T.S. and K. On leaves of *Calamus rotang*, Coonoor Nilgiris (143:208).

CATENULOPSORA Mundkur (Ann. Bot. Lond., 7:216, 1943). Basidio., Uredinales.
C. zizyphi Ramakr. and Subram. On *Zizyphus oenoplea*, Kallar Coimbatore district (152:262).
C. flacouriae Mundkur and Thirum. The Uredial stage. *Uredo uguressae* Petch has been reported
on *Scolopia crenata* Burliar (Nilgiris) (156:33).

CEPHALIOPHORA Thaxter . Imp., Moniliales, Moniliaceae .
C. irregularis Thaxter. On dead and decaying moist wood, Madras (182:96).

CEPHALOSPORIUM Corda Imp., Moniliales, Moniliaceae .
C. acremonium Corda . From soil, Madras (219:145).
C. sacchari Butler (BB.141). In culms of *Saccharum officinarum*, throughout India (25:402;
27:181).

CERATOSPHAERIA Niessl (Sacc. II, 227). Asco., Sphaeriales.

C. crossandrae Ramakr. On dead stems of *Crossandra undulaefolia*, Madras (117:252).

CERATOCYSTIS Ell. and Halst. Asco., Sphaeriales .

C. adiposa (Butler) Moreae (Rev. Mycol., 17:22, 1952). On planted cuttings and old culms of *Saccharum officinarum*, throughout India .

C. paradoxa (de Seynes) Moreau (Rev. Mycol., 17:22, 1952). On *Cocos nucifera*, *Areca catechu* and *Borassus flabellifer*, and *Saccharum officinarum*, throughout India.

C. Cereatostomella adiposum see Ceratocystis adiposa.

C. paradoxa see Ceratocystis paradoxa.

CERCOSPORA Fres. Imp., Moniliales, Dematiaceae .

C. beticola Sacc. On leaves of *Beta vulgaris*, Keti, Nilgiris.

C. careyae Ramakr. T.S. and K. On leaves of *Careya arborea*, Gudalur, Nilgiris, (142:105).

C. carthami Sundar. and Ramkr. (BB.141). On leaves of *Carthamus tinctoria*, Coimbatore (205:389).

C. chloroxyli Ramakr. and Reddy. On leaves of *Chloroxylon swietiniae*, Kallar (128:121).

C. effusa (Berk. and Curt.) Ellis. On leaves of *Lobelia excelsa*, Coonoor, Nilgiris (160:63).

C. eucalypti Cke. and Mass. . On leaves of *Eucalyptus fasicola*, Ootacamund (142:107).

C. eupatoricola Govindu and Thirum. On leaves of *Eupatorium glandulosum*, Hosamunde, Nilgiris (59:224).

C. ferruginea Fuckel . On leaves of *Artemesia vulgaris*, Anamalais (Madras) (110:7; 125:163).

C. galactiae Ell. and Ev. On leaflets of *Galactia tenuifolia* Kallar (158:64).

C. grewiicola Govindu and Thirum. On leaves of *Grewia* sp., Kallar (58:229).

C. hibisci Tracy and Earle . On leaves of *Hibiscus esculentus*, Coimbatore, (143:213).

C. insulana (Sacc.) Chupp (Bothalia, 4:887, 1948) . On leaves and flowering shoots of *Statice* sp., Ootacamund, Coonoor (160:63).

C. jasminicola Mueller and Chupp (Arq. Inst. Biol. Veg. 3:93, 1936). On leaves of *Jasminum grandiflorum*, Coimbatore (161:195).

C. kallarensis Ramakr. T.S. and K. On leaves of *Ficus* sp., Kallar (137:69).

C. knoxiae Govindu and Thirum. On leaves of *Knoxia corymbosa*, Dodabetta, Nilgiris (59:223).

C. longispora Dorai and Vittal sp. nov. on leaf litter of *Eucalyptus tereticornis* F. Muell in South India, (339).

C. morindae Syd. On leaves of *Morinda tinctoria*, Coimbatore (207:490).

C. nicotianae Ell and Ev. On leaves of *Nicotiana tabacum*, throughout S. India (215:267).

C. nilgherensis Govindu and Thirum. On leaves of *Conyza ambigua*, Hosamunde, Nilgiris (59:224).

C. nothopogiae Ramakr., Sriniv., Sund. On leaves of *Nothopogia dalzelliae*, Naduvattam, Nilgiris. (151:94).

C. nymphaeaceae Cke. and Ell. . On leaves of *Nymphaea lotus*, Ootacamund (217:71).

C. pentaleuca Syd. (BB.143). On leaves of *Clitoria ternatea*, Coimbatore (207:490).

C. personata (Berk. and Curt.) Ell. and Ev. On leaves of *Arachis hypogaea*, throughout S. India (17:48; 215:268).

C. pilosa Ramakr. On leaves of *Triumfetta pilosa*, Kodaikanal (126:69).

C. pulchella Ramakr. On leaves of *Indigofera pulchella*, Kodaikanal (125:164).

C. sesbaniae P. Henn. On leaves of *Sesbania grandiflora*, Coimbatore (207:490),

Achutamangalam, Thanjavur district .

C. solanacea Sacc. and Berl. . On leaves of *Solanum verbasco-folium*, Kallar (58:224).

C. sophorae Ramakr. T.S. and K. On leaves of *Sophora glauca*, Nanjanad, Nilgiris (143:213).

C. sorghi Ell. and Ev. On leaves of *Sorghum vulgare*. Madras State (120:265), on *Sorghum halepense*, Coimbatore .

C. subsessilis Syd. (BB.143). On leaves of *Melin azedarach*, Coimbatore (215:269).

C. venezuelana Chupp var. *indica* Govindu and Thirum. On leaves of *Solanum indicum*, Hosamunde, Nilgiris (59:223).

C. vestita Ramakr. On leaves of *Leucas vestita*, Kodaikanal (126:69).

C. ugandensis Hansf. (Proc. Linn. Soc. Lond., 1942-43, 59; 1943). On leaves of *Mariscus* sp., Kallar (58:225).

C. unamonoii Cast. (Rev. Agric. subtrop. trop. 42:27, 1948). On leaves of *Capsicum frutescens*, Kallar (58:223).

C. viticola (Ces.). On *Vitis vinifera*, Ganguvarpatti, Madurai district (162:108).

CERATOSPORELLA Hoehnel (Zbl. f. Bakter. u .Parasitenk., 2 Abt., 60: 6, 1923). Imp., Moniliales, Dematiaceae .

C. deviata Subram. On leaves of *Raphilstyles sapida*, Government Garden, Ootacamund.

CERCOSPORELLA Sacc. Imp., Moniliales, Moniliaceae .

C. anamiriae Hosagoudar and Verma sp. nov. on *Anamirta cocculus* in Tamil Nadu. (527).

C. endecaphyllae Ramakr. and Sund. On leaves of *Indigofera endecaphylla*, Kodambarai, Anamalais (157:147).

C. theae see *Calonectria theae* and *Candelospora theae*.

CERCOSPORIDIUM Earle., Hypho., Moniliales.

C. personatum (*Mycospharella berkeleyi*) on Ground nut (*Arachis hypogaea* L.) var. POL-2 and JL-24 causing late leaf spot in Tamil Nadu (563).

CERCOSPORINA Sperg. *Cercospora* fide Solheim. Imp., Moniliales, Dematiaceae.

C. imperatae H. and P. Syd. On leaves of *Imperata arundinacea* Aduthurai (Madras) (157:147 as C. imperatae (Syd. H & P.) Sawada).

CEREBELLA Ces. (Sacc. IV, 761). Imp., Moniliales, Tuberculariaceae (D2).

C. nardi Butler in Subram. On glumes of *Andropogon nardus*, Mundanthorai, Tirunelveli district (192:206).

C. sorghi-vulgaris Subram. see C. volkensii.

C. volkensii (P. Henn.) Mundkur. In ovaries of *Sorghum valgare* Rishivandayam (192:206 as C. sorghi-vulgaris Subram.).

CEROTELIUM Arthur (Bull. Torrey. Bot. Cl., 33:30, 1906) Basidio., Uredinales, Pucciniaceae or Melampsoraceae.

CHACONIA Juel. Basidio., Uredinales, Melampsoraceae or Pucciniaceae.

C. butleri (Syd.) Mains On leaves of *Jasminum brevibolum*, Kodaikanal (124:47).

CHAETOMIUM Kunze ex Fr. (Sacc. I, 220). Asco., Sphaeriales.

- C. britannicum Ames. On power generating cooling tower, Coimbatore Tamil Nadu (1663b).
C. bostrychodes Zopf . Isolated from black cotton soil, Udumalpet (181:209; 245:109).
C. rufum Ramakr. On moist straw, Madras (114:118).
C. trilaterale Chivers . Isolated from rice field soil, Vandalur (Madras) (116:112; 114A:65).

CHLORIDIUM Link . Imp., Moniliales, Dematiaceae .

- C. indicum Subram. On dead leaves of Phoenix canariensis, Coonoor (Madras) (186:286).
C. schulzerii Link . On dead stems, Madras (184:40).

CHALARIA (Corda) Rabenh., Hypho., Moniliales.

- C. sibika Subram. & Sudha. On leaf litter of Ficus sp., Tambaram, Madras, Tamil Nadu. (1607b).

CHLOROPHYLLUM Massee, Kew Bull. 135 : 1898 . Agaricales, Basidio.

- C. molybdites (G. Meyer ex Fr.) Massee. On soil, IIT campus; Post-graduate Women's Hostel campus, Chepauk; Madras University campus, Chepauk; Deer Park, Guindy, Madras, Tamil Nadu.

CHRYSOCELIS Lagerh. and Diet. Basidio., Uredinales, Pucciniaceae.

- C. indica Ramakr. T.S. and K. On leaves of Justicia betonica, Burliar Nilgiris (138:49)

CILIOCHORELLA Syd. emend Subram. and Ramakr. (Sydow and Mitter, Ann. Mycol., 33: 63; 1935; Subramanian and Ramakrishnan, Trans. Brit. Mycol. Soc., 39:315, 1956). Imp., Sphaeropsidales, Leptostromaceae.

- C. mangiferae Sydow emend Subram. and Ramakr. (Ann. Mycol., 33:63, 1935; Trans. Brit. Mycol. Soc., 39:316, 1956). On leaves of Azadirachta indica, Bignonia sp., Achras sapota, Mangifera indica, Psidium guajava, Lantana aculeata and Ficus bengalensis, Madras, of Hugonia mystax, Tambaram (Madras) (Subram. and Ramakr. in J. Indian Bot. Soc., 32:135; 1953 as Plagionema indica); on leaves of Couroupita guianensis, Terminalia sp., Swietenia sp., Madras, of Glycosmis cochinchinensis, Tambaram (Trans. Brit.) Myco. Soc., 39:316, 1956).

CINTRACTIA Cornu Basidio., Ustilaginales, Ustilaginaceae.

- C. axicola (Berk.) Cornu (Sacc. VII, 180 BB.43). In peduncles of F. dichotoma, Coimbatore, of F. diphyllo, Palur and F. tenera, Salem (3) see
C. peribebuyensis is considered as a synonym by Mund. and Thiram (105a:41).
C. minor (Clinton) Jackson. Mycologia 12:153, 1920 Inflorescence of Cyperus sp. (105a:44).
C. pulverulenta Cke. in Mass. In ovaries of Saccharum arundinaceum, Coimbatore (44:34); Tiruvadi, Thanjavur district .

CIVISUBRAMANIANIA Vittal & Dorai, Hypho.

- C. eucalypti Vittal & Dorai. On leaf litter of Eucalyptus sp., Vandalur, Madras, Tamil Nadu (1726a).

CLADOPUS (Fr.) Gillet, Champ., 426 : 1876. Agaricales, Basidio.

- C. byssisedus (Pers. ex Fr.) Quelet . On litter, Madras Christian College campus, Tambaram, Madras, Tamil Nadu.

CLADOSPORIUM Link ex Fr. Imp., Moniliales, Dematiaceae (B).

C. herbarum (Pers.) Link . On withering plant material, India (38:95); isolated from soil, Vandalur (Madras) (116:112).

CLAVICEPS Tul. Asco., Hypocreales.

C. paspali Stevens and Hall. On Paspalum scrobiculatum and Rhynchelytrium roseum, Coimbatore (153:214), of Paspalum dialatum, Kodaikanal (150:86).

C. pusilla Cesati . On Rhynchelytrium roseum, Coonoor (153:214).

COCHLIOBOLUS Drechs., Asco., Sphaeriales.

C. australiensis Ebenezar et al. On Maranta arundinacea causing leaf blight in Tamil Nadu. (355).

C. bicolor Paul & Parbery on Eleusine coracana (L.) Gaertn in Andhra Pradesh. (1048); on Sorghum spp. KS 6312 causing leaf spot in Coimbatore, Tamil Nadu (714).

C. miyabeanus (Ito & Kurabayashi) Drechs. Ex. On rice causing brown rot in Madras (1632).

COEMANSIA van Tiegh., & Le Monn. Phyco., Mucorales.

C. reversa van Tieghem & Le Monnier . Isolated from rhizosphere of pigeon pea, Madras.

COLEOSPORIUM Lev. Basidio., Uredinales, Melampsoraceae.

C. oldenlandiae (Mass.) Butl. On leaves of Oldenlandia aspera, Coimbatore (210:440 as Aecidium oldenlandiae).

COLLETOTRICHUM Corda Imp., Melanconiales .

C. capsici (Syd.) Butler and Bisby . On leaves, stems and fruits of Capsicum spp., throughout S. India (25:352; 199:12).

C. crassipes (Speg) Von Arx. On living leaves of Eugenia Caryophyllata Lam. Causing foliar disease in Kanyakumari, Tamil Nadu (835).

C. ciliatum see Rostrospora ciliata.

C. compactum Ramakr. On pods of Albizzia lebbeck, Coimbatore (126:70).

C. curcumae (Syd.) Butler and Bisby. On leaves of Curcuma longa, through S. India (89: 198; 199 considers as a synonym of C. capsici).

C. dematium (Pers. ex Fr.) Grove. On leaves of Lonicera hildebrandtiana, Coonoor (Kandaswamy and Sundaram, Sci. and Cult. 27: 534, 1956).

C. falcatum Went . On leaves of Saccharum officinarum, throughout S. India (17:46; 25:391; 19:2).

C. falcatum Went var. arundinis Ramakr. On leaves of Arundo donax, Coimbatore (122:293).

C. gloeosporioides Penzig. On Citrus aurantium and C. medica throughout India: on C. aurantium, Courtallum (Madras) .

C. gloesporides state of Glomerella cingulata penz. Pudukkotai and Coimbatore Tamil Nadu. (1562).

C. gloesporioides Coimbatore Tamil Nadu (706).

C. graminicolum (Ces.) Wilson . On leaves of Sorghum vulgare, throughout S. India (9:283; 17:46; 25:217) .

C. lindemuthianum (Sacc. and Magn.) Briosi and Cav. On Phaseolus vulgaris, Nilgiris (25:256, 267 as Glomerella lindemuthiana).Colletotrichum On Accacia auriculiformis causing leaf

infection in nursery seedlings and 2-3 year old plantation in Kerala and Tamil Nadu (833); on *Acacia mangium* causing leaf infection in nursery seedlings and 2-3 years old plantation in Kerala and Tamil nadu (833); On *Acacia melanoxylon* causing leaf infection in nursery seedlings and 2-3 year old plantation in Kerala and Tamil Nadu (833).

C. *Corticium koleroga* see *Pellicularia kolegora*.

C. *salmonicolor* see *Pellicularia salmonicolor*.

COLLYBIA Kummer, Fuhr. Pilzk., 26: 1871 . Agaricales, Basidio.

C. *allegretii* (Seynes) Pegler. On litter and humus, Madras Christian College campus, Tambaram, Madras, Tamil Nadu.

C. *confluens* (Pers. ex Fr.) Kummer. On pine litter, Kodaikanal, Tamil Nadu.

C. *dealbata* (Berk. & Curtis) Dennis. On soil mixed with litter, Alagar Hills, Madurai, Tamil Nadu.

C. *johnstonii* (Murrill) Dennis. On living Eucalyptus tree bark, Carlton Hotel campus, Kodaikanal, Tamil Nadu.

C. *polygramma* (Mont.) Dennis. On decaying wood, Indian Institute of Technology campus, Madras, Tamil Nadu.

C. *seripes* (Berk. & Curtis) Dennis. On soil mixed with litter at the base of living dicot tree, Madras University campus, Madras, Tamil Nadu.

CONIELLA Hohnel., Coelo., Sphaeropsidales.

C. *castaneicola* (Ell. & Ev.) Sutton . on dead leaves of *Elaeocarpus ferrugineus* Bl., Kodaikanal , Tamil Nadu (850a).

CONIOCHAETA (Sacc.) Cooke., Asco., Sphaeriales.

C. *tetraspora* Cain. On Pine bloches among the timber packing of cooling tower from Madras fertilizers, Madras, Tamil Nadu. (1663b).

CONOCYBE Fayod in Ann. Sci. Nat. VII, 9 : 357 (1889). Agaricales, Basidiomycetes.

C. *semiglobata* Kuhner ex Singer in Mycologia 51: 395 (1959). On cow dung, solitary, Santinella, Ootacamund, Nilgiris, Tamil Nadu.

C. *aurea* (Schaeff.) Kuhner and Romagnesi ex Hongo in J. Jap. Bot. 38 : 236 (1963). On ground, Shola near Lovedale Railway Station, Ootacamund, Nilgiris, Tamil Nadu.

C. *ambigua* (Kuhner) Singer ex Singer in Mycologia 51: 395 (1959). On cow dung, in groups, Madras University Botany Field Research Laboratory, Maduravoyal, Madras , Tamil Nadu.

C. *pilosella* (Pers. ex Fr.) Kuhner in Encycl. Mycol. 7 : 92 (1935). On litter, solitary, Valliamai Cardamom Estate, Chinnakanal (near Munnar), Kerala.

C. *rickenii* (Schaeff.) Kuhner in Encycl. Mycol. 7 : 115 (1935). On ground, solitary, 1974 Pine regeneration area, Kathrikai odai, Kodaikanal, Tamil Nadu.

C. *fragilis* (Peck) Kuhner in Kuhner & Romagn. in Fl. Anal. Champ. Super: 345 (1953). On litter, solitary, Kattery Manthanai Forest, Ootacamund, Nilgiris, Tamil Nadu.

C. *plumbeitincta* (Atk.) Singer in Sydowia 4: 137 (1950). On cow dung, in groups, Madras University Botany Field Research Laboratory, Maduravoyal, Madras, Tamil Nadu.

C. *ochracea* (Kuhner) Singer & Singer in Mycolgia 51 : 395 (1959). On ground, solitary, Kodambakkam, Madras, Tamil Nadu.

CONOSTROMA Mosez., Coelo.

C. quercicola Muthumary sp.nov. on Quercus alba Roxb. in Kodiakanal , Tamil Nadu (850).

COPELANDIA Bres., Hymeno., Agaricales.

C. tirunelveliensis Natarajan & Raman on soil Tamil Nadu, in India (895).

C. tropica Natarajan & Raman in litter in Kerala, India (895).

CORYNEUM Ness., ex . Fr., Coelo., Melanconiales.

C. quercinum Muthumary & Sutton. Sp. nov. on Qurecus alba in Kodaikanal, Tamil Nadu. (854).

CRINIPELLIS Pat. Journ. Bot. 3: 336 (1889). Agaricales, Basidio.

C. stipitaria (Fr.) Pat. On living grass, Madras University Botany Field Research Laboratory, Maduravoyal, Madras, Tamil Nadu.

C. subtomentosa (Peck) Singer. On living grass especially at the basal region, in sandy pasture, Post-graduate Women's Hostel Campus, Chepauk, Madras, Tamil Nadu.

CYPTOTRAMA Sing. Lilloa, 30 : 375 (1960) Agaricales, Basidio.

C. asprata (Berk.) Redhead & Ginns. On decaying wood, Berijam Lake, Kodaikanal, Tamil Nadu.

COPELANDIA Bersad. In Hedwigia 53 : 51 (1913). Agaricales, Basidiomycetes.

C. cyanescens (Berk. & Broome) Singer in Lilloa 22: 473 (1951). On elephant dung, in groups, Deer Park, Guindy, Madras, Tamil Nadu.

C. tropica Natarajan & Raman sp. nov. On litter, in groups, Cardamom Estate, Paraiadi, Myladumpara, Kerala.

C. tirunelveliensis Natarajan & Raman sp. nov. On ground, solitary, Kodimudi Teak plantations, Mundanthurai, Tirunelveli, Tamil Nadu.

C. Copelandia bispora (Malencon & Bertault) Singer & Weeks in J. Nat. Products 42 : 472 (1979). On ground, solitary, Mundanthurai, Tirunelveli, Tamil Nadu.

COPRINUS Pers. ex Gray in Nat. Arrang. Brit. Pl. 1: 632 (1821). Agaricales, Basidiomycetes.

C. brunnaeofibrillosus dennis in Kew Bull. 15 : 118 (1961). On ground, in groups, Nungambakkam, Madras, Tamil Nadu.

C. macrocephalus Berk. in Engl. Fl. V: 122 (1836). On ground, in groups, Madras University campus, Madras, Tamil Nadu.

C. lagopus (Fr.) Fr. in Epicrisis : 250 (1838). On paddy straw, in groups, Madras University campus, Madras, Tamil Nadu.

C. poliomallus Romagn. In Rev. Mycol. 10: 89 (1945). On litter, in groups, Cardamom estate, Paraiadi, Myladumpara, Kerela.

C. plicatilis (Curtis ex Fr.) Fr. in Epicrisis : 252 (1838). On ground, in groups, Children's Park, Guindy, Madras, Tamil Nadu.

C. plicatilis var. Microsporus Kuhner in Kuhner & Josserand in Bull. Soc. Mycol. Fr. 50 : 57 (1934). On ground, in groups, Valliamai Cardamon Estate, Chinnakanal (near Munnar), Kerala.

CREPIDOTUS (Fr.) Kummer in Fuhr. Pilzk.: 21 (1871). Agaricales, Basidiomycetes.

C. uber (Berk. & Broome) Sacc. Var. Phragmocystidiosus Natarajan & Raman in Nova

Hedwigia 34: 172 (1981). On fallen log, in groups, Kodimudi Teak Plantation, Tirunelveli District, Tamil Nadu.

C. eucalypticola Singer in *Nova Hedwigia* 29: 73 (1978). On living Eucalyptus tree trunk, in groups, Santinella, Ootacamund, Nilgiris, T.N

C. cystidisous Hesler & A.H. Sm. In *North American Species of Crepidotus*: 43 (1955). On fallen log, solitary, Senkaltheri, Tirunelveli District, Tamil Nadu.

C. applanatus (Pers.) Kummer in *Fuhr. Pilzk.*: 74 (1871). On *Eucalyptus rufida* Engler tree trunk, in groups, Pine Plantation, Kundar, Kodaikanal, Tamil Nadu.

C. nephrodes (Perk. & Cutis) Sacc. in *Syll. Fung.* 5 : 882 (1887). On rotting wood, in groups, Tiger Shola, Kodaikanal, Tamil Nadu.

COROLLOSPORA Werderm., Asco., Sphaeriales.

C. intermedia Schmidt. On dead twigs of *Prosopis juliflora* L. in Tamil Nadu (1188).

CORTICIUM Pers. ex Fr. Hymeno., Agaricales.

C. rolfssii Curzi.. On Robusta bananas causing pseudo stem rot in Tamil Nadu (827).

C. salmonicolor on *Casuarina equisetifolia* causing pink disease in nursery trial and plantation in Tamil Nadu and Kerala (834).

CORYNESPORA Gussow .Imp., Moniliales, Dematiaceae.

C. cassiicola (Berk. and Curt.) Wei (Mycol. Pap., 34:5, 1950. On dead stems of *Cassia* sp. and dead stems, Kolathur, Chingleput district (176:52).

CRONARTIUM Fr.. Basidio, Uredinales, Melampsoraceae.

C. fici Ramakr. T.S. and K. On leaves of *Ficus* sp., Burliar, Nilgiris (138:50).

CROSSOPSPORA Syd.. Basidio., Uredinales, Melampsoraceae.

C. premnae-tomentosae Ramakr. and Soumini. On leaves of *Premna tomentosa*, Kallar (146:36).

CRUCIBULUM Tul. Nidulariaceae.

C. vulgare Tul. Nilgiris (68:160).

CRYPTOSTICTIS Fuckel (Sacc. III, 443). Imp., Melanconiales.

C. grevilleae (Loos) Subram. and Ramakr. (J. Indian Bot. Soc., 35:231, 1956). On leaves of *Grevillea robusta*, Nilgiris (244:570 as *Amphichaeta grevilleae* Loss).

CUNNINGHAMELLA Matr. Phyco., Mucorales, Choanephoraceae.

C. bertholletiae Stadel Isolated from soil, Vandalur (Madras) (114A:58).

C. echinulata Thaxter . Isolated from soil, Vandalur (Madras) (114A:58).

CURVULARIA Boed. (Bull. Jard. bot. Buitenz., Ser.III, 13:123, 1933). imp., Moniliales, Dematiaceae .

C. andropogonis (Zimm.) Boed. (Bull. Jard. bot. Buitenz., Ser.III, 13, 128, 1933 Sacc. XVIII, 594 as *Napicladium andropogonis* Zimm.). On leaves of *Dichanthium annulatum*, Madras (183:30).

C. falcata (Tehon) Boed. (R.C. 130). On dead palm leaf, Madras (183:37).

- C. inaequalis (Shear) Boed. (1.c.129; inaequalis Shear). On dead palm (*Cocos nucifera*) Velacheri, Chingleput district (183:36).
- C. indica Subram. On dead culms of *Scirpus* sp., Poonamallee, Chingleput district (183:38).
- C. lunata (Wakker) Boed. (1.c.127) Isolated from soil, Vandalur (Madras) (114A:73; 116:112).
- C. lunata (*Cochliobolus lunatus*) in Tamil Nadu (718); on rice cultivars IR 20& CO43 causing sheath rot in Tamil Nadu (708).
- C. maculans (Bancroft) Boed. (1.c.125). On dead culms of *Scirpus* sp., Poonamallee and leaf sheath of *Musa paradisiaca*, Athur, Chingleput district (183:27); isolated from soil, Vandalur (114A:74; 116:112).
- C. pallescens Boed. (1.c.127). On dead palm leaf, Madras (183:29); isolated from soil, Vandalur (114A:74; 116:112).
- C. palmarum Subram. On dead leaves of *Cocos nucifera*, Mylapore, Madras (183:38).
- C. trifolii (Kauffm.) Boed. (1.c.128). On dead culms of *Scirpus* sp., Poonamallee (183:31).
- C. uncinata Bugnicourt (Rev. gen. bot., 57: 73, 1950). On dead culms of *Scirpus* sp., Poonamallee (183:38).

CYLINDROSPORIUM "Unger" (Sacc. III, 737) Imp., Melanconiales.

- C. dichanthi Ramakr., T.S. and K. On leaves of *Dichanthium annulatum*, Coimbatore (141:77).
- C. gyrocarpi Syd. . On leaves of *Gyrocarpus americanus*, Chennimalai, Coimbatore (206:328).

CYSTOPSORA Butler . Basidio., Uredinales, Pucciniaceae.

- C. oleae Butl of *O. dioica*, Bolampatti Hills (Madras) ; Anamalais (157:144).

CYSTOPUS Lev. Phyco., Peronosporales, Albuginaceae. *Albugo* seems to be the correct name according to the new rules.

- C. bliti (Biv.) de Bary . On leaves of *Achyranthes aspera*, Coorg, A. sp., Coimbatore, Digera arvensis, Coimbatore, (211:514)

C. molluginicola see *Albugo molluginis*.

- C. portulacae (DC.) Lev. (Sacc. VII, 235, BB.3). On *Portulaca quadrifida*, Coimbatore (211:513; 207:485).

CYTOSPORA Ehrenb. ex Fr. (Sacc. III, 252). Imp., Sphaeropsidales, Sphaerioidaceae.

- C. sacchari Butl. On culms and sheaths of *Saccharum officinarum*, Madras (214:193).

DACTYLELLA Grove . Imp., Moniliales, Moniliaceae.

- D. bembicodes Drechsler (Mycologia, 29; 491, 1937). Isolated from rhizospere, Madras.

DAEDEALEOPSIS Shroet. = *Daedalea* fide Killermann., Basidio., Agaricales, Polyporaceae.

- D. tenuis (Hook. ex Fr.) Imazeki (Bull. Tokyo Sci. Mus. 6:78, 1943) . South India. 76:2; 77:1126).

DALDINIA Ces. and de Not. Asco., Sphaeriales .

- D. bakeri Lloyd. On wood of deciduous trees, Nilgiris (29:464).

DARLUCA Cast. (Sacc. III, 410). Imp., Sphaeropsidales, Sphaeroidaceae.

DASYSCYPHA (Fr.) Fuckel. Asco., Helotiales. D. aleurodes Cke. (On palm petioles, Nilgiris (50:73).

D. emerici (Berk. and Phill.) Sacc.. On twigs, Nilgiris (48:74 as Lachnella emerici Berk. and Phill).

DEIGHTONIELLA Hughes (Mycol.Pap., C.M.I., 48: 27, 1952). Imp. Moniliales, Dematiaceae

D. indica Subram. on dead stems, Government Garden Ootacamund.

DENDROGRAPHIUM Masses . Imp., Moniliales, Stibaceae .

D. interseminatum Subram. on dead twigs, Madras.

DENDRYPHION Wallr. Imp., Moniliales, Dematiaceae .

D. digitatum Subram. On dead stems, Coonoor (Nilgiris) (186:289).

DIDYMOCHORA Hoehn. Imp., Sphaeropsidales, Leptostromaceae .

D. cedrelae (Ramakr. T.S. and K.) Subram. and Ramakr. On leaves of Cedrela toona Coonoor (142:110 as Discella cedrelae Ramakr. T.S. and K; 191:226).

DIDYMELLA Sacc. Asco., Sphaeriales.

D. pseudosasae Hens. & Katumoto. On bamboo in Tamil Nadu (1163).

DIPLODIA Fr. Imp., Sphaeropsidales, Sphaeroidaceae .

D. catappae Cke. On nuts of Terminalia catappa, Pondicherry (34:114).

D. catechu Syd. and Butl. In inflorescence of Areca catechu, Coimbatore (214 : 200).

D. longipedicellata Ramakr. T.S. and K. On leaves of Syzgium montanum, Ootacamund (141:78).

D. natalensis Pole-Evans. On fruits of Myristica fragrans, Burliar, Nilgiris (Ramakrishnan, T.S. and Sarojini Damodaran in Indian Phytopath., 7:13, 1954)

DRUMOPAMA Subram. (Proc. Indian Acad. Sci., Sect. B, 46, p. 333, (1957). Imp. Moniliales, Stilbaceae.

D. girisa Subram. On both surfaces of decaying and dead leaves of Gramineae, Govt.Garden, Ootacamund, Nilgiris

DWAYABEEJA Subram. (J. India bot. Soc., 37, p. 56, 1958). Imp., Moniliales, Dematiaceae .

D. sundara Subram. on dead leaf rachis of Phoenix canariensis, Sim's Park, Coonoor.

DWAYALOMA Subram. (J. Indian bot. Soc., 36, p. 62, 1957). Imp., Moniliales,Dematiaceae .

D. trina Subram. On dead culms and leaves of an unidentified grass from the Sim's Park, Coonoor, Nilgiris.

DWAYAMALA Subram. (J. Indian bot. Soc., 35, p. 475, 1956). Imp., Moniliales, Dematiaceae .
D. prathilomaka Subram. On dead stem, Govt. Garden, Ootacamund, Nilgiris, Madras; On dead stem of *Clitoria ternatea*, University Botany Garden, Madras.

ECCILIA (Fr.) Kummer , Basidio., Entolomataceae.
E . excentrica Natarajan & Puroshothamas. On wood, Coorg. Karnataka (907i).

EDMUNDMASONIA Subram. (J. Indian bot. Soc., 37, p. 403, 1958). Imp., Moniliales, Dematiaceae .
E . pulchra Subram. On dead wood, Government Garden, Ootacamund, Nilgiris, Madras.

ELSINOE Racib. Asco., Myriangiales.
E . cullenii Ramakr. and Sund. On leaves of *Cullenia excelsa*, Kadamparai Anamalais (157:141).
E . mezoneuri Ramakr. T.S. and K. On leaves of *Mezoneurum cucculatum*, Anamalais (141:70).

ENDOSPOROSTILBE Subram. (J. Indian bot. Soc., 37, p. 49, 1958). Imp., Moniliales, Stibaceae .
E . nilagirica Subram. On dead stems amongst litter, Govt. Garden, Ootacamund.

EMERICELLA Berk. and Br. Asco., Eurotiales.
E . nidulans (Eidam) Vuill. (C.R. Acad. Sci. Paris, 184:137, 1927) From soil, Madras (219:145), from soil, Vandalur (116:112 as A.nidulans) E. nidulans should be the correct name fide Benjamin (Mycologia, 47 : 699, 1955).
E . variecolor Berk. and Br. Isolated from soil, Vandalur (116:112 as *Aspergillus variecolor* (Berk. and Br.) Thom. and Raper). E. variecolor should be the correct name fide Benjamin (Mycologia, 47:678, 1955).

EMPUSA Cohn. Phyco., Entomophthoraces, Entomophthoraceae.
E . aphidis Hoffman. On aphids (*Macrosiphon solanifolii*), Nanjanad Nilgiris (126:63).
E . grylli (Fres.) Nowakowski . Attacking and killing grass hoppers, Kodaikanal (105:1).
E . lecanii Zimm (Petch.T.Trans. of the Brit=Mycol.Soc.11:254-258, 1926, on *Phenococcus insolitus*, Coimbatore) (154A:110).

ENTYLOMA de Bary Basidio., Ustilaginales, Tilletiaceae.
E . bidentis P.Henn . On leaves of *Bidens pilosa*, Kallar and Coimbatore (132:180).
E . dactylidis (Pass.) Ciferri On *Dactylis glomerata*, Ootacamund (149:216).
E . dahliae Syd. On leaves of *Dahlia variabilis*, Ootacamund (132:182).
E . fuscum Schroet. On leaves of *Papaver*, sp. Ootacamund (142:102).
E . irregulare Johans. On leaves of *Poa annua*, Ootacamund (125:162).
E . nymphaeae (Cunn.) Setchell (Bot.Gaz.19:189, BB.44) on leaves of *Nymphaea* sp. Kodaikanal (105A:69).
E . *ephelis oryzae* see *Balansia oryzae*.

EPICHLOE (Fr.) Tul. Asco., Hypocreales .

E . bambusae Pat. On culms of Bambusa sp., S.India (212:395).

E . Epichloe cinerea Berk. and Br. On inflorescence of Eragrostis willdenoviana, Hosur (151:84).

ERYSIPHE Hedw.f.ex.Fr. Asco., Erysiphales, Erysiphaceae.

E . betae (Vanha) Weltzien, Phytopathol. Z.47: 127, 1963, Valparai, Combatore.

E . biocellata Ehrenb., N. Acta Phys.-med. Acad. Caes. Leop.-Car. nat. Cur. 10: 211, 1821, Perumalmalai, Kodaikanal.

E . cichoracearum DC. , Fl.Fr. 2: 274, 1805, Bharathiar University Campus, Coimbatore.

E . comunis Wallr.ex Fr. On Nicotiana tabacum, Koilpatti, Cucurbita pepo, C.maxima and Hibiscus esculentus, throughout S.India (25:314, 338).

E . cruciferarum Opiz ex Junell, Sv.Bot, Tidskr. 61; 217, 1967, Tamil Nadu.

E . galeopsis DC., Fl. Fr. 6: 108, 1815; Manchur, Kodaikanal.

E . glycines var. glycine on pea causing powdery mildew in Coimbatore , Tamil Nadu (506).

E . heraclei DC., Fl. Fr. 6: 107, 1815; Tamil Nadu Agricultural University Orchard, Coimbatore.

E . hommae Braun, Fedders Repert. 92: 501, 1981; Seithur Hills, Kamarajar District.

E . ornotii Cast. Suppl. Cat. Pl. Mars. 52, 1851; Coimbatore.

E . pisi DC. Fl. Fr. 2: 274 , 1805 ; Rajamani Estate, Kodaikanal.

E . polygoni DC. Fl. Fr. 2: 273, 1805; Kotagiri, Nilgiri.

E . polygoni DC. On Coriandrum sativum, Cuminum cimnum, Pisum sativum, throughout S.India especially the hills (25:253).

E . rabdosiae Zheng & Chen, Sydowia 34 : 276, 1981; Edakadu, Nilgiris.

E . sikkimensis Chona, Kapoor & Gill, Indian Phytopa-thol. 13 : 72, 1960; Govt., Botanical Garden, Ooty, Nilgiris.

E . verbena Schw., Trans. Am. Phil. Soc. 11: 270, 1834; Bharathiar University, Campus, Coimbatore.

EUDARLUCA Speg. Asco., Sphaeriales.

E . indica Ramakr. On uredia of Uredo amoni, Anamalais (125:159).

EUTYPA Tul., Asco., Pyreno., Diatrypales.

E . acharii Tul., on dead twigs of Rosa sp., in Jorhat, Assam (18a); on unidentified host, Kodaikanal, Tamil Nadu (1682a).

EXIDIA Fr. Basidio., Tremellales, Tremellaceae.

E . glandulosa (Bull.) Fr. Nilgiris (92:23).

EXOBASIDIUM Woron Basioio., Exobasidiaceae.

E . butleri Syd. On leaves of Rhododendron arboreum, Ootacamund (140:6)

E . celtidis Ramakr. T.S. and K. On leaves of Celtis tetrandra, Ootacamund and Singampatti, Tirunelveli district (140:9).

E . nilagiricum Ramakr. T.S. and K. On leaves of Cordonia obtusa, Naduvattam and Coonoor, Nilgiris (140:7).

E . triseptatum Ramakr. T.S. and K. On leaves and stems of Vaccinium leschnaultii, Ootacamund (140:10).

E . vaccinii (Fuck.) Wor. On leaves and twigs of Vaccinium nielgherrense, Naduvattam and

Coonoor (Nilgiris); Anamalais; on leaves of Azalea indica, Ootacamund (140:6; 126:68).
E . vexans Massee . On Thea sinensis, throughout the tea growing districts of S.India (Subba Rao, Pap.4 of the United P1.Assoc. S .India. 1946: 140:5).

EXOSPORIUM Link. and Wallr. Imp., Moniliales, Tuberculariaceae.
E . coonoorense Subram. On dead stems, Coonoor (188:60).

FARYSIA Racib. Basidio., Ustilaginales, Ustilaginaceae.
F. emodensis (Berk.) Syd. see Melanopsichium emodensis.
F. orientalis Ling On Carex baccans, Ootacamund (70:130). This is considered the same as F. americana by Mundkur and Thirumalachar (105A:8).

FAVOLUS Fr. Basidio., Agaricales, Polyporaceae.
F. grammacephalus (Berk.) Imazeki (Bull. Tokyo. Sci. Mus., 6:95, 1943.) S. India.
F. jacobaeus Sacc. and Berl. S. India (77:1126).

FAYODIA Kuhner, Bull. Soc. Linn. Lyon. 9: 68 (1930). Agaricales, Basidio.
F. bisphaerigera (J.E. Lange) Kuhner. Kodaikanal, Tamil Nadu.

FILOBOLETUS Henn. Monsunia. 1: 146 (1900) Agaricales, Basidio.
F. gracilis (Klotzsch apud Berk.) Singer. On rooting wood, near Forest Guest House, Senkaltheri, Tirunelveli, Tamil Nadu.

FOMES (FR) Kickx.. Basidio., Agaricales, Polyporaceae.
F. dochmius Berk. and Br. Madras.
F. pachyphloeus (pat.) Bres. On Thespesia populnea Cav. Causing heart rot in Coimbatore, Tamil Nadu (1560).
F. rimosus Berk. On Acacia sp., Coimbatore (203:69).
F. semitostus Berk. On dead wood, S. India (73:221; 77:1126).

FOMITOPSIS Karst. = Fomes fide Murril Basidio., Agaricales, Polyporaceae.
F. rhodophaea (Lev.) Imazeki (Bull. Tokyo. Sci. Mus. 6:92, 1943) on Heritiera minor, Madras (203:71; 77:1290).

FUSARIUM Link. ex Fr. Imp., Moniliales, Tuberculariaceae.
F. avenaceum (Fr.) Sacc. Isolated from black cotton soil, Udumalpet (175:561).
F. chlamydosporum Wr. and Rg. Isolated from black cotton soil, Udumalpet (175:561).
F. chalmydospores on tomato causing wilt in Delhi, Maharastra and Tamil Nadu (614).
F. conglutinans Wr. var citrinum Wr. On Cyamopsis tetragonoloba Coimbatore (185A:35).
F. dimerum Penzig Isolated from cultivated soil, Coimbatore, Tirunelveli (242:131).
F. equiseti (Corda) Sacc. Isolated from black cotton soil, Udumalpet (175:561).
F. equiseti (Corda) Sacc. var bullatum (Sherb.). Wr. On Solanum melongena and Lycopersicon esculentum (185A:29).
F. javanicum Koord. Isolated from black cotton soil, Udumalpet (175:561).

- F. lateritium* f. sp. *miri* type-A on mulberry causing bud blight in Ootacamund, TamiNadu (1625).
- F. moniliforme* Sheldon. On roots and hypocotyl of *Oryza sativa* and on *Saccharum officinarum* and *Sorghum vulgare* throughout S. India (202:29).
- F. moniliforme* (*Gibberella fujikuroi*) on cauliflower causing wilt in Nilgiris, India (1097); on tomato causing wilt in Delhi, Maharashtra and Tamil Nadu (614).
- F. orthoceras* App. and Wr. On *Cicer arietinum*, Madras (185A:36).
- F. oxysporum* Schlecht. On *Acacia holosericea* (Jambulingam) causing post emergence damping off in Pudukkotai and Coimbatore Tamil Nadu (1562).
- F. oxysporum* f. sp. *cubense* on Palayamkodom banana causing panama wilt in Tamil nadu (1544.)
- F. poae* (Peck) Wr. Isolated from black cotton soil, Udumalpet (175:561).
- F. scirpi* Lamb. and Fautr. Isolated from black cotton soil, Udumalpet (175:561).
- F. scirpi* Labm. and Fautr. var. *acuminatum* (Ell. and Ev.) Wr. Isolated from black cotton soil, Udumalpet (175:561).
- F. scirpi* Lamb. and Fautr. var. *caudatum* (Wr.) Wr. (Sacc.XXV, 964 as *F. caudatum*) Isolated from black cotton soil, Udumalpet (177:568; 181:220).
- F. scirpi* Lamb and Fautr. var. *longipes* (Wr. and Rg.) Wr. On *Oryza sativa*, Coimbatore (185A:32).
- F. solani* (Mart.) App. and Wr. Isolated from soil, Vandalur (116:112).
- F. solani* (Mart.) App. and Wr. var. *U. Martii* (App. and Wr.) Wr. (175:561). Isolated from black cotton soil, Udumalpet.
- F. solani* (Mart.) App. and Wr. var. *minus* Wr. Isolated from black cotton soil, Udumalpet, (175:561; RS.21); Isolated from soil, Vandalur (116:112).
- F. solani* (Mart.) App. and Wr. var. *striatum* (Sherb.) Wr. Isolated from black cotton soil, Udumalpet (175:561).
- F. sporotrichioides* Sherb. Isolated from soil, Coimbatore and Tirunelveli (242:131).
- F. tricinctum* (Corda) Sacc. . Isolated from soil, Coimbatore and Tirunelveli (242: 131).
- F. tumidum* Sherb. On stem and branches of *Camellina sinensis* (L) Kuntz. In Valpari (844).
- F. vasinfectum* Atk. on *Gossypium* spp., throughout South India.
- F. udum* Butler. On *Cajanus cajan*, throughout South India.

FUSICLADIUM Bon. Imp., Moniliales, Dematiaceae .

F. pongamiae Syd. on living leaves of *Pongamia glabra*, Coimbatore (206:328).

GALERINA Earle in Bull. N.Y. bot. Gdn 5: 423 (1909). Agaricales, Basidiomycetes.

- G. jungicola* on rotten wood , in Tamil Nadu (902). *G. nana* (Petri) Kuhner in Encycl. mycol. 7 : 219 (1935). On decaying, wood in groups, Forest near Gandhipettai, Ootacamund, Nilgiris, T.N.
- G. rubiginosa* Gillet. Ootacamund, Tamil Nadu.
- G. truncata* Natarajan . On clayey soil, Madras University campus, Madras, Tamil Nadu.
- G. yungicola* Singer var. *Bispora* Natarajan & Raman var. nov. On rotting wood, solitary, Naduvattam, Ootacamund, Nilgirs, Tamil Nadu.

GAMBLEOLA Massee (Sacc.XVI, 314). Basidiomycetes, Uredinales, Pucciniaceae.
G. Gambleola cornuta Massee on the leaves of *Mahonia leschenaultii*, Nilgiris (210:440, 211:503).

GANODERMA Karst. Basidio, Agaricales, Polyporaceae.
G. lucidum (Leyss.) Karst. On *Acacia melanoxylon*, Nilgiris, Common on various other trees in S. India.

GEASTER Mich. ex Fr. = *Geastrum*. Basidio., Lycoperdales.
G. plicatus Berk. on the ground, Madras (11:399).

GERRONEMA Sing. Mycologia 43: 599 (1951) . Agaricales, Basidio.fibula (Bull. ex Fr.)
Singer. On soil among moss, Manjankorai,
Ootacamund, Nilgiris, Tamil Nadu.

GIBBRA Fr. Asco., Sphaeriales .
G. ramakrishnanii Arx (Acta bot. Neerl. 3:85, 1954). On the leaves of *Vaccinium leschnaultii*, Kodaikanal (126:64 as *Achorella vaccinii* Ramakr.).

GLIOCLADIUM Corda (Sacc. IV, 84). Imp., Moniliales, Moniliaceae .
G. fimbriatum Gilman & Abbott (Iowa State Coll. J. Sci., 1: 307, 1927). Isolated from rhizosphere, Madras.

GLOEOSPORIUM Desm. and Mont. (Sacc.III, 699). Imp., Melanconiales.
G. artocarpi Delacr. On leaves of *Artocarpus integrifolia*, Thondamuthur, Coimbatore (142:98 as *Glomerella artocarpi* Delacr.).
G. musarum Cke. and Mass. On fruits of *Musa paradisiaca*, S. India.
G. psidii Delacr . On *Psidium guajava*, Pollachi.
G. zonatum Ramakr. T.S. and K. On leaves of *Coelogyne* sp., Ambillimalai estate, Gudalur, Nilgiris (142:108).

GLOEOPORUS Mont. Basidio., Agaricales, Polyporaceae.
G. corrugatus Berk. in Herb. On trunks, Nilgiris (47:105).

GLOMERALLA Schrenk & Spauld., Pyreno., Polystigmatales.
G. cingulata (Stonem.) Spauld & Schren. On *Opuntia elatior* Mill. In Tamil Nadu (1693).

GNOMONIA Ces. & de Not., Asco., Sphaeriales.
G. kodaikanalensis Annanthapadmanaban sp. nov. on dead leaves in Kodaikanal, Tamil Nadu. (51).

GOPLANA Racib. Basidio., Uredinales, Pucciniaceae.
G. indica Ramakr. T.S. and K. On leaves of *Beilschmidia roxburghiana*, Chinnakallar, Anamalais (138:48).

GRAPHIOLA Poit. Basidio., Ustilaginales, Graphiolaceae.

G. phoenicis (Moug.) Poit. On leaves of *Phoenix sylvestris*, Coimbatore. It is very common throughout S. India.

GUIGNARDIA Viala and Ravaz Asco., Sphaeriales.

G. bidwellii (E11.) Viala and Ravaz. Sacc. On fruits of *Vitis vinifera*, Ganguvarpatty, Madurai district (161:189; 162:108). *G. nilagirica* Ramakr. T.S. and K. On leaves of a Papilionaceous plant, Kallar (137:56); (125:161).

G. rugosa Ramakr., Sriniv. and Sund. On leaves of *Rubus rugosa*, Ootacamund (151:85).

GYMNOPILUS P. Karsten in Bidr. Kann. Finl. Nat. Folk 32: XXI, 400 (1879). Agaricales, Basidiomycetes.

G. spectabilis (Fr.) A.H. Sm. In Mushroom in their Natural Habitats: 471 (1949). On decaying wood of Eucalyptus tree, in groups , Doddabetta, Ootacamund, Nilgiris, Tamil Nadu.

G. giganteus Natarajan & Raman. On decaying Eucalyptus tree trunk, in groups, Doddabetta, Ootacamund, Nilgiris, Tamil Nadu. *G. minutosporus* Natarajan & Raman sp. nov. On decaying wood, solitary, Cardamom Estate, Indian Cardamom Research Institute, Myladumpara, Kerala.

G. chrysopellus (Berk. & Cutis) Murrill in Mycologia 5: 23 (1913). On dead wood, in groups, near Berijam Lake, Kodaikanal, Tamil Nadu.

G. sub-bellulus Hesler in Mycologia Mem. 3: 46 (1969). On decaying wood, in groups, New Pine Plantation, Karimedu, Kodaikanal, Tamil Nadu.

G. fuscosquamulosus Hesler in Mycologia Mem. 3: 78 (1969). On wood , in groups, Indian Institute of Technology campus, Guindy, Madras, T.N.

G. subtropicus Hesler in Mycologia Mem. 3: 41 (1969). On rooting log, in groups, Teak plantation, Kodimudi, Tirunelveli, Tamil Nadu.

G. sapineus (Fr.) Maire in Treb. Mus. Cien. Nat. Barcelona 15: 96 (1933). On unidentified wood, solitary, Indian Institute of Technology campus, Guindy, Madras, Tamil Nadu.

G. tropicus Natarajan. On the trunk of *Peltophorum ferrugineum* Benth., Madras University campus, Madras, Tamil Nadu.

GYMNOPUCCINIA Ramakr. (Trans. Brit. Mycol. Soc., 34 : 141, 1951). Basidio., Uredinales, Pucciniaceae. Thirumalachar and Mundkur (Indian Phytopath., 3:204, 1950) state the recently published genus *Gymnopuccinia* Ramakr. is undoubtedly a synonym of *Didymopsorella* Thirum. *G. pulneyensis* Ramakr. On leaves of *Toddalia asiatica*, Kodaikanal (127:141).

HAMASPORA Koern. Basidio., Uredinales, Pucciniaceae.

H. longissima (Thuem.) Koern. On leaves of *Rubus* sp., Wynad on leaves of *Rubus lasiocarpus*, Anamalais Nanjanad, Nilgiris (157:144).

HAPALOPHRAGMIOPSIS Thirum. (Mycologia, 42 : 227, 1950) Basidio., Uredinales, Pucciniaceae.

H. ponderosa (Syd. and Butl.) Thirum. On twigs of *Acacia leucophloea*, Salem and Coimbatore (213:265 as *Hapalophragmium ponderosum*).

HAPALOPHRAGMIUM Syd. Basidio., Uredinales, Pucciniaceae.

H. anamalaiensis Ramakr. T.S. and K. On leaves of Derris eualata, Anamalais (136:41).

H. fasciculatum Sacc. On dead stem, Sim's Park, Coonoor, Nilgiris, Madras.

H. ponderosum Syd. and Butl. see Hapalophragmiopsis ponderosa

HEBELOMA Kummer, Fuhr. Pilzk. 22 (1871) Agaricales, Basidio.

H. caterarium Lev. On trunks, Nilgiris, Tamil Nadu.

HEBELOMINA Maire in Bull. Soc. Hist. nat. Afr. N. 26: 12 (1935). Agaricales, Basidiomycetes.

H. maderaspatana Natarajan & Raman in Kavaka 8 : 72 (1980). On litter, in groups, IIT campus, Guindy, Madras, Tamil Nadu.

HELICOBASIDIUM Pat. Basidio., Tremellaceae, Auriculariaceae.

H. guianensis Linder (Ann. Mo. bot. Gdn., 16 : 280-81, 1929). On dead moist wood, Madras.

H. purpureum (Tul.) Pat. On stems and roots of Medicago sativa, Hosur (87:110; 170:139).

HELMINTHOSPORIUM Link ex Fr. Imp., Moniliales, Dematiaceae .

H. anomalum Gilman & Abbott. Isolated from rhizosphere, Madras.

H. coonoorense (Subram.) comb. Nov. Recorded as Exosporium coonoorense Subram.

H. solani on Solanum elaeagnifolium causing leaf spot in Bhawanisagar , Tamil Nadu (1248).

HELICOCERAS Linder (Ann. Mo. Bot. Gard., 18:2, 1931). Imp., Moniliales, Dematiaceae.

H. longisporum Subram. On leaves of Celtis serotina, Coonoor (188:62).

HELMINTHOSPORIUM Link. (ex Fr.) . Imp., Moniliales, Dematiaceae .

H. albizzicolum Thirum and Naras. see Camptomeris albizzicola (232:67).

H. halodes Drechs. On seedlings of Saccharum officinarum, Coimbatore (55:641; 193:15).

H. microsporum P. Henn. Isolated from soil, Vandalur (116:112).

H. nodulosum Berk. and Curt. On Eleusine coracana, throughout S. India (25:341); isolated from soil, Vandalur (116:112).

H. oryzae Breda de Haan. On Oryza sativa, throughout S. India.

H. turicum Pass. On leaves of Sorghum vulgare, throughout S. India (25 : 201).

HEMILEIA Berk. and Br. Basidio., Uredinales, Pucciniaceae.

H. jasmini Krishnam. and Rang. On leaves of Jasminum ritchei Yercaud, Salem (66:31-32).

H. vastatrix Berk. and Br. On leaves of Coffea arabica and C. liberica, throughout the coffee area of S. India (210:438; 17:47; 239:698).

H. wrightiae Rac. On leaves of Wrightia tictoria, Walayar (Kerala) and Wrightia tomentosa, Kallar (145:256).

HEMIMYCENA Sing. Rev. De Mycol. 3: 194 (1938). Agaricales, Basidio.

H.. indica Natarajan & Manjula. On rooting fallen trunk, Senkaltheri, Annamalai Nadar Estate, Kalakadu sanctuary, Tirunelveli, Tamil Nadu.

HERPOTRICHIA Fuckel., Loculoasco., Pleosporales.
H. erythrinae Hughes. On unidentified host in M.P., Tamil Nadu (1163).

HETEROCHAETE Pat. Basidio., Tremellales, Tremellaceae.
H. delicata (Kl. ex Berk.) Bres. (Hedwigia, 53:77, 1912 on rotten Jatropha curcas, Madras and on dead trunks, Kundah, Nilgiris (11: 395 ; 92: 23 as Hydnnum delicatum) According to Bodman Lloydia, 15:213, 1952) this is the correct name of Hydnnum delicatum.

HETEROSPORIUM Klotzsch ex Cke. Imp., Moniliales, Dematiaceae .
H. echinulatum (Berk.) Cke. On leaves of Dianthus caryophyllus Ootacamund (126:69).

HETEROPATELLA Fuckel., Coelo.
H. indica on dry dead twigs of Eugenia jamabolana in Tamil Nadu, India (851).

HEXAGONIA Poll. Basidio., Agaricales, Polyporaceae.
H. apiaria Pers. (Sacc. VI, 358; BB.99) Madras (203:74).
H. tenius Hooker, see Daedalopsis tenius.

HOHENBUEHELIA Schulz. Apud Suhulzer, Kanitz and Knapp, Verhandl. Zoo-bot. Ges. Wien. 16: 45 (1866) . Agaricales, Basidio.
H. atrocaerulea (Fr. ex Fr.) Singer. On twigs in the fence near the State Guest House, Chepauk, Madras, Tamil Nadu.
H. petaloidea (Bull. ex Fr.) Schulzer. On dead tree trunk, Indian Institute of Technology campus, Madras, Tamil Nadu.
H. myxotricha (Lev.) Singer. On fallen twigs, Indian Institute of Technology campus, Madras, Tamil Nadu.

HOMOSTEGIA Fuckel Asco., Dothideales, Phyllochoraceae.
H. derridis Ramakr. and Sund. On living leaves of Derris heyneana, Burliar Nilgiris, (156:27).
H. symploci Racib. On living leaves of Symplocos spicata, Pannaikadu, Pulneys (157:141).

HYDNUM L. ex Fr. Basidio., Agaricales, Hydnaceae.
H. analogum Berk. in Herb. On rotten wood, Nilgiris, (49:1).
H. delicatum Klotzsch in Berk. See HETEROCHAETE Pat.
H. lachnodontium Berk. On logs, Nilgiris (49:2).
H. thwaitesii Berk. and Br. Nilgiris (13:58).

HYALOSTACHYBOTRYS Srinivasan (J. Indian bot. Soc., 37: 340, 1958). Imp., Moniliales, Moniliaceae .
H. bisbyi Srinivasan. Isolated from rhizosphere soil of Erianthus munja, Coimbatore.
H. sacchari Srinivasan. On living and dead sheaths of Saccharum officinarum L., Cuddalore, S. India ; rhizosphere soil of Saccharum officinarum L., Coimbatore.

HYGROCYBE Kummer, Fuhr. Pilzk., 26 (1871) Agaricales, Basidio.
H. ceracea (Fr.) Kummer. On soil, near Kil-kotagiri, Ootacamund, Nilgiris, Tamil Nadu.
H. chlorophana (Fr.) Wunsche. On soil mixed with litter, Madras Christian College campus,

Madras, Tamil Nadu.

H. fornicata (Fr.) Singer. On ground among grass, Mel Odayaratty, Ootacamund, Nilgiris, Tamil Nadu.

H. miniata (Fr.) Kummer. On soil mixed with litter, Tiger Shola, Kodaikanal, Tamil Nadu.

H. westii (Murrill) Natarajan & Manjula. On ground among grass, Mel Odayaratty, Ootacamund, Nilgiris, Tamil Nadu.

HYGROTRAMA Sing. Sydowia 12: 221 (1959). Agaricales, Basidio.

H. pedicellata Natarajan & Manjula . On soil mixed with litter, Madras Christian College campus, Tambaram, Madras, Tamil Nadu.

HYMENOCHAETE Lev. (non Nees). Basidio., Agaricales, Thelephoraceae.

H. rheicolor (Mont.) Lev. On dead trunks, Gudalur, Nilgiris (92:23).

HYPOCREA Fr. Asco., Hypocreales .

H. flavo-virens Berk. in Herb.. On bark, Nilgiris (39A:100).

H. neilgherrensis Berk. and Cke. On bark, Nilgiris, (39A:79).

H. rugulosa Berk. and Cke var. major Cke. On bark of trees, Nilgiris (39A:79).

H. subrufa Berk. and Cke. On branches, Nilgiris (39A:79).

HYPOCREOPSIS Karst. Asco., Hypocreales .

H. undulata (Berk. and Cke.) Sacc. On rotten wood, Nilgiris, (39A:79).

HYPODERMA DCem. de Not. Asco., Phacidiales, Phaciidaeae.

H. leschnaultiae Ramakr. and Sund. On living leaves of *Lonicera leschnaultii*, Ootacamund, Nilgiris, (161:191).

H. viburni Ramakr., Sriniv. and Sund. On living leaves of *Viburnum erubescens*, Ootacamund, Nilgiris (151:85).

HYPODERMELLA Tubeuf . Asco., Phacidiales, Phaciidaeae.

H. rhamni K. Ramakr. On living leaves of *Rhamnus* sp., Pillar Rocks Kodaikanal, (117:253).

HYSTEROSTOMA Thesis. Asco., Hemisphaeriales.

H. brevilibi Ramakr. On leaves of *Jasminum brevilobum*, Kodaikanal, (126:65).

H. pavettae Ramakr. T.S. and K. On leaves of *Pavetta indica*, Kallar-Burliar (136:36).

INOCYBE (Fr.) Fr. in Monogr. Hymen. Sueciae 2: 346 (1863). Agaricales, Basidiomycetes.

I. corydalina Quelet . Ootacamund, Tamil Nadu.

I. flocculosa (Berk.) Sacc. Ootacamund, Tamil Nadu.

I. petiginosa (Fr.) Gillet. On seedlings of *Pinus patula* Roxb. Ootacamund Tamil Nadu, (907h)..

I. microspora Lange On ground, solitary, Dolphin's nose, Kodaikanal, Tamil Nadu.

I. lanuginosa (Bull. ex Fr.) Kummer. On *Pinus patula* Roxb., Sandynallah, Ootacamund, Tamil Nadu (907f).

INONOTUS P. Karsten. Hypho.

I . polymorphus (Rost.) Pilat. On deciduous, angiospermic, tree barks, kalakkadu sanctuary, Thirunelveli, Tamil Nadu (907d).

ISARIA Pers. ex Fr. (Sacc. IV, 584). Imp., Moniliales, Stilbaceae .

I . palmae Stevens & King (Ill. Biol. Mon. 11 (2): 59, 1927). On the dry inflorescence of *Cocos nucifera* L., Todialur, Coimbatore (57: 130).

ISARIOPSIS Fres. Imp., Moniliales, Stilbaceae.

I. griseola Sacc. On the leaves of *Phaseolus vulgaris*, Nilgiris (172:20).

IRENOPSIS Stere., Pyreno., Meliolales.

I. helicteridis Hosagoudar sp. nov. in Coimbatore (508).

I. sidae Hosagoudar in Coimbatore (508).

I . tjibodense in Kerala, Karnataka and Tamil Nadu (753).

ITHYPHALLUS S.F. Gray (nom.rej) = *Phallus* (Phal.).

I. aurantiacus (Mont.) Ed. Fisch.. On the ground, Pondicherry (92:23).

IVYNGARINA Subram. (J.Indian bot.Soc., 37: 406, 1958). Imp., Moniliales, Demataceae .

I. elegans Subram . On dead wood, Lovedale, Nilgiris, Madras.

JULELLA Fabre . Asco., Sphaeriales.

J. sarcostemmatis K. Ramakr. On living stems of *Sarcostemma brevistigma*, Tambaram, Chingleput district (115: 145).

KAVINIA Pilat., Gomphaceae.

K . globispora (Pilat) Natarajan and Kolandavelu sp. nov. on dead log of angiospermic tree in Nettarikal, Tamil Nadu (899).

KERNIA Nieuwl. (1916, Amer. Midl. Nat. 6: 370-86). Acco., Eurotiales, Eurotiaceae.

K . battletti (Massee & Salmon) Benjamin (El. Aliso 3: 344, 1956). Isolated from rhizosphere soil of pigeon pea, Madras .

KERNALLA Thirum. (in Mycologia, 41 : 97, 1949) Basidio., Uredinales.

K . lauricola (Thirum.) Thirum. (Rs.25) On *Phoebe paniculata* and *P. wightii*, Ootacamund, Coonoor, Naduvattam (135 : 9) as *Kernia lauricola*).

KOORCHALOMA C.V. Subram. Imp., Monialiales, Tuberculariaceae (183A : 124).

K . madreeya C.V. Subram. On dead culms of *Oryza sativa*, Poonamalle, Chingleput district (183A : 124).

KUEHNEOLA Magnus Basidio., Uredinales, Melampsoraceae.

K. trichosanthes (Petch) Ramakr. and Sund. On leaves of Trichosanthes palmata Kallar, Coimbatore district (128 : 114).

KUEHNEROMYCES Singer & A.H. Sm. In Mycologia 38: 504 (1946). Agaricales, Basidiomycetes. terrestris Natarajan & Raman sp. nov. On ground among moss, in groups, Old Pine Plantation near Pillar Rocks, Kodaikanal, Tamil Nadu.

KUTILAKESA Subram. (J. Indian bot. Soc., 35: 480, 1956). Imp., Moniliales, Tuberculariaceae. K. madreeya Subram. On dead leaves of Sansevieria sp., Univ. Botany Laboratory, Campus, Madras.

LABOULBENIA Mont. and Robin. Asco., Laboulbeniales. Laboulbeniaceae.

L. dineutis Thaxt. On Dineutes sp., Nilgiris (220 : 171).

LACCARIA Berk. and Br. Ann. Mag. Nat. Hist. 5: 370 (1883) Agaricales, Basidio.

L. laccata (Scop.) Berk. & Broome. On ground among pine litter, Kundar, Kodaikanal, Tamil Nadu.

L. ohiensis (Mont.) Singer. On ground among litter (Eucalyptus), Doddabetta, Ootacamund, Nilgiris, Tamil Nadu.

LACELLINA Sacc. (Sacc. XXV, 781). Imp., Moniliales, Dematiaceae.

L. graminicola (B and Br.) Petch (Ann. Roy. bot., Gdn. Peradeniya, 9 : 171, 1924. On dead bamboo stem and dead stem, Thanthipandal, Kumbakonam, Chingleput District (180 : 163).

LACELLINOPSIS C.V. Subram. (182 : 103) Imp., Moniliales, Dematiaceae.

L. sacchari C.V. Subram. On dead leaves of Saccharum officinarum, Athur, Chingleput district (182 : 104).

LACHNELLA Boud. is a segregate from Dasyscypha. Asco., Helotiales.

L. nilgherrensis Cke. On herbaceous stems, India (45 : 73).

LAESTADIA Auersw. non Kunth. = Plagiostoma Fuck. fide Arx (Antonie van Leeuwenhoek, 17 : 259-72, 1951) Asco., Sphaeriales.

L. alternantherae Ramakr. and Sund. On living leaves of Alternanthera sessilis, Cinchona, Anamalais (157 : 142).

LEMBOSIA Lev., Loculoasco., Hemisphacriales.

L. malabarensis Hosagoudar & Goss in Coimbatore, Tamil Nadu (518).

LENTINUS Fr. Basidio., Agaricales, Agaricaceae.

L. cladopus Lev. On dead wood and soil, Indian Institute of Technology campus, Madras, Tamil Nadu.

L. crinitus (Linn. ex Fr.) Fr. On wood, Mundanthurai, Tirunelveli, Tamil Nadu.

L. prolifer (Pat. & Har.) Pegler. On rooting log, Madras University Botany Field Research Laboratory, Maduravoyal , Madras, Tamil Nadu.

L. sajor – caju (Fr.) Fr. On dead bark, Tenmalai, Tamil Nadu.

L. squarrosulus Mont. On dead trunk, Nilgiris, Tamil Nadu.(92 : 21)

LEPIOTA (Pers. ex Fr.) S.F. Gray. Basidio., Agaricales, Agaricaceae.

L. alopochroa (Berk. & Broome) Sacc. On soil, Madras Christian College campus, Tambaram, Tamil Nadu.

L. alopochroa (Berk. & Broome) Sacc. On soil, Kadar Nagar, Nungabakkam, Madras, Tamil Nadu.

L. ceramogenes (Berk. & Broome) Sacc. On soil, Post-graduate Women's campus, chepauk, Madras, Tamil Nadu .

L. citrophylla (Berk. Broom) Sacc. On soil, Indian Institute of technology campus, Madras, Tamil Nadu.

L. epicharis (Berk. Broom) Sacc. Var. indica. On soil under Tamarindus indica L. Post-graduate Women's Hostel campus, Chepauk, Madras, Tamil Nadu.(884a)

L. epicharis (Berk. & Broom) Sacc. Var. occidentalis Dennis. On soil, Raj Bhavan campus, Guindy, Madras, Tamil Nadu.

L. holospilota (Berk. & Broom) Sacc. On the bark of living Azadirachta indica Juss.,and on dead stump near the Senate ?House, University of Madras campus, Chepauk, Madras; on soil near dicot tree trunk, road side opposite to Institute of Technology, Madras; on soil mixed with decaying waste on humus, Mylapore, Madras, Tamil Nadu.

L. lepidophora (Berk. & Broom) Sacc. On soil, Indian Institute of Technology campus, Madras, Tamil Nadu.

L. metulaespora (Berk . Broome) Sacc. On soil, Raj Bhavan campus, Guindy, Madras, Tamil Nadu.

L. micropholis var. lactea (Murrill) Dennis. On soil, Deer Park, Guindy, Madras,Tamil Nadu.

L. micropholia (Berk.) Sacc . On soil, Indian Institute of Technology campus, Madras, Tamil Nadu.

L. phaeosticta Morgan. On soil, Deer Park, Guindy, Madras, Tamil Nadu.

L. phlyctaenodes (Berk. & Broome) Sacc. On soil, near Guest House, Senkaltheri, Kalakadu Sanctuary, Tirunelveli,Tamil Nadu.

L. subamantiformis Dennis. On soil, Indian Institute of Technology campus, Madras, Tamil Nadu.

L. subrufa Natarajan & Manjula. On soil, Indian Institute of Technology campus, Madras, Tamil Nadu.

L. thrombophora (Berk. & Broome) Sacc. On soil, Indian Institute of Technology campus, Madras, Tamil Nadu .

LEPISTA (Fr.) W.G. Smith., Clavis Agar. 26 (1870) Agaricales, Basidio.

L. sordida (Fr.) Singer. On elephant dung manure, Deer Park, Guindy, Madras, Tamil Nadu.

LEPTOSPHAERIA Ces. and de Not. Asco., Sphaeriales.

L. sacchari Breda de Haan . On leaves of Saccharum officinarum, Coimbatore, Nellikuppam (212 : 409).

LEVEILLULA Arnaud . Asco., Erysiphales, Erysiphaceae.

L. taurica (Lev.) Arn. On Trigonella foenumgraceum Udu malpet Coimbatore . On Cymopsis tetragonoloba, Coimbatore on Capsicum annum, Coimbatore on Passiflora calcarata, Coonoor Ricinus communis, Coimbatore .

L. emodensis (Berk) Cif see Melanopsichium emodensis.

LEUCOAGARICUS (Locquin) Sing. Sydowia 2: 35 (1968) Agaricales, Basidio.

L. fuligineus Pegler. On soil in a pine plantation, near Lovedale Railway station, Nilgiris, Tamil Nadu.

L. naucinus (Fr.) Singer . On elephant dung, Deer Park, Guindy, Madras, Tamil Nadu.

LEUCOCOPRINUS Pat. Bull. Soc. Myc. Fr. 4: 26 (1888) Agaricales, Basidio.

L. birnbaumii (Corda) Singer. On soil, Madras Christian College campus; on the bark of Mangifera indica Linn. tree, Raj Bhavan campus, Guindy ,Madras, Tamil Nadu.

L. caepaestipus (Sow. Ex Fr.) Pat. On the trunk of Tabebuia sp. , Madras University campus, Tamil Nadu.

L. flavipes Pat. & Gail. On soil mixed with litter, Post-graduate Women's Hostel campus, Tamil Nadu.

L. tropicus Natarajan & Manjula. On soil, Raj Bhavan campus, Guindy, Madras, Tamil Nadu. (907a).

LOMACHASHAKA C.V. Subram. (188 : 67) Imp., Moniliales, Tuberculariaceae.

L. kera C.V. Subram. On dead leaves of Cocos nucifera, University Botany Laboratory Campus, Madras (188 : 67).

LOPHODERMIUM Chev. Asco., Phacidiales, Phaciidaeae.

L. hysteroides (Pers.) Sacc. On coriaceous leaves, Nilgiris (92 : 23).

LYCOPERDON Pers. Basidio., Lycoperdales, Lycoperdaceae.

L. alveolatum Lev. BB.136) On the ground, Nilgiris (68 : 163).

L. gemmatum Batsch Botanical garden; Ootacamund (77 : 1266).

MACROPHOMA (Sacc.) Berl. and Vogl. Imp., Sphaeropsidales = (Botryodiplodia).

M. boerhaaviae Ramakr. and Sund. On living leaves of Boerhaavia diffusa, Kallar (160:59).

M. cassiocarpa (Cke.) Berl. and Vogl. On legumes of Cassia absus and Clitoria sp., Madras (38 : 93).

M. celastrina Died (214 : 186). On leaves of Celastrus paniculata, Kallar, Coimbatore (158 : 65).

M. clitoricarpa (Cke.) Berl. and Vogl. as Phoma clitoricarpa (Cke.) Sacc.). On legumes of Clitoria sp., Madras (38 : 93).

M. glochidii Kandaswamy and Sund. On living leaves of Glochidion ellipticum, Coonoor (Sci. and Cult. 21 : 533, 1956).

M. glycosmidis Ramakr. and Sund. On living leaves of Glycosmis cochinchinensis Pierre, Kallar (160 : 59).

M. gordoniae Ramakr. and Sund. On the living leaves of Gordonia obtusa, Coonoor (160 : 61).

M. *morindae* Ramakr. and Sund. On living leaves of *Morinda tinctoria*, Coimbatore (159A : 22).
M. *musae* see *Phyllastictina musae*.
M. *pyrenacanthae* Ramakr. and Sund. On living leaves of *Pyrenacantha volubilis*, Kallar (159A : 22).
M. *sapindi* Ramakr. and Sund. On living leaves of *Sapindus emarginatus*, Kallar (160 : 61).
M. *theicola* Petch. Tea Sci. Officer, U.P.A. South India Report. 1936: 135). On *Thea sinensis*, Nilgiris.
M. *theicola* Siemaszko (Acta Soc. Bot. Polon. 1 : 6, 1923). On tea, Nilgiris (243 : 5).
M. *toddaliae* Ramakr. and Sund. On living leaves of *Toddalia asiatica* Ootacamund (155 : 194).

MACROPHOMINA Petrak (1923) Imp., Sphaeropsidales, Sphaeroidaceae.

M. *phaseoli* (Maubl.) Ashby. On numerous hosts, S. India (170:119).
M. *phaseoli* (Maubl.) Ashby from soil, Vandalur (Madras) (116:112).

MACROLEPIOTA Sing. Pap. Mich. Acad. Sc., 32 : 141 (1946) Agaricales, Basidio.

M. *rhabodes* (Vitt.) Singer. On soil among grass, Post-graduate Women's Hostel Campus, Madras University campus, Chepauk, Deer Park, Raj Bhavan campus, Guindy, Madras, Tamil Nadu.

MALIOLINA Hughes. & Pirozynski,

M. *subramanianii* Subram. on leaves of *Syzgium montanum* in Tamil Nadu India. (594).

MELANOTUS Pat. in Essai Taxon. Hymen.: 175 (1900). Agaricales, Basidiomycetes.

M. *macrosporus* Natarajan & Raman sp. nov. On unidentified dicotyledon tree trunk, solitary, Forest near Gandhippettai, Ootacamund, Nilgiris, T.N.

MARASMIELLUS Murr. North American Flora 9 : 243 (1915) Agaricales,Basidio.

M. *subcinereus* (Berk. & Broome) Pegler. On fallen twigs and leaf litter, Indain Institute of Technology campus, Madras; Madras Christian College campus, Tambaram, Madras; Algar Hills, Madurai; on *Tectona grandis* Linn. litter, Kodaimudi, Tirunelveli, Tamil Nadu.

MARAVALIA Arthur in Bot. Gaz., 73:60, 1922; RS.26. Basidio., Uredinales.

M. *ascotela* (Syd.) Mains . On the leaves of *Oldenlandia stylosa* and *O. articulatis*, Kodaikanal and Ootacamund (Madras) (80:678 as Maravalia ascotela 226:176 .

MARASMIUS Sing., Lilloa 22: 317 (1949) Agaricales, Basidio.

M. *apatelius* Singer. On fallen dicot leaves, Algar Hills, Madurai, Tamil Nadu. (907c).
M. *bambusinus* (Fr.) Fr. On litter of Gymnosperm tree, Bryant Park, Kodaikanal, Tamil Nadu.
M. *beniensis* Singer. On leaf litter, Courtallum, Tamil Nadu; On litter, Presidency College Hostel fence, Chepauk, Madras, Tamil Nadu.
M. *conicopapillatus* Natarajan & Manjula. On leaf litter. Alagar, Hills, Madurai, Tamil Nadu (907c).
M. *confertus* Berkeley. On dicot leaf litter, Guindy, Madras , Tamil Nadu (907c).
M. *candidus* Bolt. On leaves of *Eleusine coracana* Goerntn., Coimbatore, Tamil Nadu.
M. *confertus* Berk. & Broome . On dicot leaf litter, Deer Park, Guindy, Madras, Tamil Nadu.
M. *conicopapillatus* Henn. On leaf litter, Alagar Hills, Madurai, Tamil Nadu.

M. digilioi Singer in Singer & Digilio. On litter, Indian Institute of Technology campus, Madras, Tamil Nadu.

M. echinatus Singer. On dicot leaf litter, Post-graduate Women's Hostel campus, Chepauk; Indian Institute of Technology campus, Deer Park, Raj Bhavan campus, Guindy; Madras University campus, Chepauk; Madras Christian College campus, Tambaram, Madras; on leaf litter and sticks, Maduravoyal, Madras; on leaf litter, Main falls, Courtallam, Tamil Nadu.

M. ferrugineus (Berk.) Berk. & Curtis. On grass, Post-graduate Women's Hostel campus, Chepauk, Madras, Tamil Nadu.

M. floriceps Berk. & Cutis. On soil mixed with litter at the base of *Vitex negundo* Linn., Madras University Botany Laboratory Garden, Madras, Tamil Nadu.

M. guyanensis Mont. On dried dung, Indian Institute of Technology campus, Madras, Tamil Nadu.

M. haematocephalus (Mont.) Fr. On fallen dead leaves, sticks, wooden twigs and rotting pieces of wood, Deer Park, Guindy, Madras, T.N.

M. hakgalensis Petch. On dried palm fruit, Deer Park, Guindy, Madras, Tamil Nadu.

M. heliomycetes Murrill. On the bark of the living *Gauzoma tomentosa* tree, Indian Institute of Technology campus, Madras, Tamil Nadu.

M. leoninus Berk. On leaf litter, Indian Institute of Technology campus, Madras; on palm leaf litter; Raj Bhavan campus, Guindy, Madras, T.N.

M. leveilleanus (Berk.) Pat. On decaying wood in soil, Theosophical Society, Adyar, Madras, Tamil Nadu.

M. leucorotalis var. *leucorotalis* Singer. On leaf litter, Indian Institute of Technology campus, Madras, Tamil Nadu.

M. leucorotalis Singer var. *leucozonites* (Singer) Singer. On fallen dicot leaves, Deer Park, Guindy, Madras, Tamil Nadu.

M. megistosporus Singer. On leaf litter, Courtallam, Tamil Nadu.

M. microhaedinus Singer. On soil mixed with leaf litter, Madras University campus, Chepauk, Madras, Tamil Nadu.

M. nilgiriensis Natarajan & Raman. On rotting wood, forest near Gandhipettai, Ootacamund, Nilgiris, Tamil Nadu.

M. rotalis Berk. & Broome. On leaf litter and on fallen twigs, Indian Institute of Technology campus, Madras, Tamil Nadu.

M. rubroflavus Theiss. On leaf litter, Algar Hills, Madurai, Tamil Nadu.

M. spegazzini Sacc. & H. Sydow. On leaf litter, Courtallam Main Falls, Tamil Nadu.

M. subarborescens Singer. On the bark as well as at the base of the living *Vitex negundo* Linn., Madras University Botany Laboratory Garden, Chepauk, Madras, Tamil Nadu.

MARSSONINA Magn. (Sacc. XXV, 590) Imp., Melanconiales.

M. fragariae (Sacc.) Klebh. On living leaves of *Fragaria neilgherrensis*, Ootacamund (151:93).

MASSARINA Sacc. Asco., Sphaeriales.

M. sarcostemmatis K. Ramakr. On living stems of *Sarcostemma brevistigma*, Tambaram, Chingleput district (115:147).

MELAMPSORA Cast. Basidio., Uredinales.

M. ricini (Biv.) Pass. . On leaves of *Ricinus communis*, Coimbatore (210:439; 87:110).

M. lini (Pers.) Lev.). On leaves and stems of *Linum usitatissimum*, Coimbatore Nilgiris (210:439; 87:110).
M. salicis-albae Kleb. On leaves of *Salix babylonica* and *S. tetrasperma*, Ootacamund, Perur Coimbatore district (142:103).
M. stereospermi Ramakr. T.S. and K. On leaves of *Stereospermum tetragonum*, Gudalur (Madras) (138:51). Thirumalachar and Mundkur (236:241) consider that this fungus is probably a stage in the life history of *Mehtamyces stereospermi*.

MELANOPSICHIUM Beck (Sacc. XVII, 484) Asco., Ustilaginales, Ustilaginaceae.
M. emodensis (Berk.) Zundel (Ustilaginales of the World 46; BB.44 as *Farysia emodensis*; as M.17 as *Liroa emodensis*). On *Polygonum chinense*, Coimbatore (206:486).

MELANOSPORA Corda (Sacc. II, 461). Asco., Hypocreales.
M. brevirostrata Moreau (Bull. Soc. mycol. Fr., 61: 53-60 (1945). Isolated from the rhizosphere of crop plants, Madras (2: 98).

MELANOTAENIUM de Bary (Sacc. VII, 496). Basidio., Ustilaginales, Tillettaceae.
M. brachiariae Viegas. On leaves and sheaths of *Brachiaria distachya* (132:183).

MELANOTUS Pat., Strophariaceae.
M. macrosporus on dicotyledonous tree trunk in Tamil Nadu India (906).

MELIOLA Fr. (Sacc. I, 60) Asco., Erysiphales, Meliolaceae.
M. bambusicola Hansf. On *Bambusa* sp., Dodabetta, Ootacamund (60:31).
M. malabarensis in coimbatore (508).
M. malacotricha var, major in Coimbatore (508).
M. mangiferae in Coimbatore (508).
M. ramacharii Hosagoudar sp. nov. on leaves of *Persea macrantha* (Nees) Kosterm in Valparai, Tamil Nadu (500).
M. osyridicola Hansf. On *Osyris arborea*, Nanjanad, Nilgiris (60:34).
M. opiliae Syd. On leaves of *Opilia armentacea*, Bolampatti,Coimbatore (206:327).
M. semecarpi- anacardii Hosagoudar, Kaveriappa, Raghu & Goos sp. nov. in Kerala, Karnataka and Tamil Nadu (530).
M. serjaniae var. major in kerala, Karanataka and Tamil Nadu (530).
M. staphaniiae in Coimbatore (508).
M. staphyleacearum on leaves of *Turpinia* in Tamil Nadu. (121/ma).
M. swietenicola Hosagoudar, Kaveriappa, Raghu & Goos sp. nov. in Kerala, Karnataka and Tamil Nadu (530).
M. vepridis Hosagoudar et al. Sp. nov. in Kerala, Karnataka and Tamil Nadu (530).

MEMNONIELLA Hoehn. (Z. Bakt. Abt., II:60; 16, 1923). Imp., Moniliales, Dematiceae.
M. echinata (Riv.) Galloway Isolated from soil, Vandalur, Madras (116:112).
M. levispora Subram. On dead stems, Thanthipandal, Chingleput district (184:40).

METASPHAERIA Sacc. (Sacc. II, 156). Asco., Sphaeriales.
M. raimundo Rehm. On dead twigs of *Crossandra undulaefolia* Madras (117:255).

MICROASCUS Zukal (Sacc. IX, 483). Asco., Eurotiales, Eurotiaceae.
M. longirostris (Zukal). Isolated from rhizosphere soil of pigeon pea, Madras.
M. sordidus Zukal . Asco., Dothideales, Dothideacea.

MICROCYCLUS Sacc. (Sacc. XVII, 844). Asco., Dothideales, Dothideaceaee.
M. phoebes Ramakr. On fallen leaves of Phoebe paniculata, Coorg (117:255).

MICROMPHALE Nees ex. S.F. Gray, Nat. Arr. Brit. Pl. 1: 621 (1821) Agaricales, Basidio.
M. perforans (Hoffm. ex Fr.) Gray. Kodaikanal, Tamil Nadu.

MICROSTROMA Niessl. (Sacc. IV, 9). Imp., Melanconiales.
M. albizziae Syd. On leaves of Albizzia amara, Kallar Coimbatore district (150:95).

MICROSPHAERA Lev. (1851) Erysiphales.
M. acaciae Braun, Nova Hedwigia, 34 : 697, 1981; Bharathiar University, Coimbatore.
M. begoniae Sivanesan, Trans. Brit. Mycol. Soc. 56: 30, 1971. Siruvani, Coimbatore.
M. diffusa Cooke & Peck, J. Bot., N.S. 1 : 13, 1892; Pollachi, Coimbatore.
M. pseudolonicerae (Salm.) Blumer. Beitr . Krypt. Fl. Schweiz 7 : 351, 1933, Thudiyalur,
Coimbatore.
M. trifolii (Grev.) Braun, Nova Hedwigia 34 : 635, 1981; Beih. 89: 291, 1987; Anamalais,
Coimbatore.

MICROPSALLIOTA Hohnel, Sitz-ber. A.K. Wiss. Wien. Mathnatur W. Kl. 123 (1914).
Agaricales, Basidio.
M. cystidiosa Natarajan & Manjula. On soil, Indian Institute of Technology campus, Madras,
Tamil Nadu.

MICROTHYRIUM Desm.. Asco., Hemisphaeriales, Microthyriaceae.
M. annuliforme Syd.. On leaves of Capparis sepiaria, Coimbatore (207:488).

MOLLISIA (Fr.) Karst., Disco., Helotiales.
M. cornea on Tamarindus indica in M.P., T.N., and Kerala (1163).

MUCOR Mich. ex Fr. (Sacc. VII, 190) Phyco., Mucorales, Mucoraceae.
M. glomerula Lendner From soil, Madras (219).
M. jansseni Lender. Isolated from rhizosphere of pigeon pea, Madras.
M. spinescens Lendner. Isolated from rhizosphere of pigeon pea, Madras.
M. plumbeus Bonorden from soil, Madras (219).
M. racemosus Fres. from soil, Madras (219); Vandalur (116: 112).

MYCENA (Pers: Fr.) S.F. Gray, Nat. Arr. Brit. Pl. 1: 619 (1821) Agaricales, Basidio.
M. alcalina Fr. Kodaikanal , Tamil Nadu.

MYCENELLA (Lange) Sing. Notulae systematical . Sect. Crypt. Inst. Bot. Acad. Sc. U.S.S.R.
fasc. 10-12: 9 (1938) Agaricales, Basidio.

M. bryophila (Vogl.) Singer. On rotting wood, forest near Gandhipettai, Ootacamund, Nilgiris, Tami Nadu.

MYCOSPHAERELLA Johanson (Sacc. IX, 659). Asco., Sphaeriales.

M. agapanthi see *M. agapanthi-umbellati*.

M. agapanthi-umbellati Ramakr. and Sund. Nom Nov. for *M. agapanthi* Ramakr. T.S. and K. (142:98). On leaves of *Agapanthus umbellatus*, Ootacamund (161:190) 142:98 as *M. agapanthi*.
M. brassicicola (Duby) Lindau (Sacc. I, 502 as *Sphaerella brassicicola*). On leaves of *Brassica oleracea*, Ootacamund.

M. exaci Ramakr. T.S. and K. On leaves of *Exacum wightianum*, Coonoor, Nilgiris (143:205).

M. gleicheniae Ramakr. T.S. and K. On leaves of *Gleichenia linearis*, Coonoor, Nilgiris (143:206).

M. meliosmae Ramakr., Sriniv., and Sund. On leaves of *Meliosma wightii*, Ootacamund (151:86).

M. melothriae Ramakr., On leaves of *Melothria mucronata*, Ootacamund (125:159).

MYCOSYRINX Beck. Basidio., Ustilaginales, Ustilaginaceae.

M. arabica (P.Henn.) Penz. In peduncles of *Vitis quadrangularis*, Mattipalayam, Coimbatore (207:487), Vandalur, Madras (Iyengar and Narasimhan, Phytopath XII:436, 1922 as *Schizonella colemani*).

MYROTHECIUM Tode ex Fr. Hypho., Moniliales.

M. rodium on *Carica papaya* L. causing leaf spot and fruit rot in Coimbatore, Tamil Nadu (829). *Napicladium crataevae* see *Prathigada crataevae*.

NAEMATOLOMA P.Karsten in Bidr. Kann. Finl. Nat. Folk 32 : 25 (1879). Agaricales, Basidiomycetes.

N. fasciculare (Hude. ex Fr.) P. Karsten in Bidr. Kann. Finl. Nat. Folk 32 : 496 (1879). On dead stumps of pine wood, in groups, Permanent Pine Plantation near Pillar Rocks, Kodaikanal, Tamil Nadu.

N. subviride (Berk. & Curtis) A.H. Sm. In Mycologia 43: 519 (1951). On decaying tree trunk of *Eucalyptus* sp., in groups, Pine Plantation near Lovedale Railway Station, Ootacamund, Nilgiris, Tamil Nadu.

NALANTHAMALA Subram. (J. Indian bot. Soc., 35: 478, 1956) Imp., Moniliales, Tuberculariaceae .

N. madreeya Subram. On dead twigs, University Botany Laboratory Campus, Madras (216 : 478).

NECTRIA Fr. Hypocreales . *N. alutacea* Berk. and Cke. bark, Nilgiris (39A:81).

N. lactifulva (Berk. and Cke) Sacc. On bark, Nilgiris (39A: as *Dialonectria lactifulva*).

N. vilis (Syd.) Petch . Associated with *Asterolecanium* sp., on *Bambusa* sp., S. India (113:191).

N. xanthostigma (Berk. and Cke.) Sacc. On herbaceous stems, Nilgiris (39A as *Dialonectria*).

NEOTESTUDINA Segretain & Destombes, Asco, Dothideales.
N. cunnighamiae (Hawksw. & Booth) v. Arx & E. Mull. On soil, Mamandur, S. Arcot, South India (203a).

NEOTTIOSPORA Desm. Imp., Sphaeropsidales, Sphaeriaceae .
N. curcumae Ramakrishnan & Sundaram. On leaves of Curcuma amada, Madras State.

NEOBARCLAYA Sacc. Imp., Melanconiales .
N. congesta (Berk. and Br.) Petch (Ann. Roy. bot. Gdns. Peradeniya, 9:165, 1924). Sacc. IV, 786 as Pestalozzia congesta B and Br. On leaves of Syzgium jambolanum Coimbatore (151 : 94).

NEOCOSMOSPORA E.F. Smith Asco., Hypocreales .
N. vasinfecta Smith On roots and cotyledons of Cicer arietinum, Coimbatore; Cajanus cajan, Madras; soil, Vandalur (Madras) (212 : 394; 116 : 112).

NIGROSPORA Zimm. (Sacc. XVIII, 571) Imp., Moniliales, Dematiaceas .
N. oryzae (Berk. and Br.) Petch (J. Indian bot. Soc., 4 : 21-24, 1924. On Oryza sativa, Madras (Padwick: Manual of rice diseases p.179).

NOLANEA (Fr.) Quel. Champ. Jura vosg., p. 122: 1872-3. Agaricales, Basidio
N. maderaspatana Pegler. Amonst moss in Accai menzelii Black plantation, Palani Hills, Kodaikanal, Tamil Nadu.
N. mammifera (Romagn.) Pegler. On ground, Bear Shola, Kodaikanal, Tamil Nadu.
N. sericea (Bull. ex Merat) P. Orton. Amongst moss in Acacia plantation, Palani Hills, Kodaikanal, Tamil Nadu.

NYSSOPSORA Arthur in Result Sci. Congr. Internat. Bot. Wien, 1905, p.342, 1906) Basidio., Uredinales.
N. schefflerae Bagyanarayana, Subbalakshmi, Ramachr & Hosagoudar sp. nov. on living leaves of Schefflera stellata (Gaetin) Harms. In Tamil Nadu (103).
N. thwaitesii (Berk. and Br.) Syd. (Sacc. VII, 770; BB.77 as Triphragmium thwaitesii Berk. and Br.). On leaves of Heptapleurum sp., Burliar (Nilgiris) (105:8).

OEDOCEPHALUM Preuss Imp., Moniliales, Moniliaceae.
O. coprophilum Kobayasi (Nagaoa, I:8-9, 1952). Isolated from the rhizosphere of crop plants, Madras (2:101).

ODIOPSIS Scalia Imp., Moniliales.
O. taurica (Lev.) Salm. see Leveillula taurica.
O. taurica f. sp. aristolochiacearum Paul & Kapoor on Asistolochia bracteolata Lamk. In Coimbatore , Tamil Nadu (1027).
O. taurica f. sp. passifloracearum Paul & Kapoor on Passiflora calcerata Bench. In Ootacamund , Tamil Nadu (1027).
O. taurica f. sp. rosasearum Paul & Kapoor on Capsicum frutescens L. in Madras (1027).

O. macrospora (Uppal & Kamat) Mundk. & Thirum., Mycol. Pap. 40: 15, 1951, Vadavalli, Coimbatore.

OIDIUM Link ex Fr. Imp., Moniliales.

O. abelmoschi Thumen. Grevillea 6 : 102, 1877- 78, P. N. Pudur, Coimbatore.

O. abri Hosagoudar, Vijayanthi, Udaiyan & Manian, Indian J. Forestry 15: 157, 1992. Bharathiar University Campus, Coimbatore.

O. abutili Hosagoudar, Sydowia 43: 23, 1991. Sri Madurai, Nilgiris.

O. acalyphae Chidderwar. Lloydia 18: 46, 1955. Theppakkadu, Nilgiris.

O. acanthospermi Chidderwar, Lloydia 18: 46, 1955; Karur Trichy District.

O. agerati Yen, Cahiers du Pacifique, 11: 85, 1967; Kallar Fruit Station, Coimbatore.

O. ailanthi Bagyanarayana & Ramachar, Curr. Sci. 52: 170, 1983; Alanthurai, Coimbatore.

O. azadirachtae Narayanasamy & Ramakrishnan, Madras Univ. J. 37-38: 90, 1967; BSI Garden, Coimbatore.

O. bauhiniae Gorter & Eicker, Mycotaxon 22: 39, 1985; Braun, Beih. Nova Hedwigia 89: 599, 1987. Kongundau Arts and Science College Campus, Coimbatore.

O. balakrishnanii Hosagoudar, Vijayanthi, Udayan & Manian, Indian J. Forestry 15: 158, 1992. Kodanadu, Nilgiris.

O. bauchiniae Gorter & Eicker, Mycotaxon 22: 39, 1985; Nilgiris.

O. betulacearum Hosagoudar & Mohanan, J. Econ. Tax. Bot. 14 : 617 , 1990. Yercaud.

O. betulacearum on leaves of Alnus nepalensis in Tamil Nadu (520).

O. bixae Viegas, Bragantia 4: 9, 1994. Walayar, Coimbatore.

O. braunii Hosagoudar, Sydowia 37: 50, 1984; Coimbatore.

O. caricae – papayae Yen, Rev. Mycol. 31: 316, 1966; P. N. Pudur, Coimbatore.

O. cassiae – hirstuae Yen, Rev. Mycol .31: 284, 1996; Maruthamalai, Coimbatore.

O. cassiae – siameae Yen, Cahiers du Pacifique 11: 88 , 1967; Tamil Nadu.

O. citri (Yen) Braun, Zbl. Mikrobiol. 137: 323, 1982; Kotagiri, Nilgiris.

O. clitoriae Narayanasamy & Ramakrishnan, Madras Univ. J. 37-38: 89, 1967 (1969); BSI Garden, Coimbatore.

O. coriandri Hosagoudar, Vijayanthi, Udaiyan & Manian, Indian J. Forestry 15:157, 1992. Tamil Nadu Agricultural University Orchard, Coimbatore.

O. fabacearum Hosagoudar, Bull. Bot. Surv. Indian 51 : 162, 1989. Pudur Coimbatore.

O. grewiicola Hosagoudar, Siddappa & Udaiyan, Crypt. Bot. 2: 351, 1992. Mamaram, Nilgiris.

O. heliotropii – indici Sawada, Bull. Dept. Agri. Govt. Res. Inst. Formosa 61: 80, 1993; Kaveripattinam, Dharmapuri.

O. heveae Steinmann, De ziekten en plagen van Hevea brasiliensis in Nederlandsch-India. P. 91, Buiten-zorg 1925; Bharathiar University campus, Coimbatore.

O. hiratae Braun, Zbl. Mikrobiol 137: 321, 1982; Bryant Park, Kodaikanal.

O. hortensiae Joerst., Skr. Norske Vid.- Ak. I. Math.-nat. kl. 10: 106, 1926; BSI Garden, Coimbatore.

O. indigoferae Yen, Rev. Mycol. 31: 304, 1966; Bharathiar University campus, Coimbatore.

O. ipomoeae (Yen & Wang.) Braun, Mycotaxon 25: 268, 1986; Yercaud.

O. jatropheae Hosagoudar, Siddappa, Vijayanthi & Udaiyan, Crypt. Bot. 2 : 351, 1992. Kotagiri, Nilgiris.

O. kydiae Hosagoudar, Sydowia 43 : 26, 1991. Sri Madurai, Nilgiris.

O. lagascae Chidderwar, Lloydia 18: 47, 1995; BSI Garden, Coimbatore.

- O. leptadeniae Prasad & Tyagi, Sci. & Cult. 28: 184, 1962; Koottupulikadu, Coimbatore.
- O. mangiferae Berthet, Bolm. Agri. Sao Paulo. 15: 818, 1914; Valparai, Coimbatore.
- O. manihoticola Hosagoudar, Siddappa, Vijayanthi & Udaiyam, Crypt. Bot. 2 : 351, 1992. Kotagiri, Nilgiris.
- O. malachrae Hosagoudar & Stephen in Hosagoudar, Indian J. Forestry 13, 223, 1990. Coimbatore.
- O. malachrae on leaves of Malachra capitata in Tamil Nadu (526); on Malachra capitata causing powdery mildew in Coimbatore, T.N(506). O. moringae Hosagoudar, Sydowia 43 : 28, 1991. Moyar, Nilgiris.
- O. moringae Hosagoudar, on leaves of Moringa pterygosperma in Tamil Nadu (507).
- O. murrayae Hosagoudar, Braun & Ravindran, Int. J. Mycol. Lichenol. 5: 213, 1992. Kovai Cotrallum, Coimbatore.
- O. murrayae Hosagoudar, Barun & Ravindran sp. nov. on young leave of Murraya
- O. paniculatum in Tamil Nadu (547).
- O. nyctaginacearum Hosagoudar, Indian Phytopathol. 43 : 217, 1990. BSI Garden, Coimbatore.
- O. nyctaginacearum Hosagoudar sp. nov. on living leaves of Mirabilis jalapa L. causing
- O. powdery mildew in Coimbatore, Tamil Nadu (505).
- O. ocimi Narayanasamy & Ramakrishnan, Madras. Univ. J. 37-38: 87, 1967 (1969); R. S. Puram, Coimbatore.
- O. ocini Narayanasamy & Ramakrishnan, on Ocimum tenuiflorum causing powdery mildews in nursery and garden plants, Coimbatore, Tamil Nadu (1663).
- O. parkinsoniae Udaian & Hosagoudar, New Botanist 20: 117, 1993; Bharathiar University Campus, Coimbatore.
- O. parkinsoniae Udaian & Hosagoudar on Parkinsonia aculeata sp. nov. Causing powdery mildews in nursery and garden plants, Coimbatore , Tamil Nadu (507).
- O. passifloracearum Hosagoudar, Sydowia 43 : 28, 1991; Yercaud, Tamil Nadu.
- O. passifloracearum Hosagoudar, on leaves of Passiflora foetida in Tamil Nadu (507).
- O. pavoniae Bagyanarayanan & Braun, Mycotaxon 27: 61, 1986; Braun, Beih. Nova Hedwigia 89: 612, 1887; Coimbatore.
- O. peltophori (Yen) Boosewinkel, var. indica Hosagoudar, Vijayanthi, Udaian & Manian, Indian J. Forestry 15: 161, 1992. TNAU Campus, Coimbatore.
- O. pentatropidis Braun & Hosagoudar, Int. J. Mycol. Lichenol. 4: 189, 1989; BSI Garden, Coimbatore.
- O. pentatropidis Braun & Hosagoudar sp.nov. on Pentatropis capensis (Lf.) Bullock. In Coimbatore (194)
- O. ramakrishnanii Hosagoudar, Sydowia 43, 29, 1991 BSI Garden, Coimbatore.
- O. rosaceaerum Hosagoudar & Manian in Hosagoudar, Indian J. Forestry 13: 224, 1990; Coimbatore.
- O. rosaceaerum on leaves of Rosa indica in Tamil Nadu (519) ; on young leaves of Rosa indica causing powdery mildew in Coimbatore T.N (506).
- O. saeaforthiani Hosagoudar, Vijayanthi,Udaian & Manian, Indian J Forestry 15: 161, 1992; Anamalais, Coimbatore.
- O. santalacearum Braun & Hosagoudar, Int. J.Mycol. Lichenol. 4: 187, 1989; BSI Garden, Coimbatore.
- O. santalacearum Braun & Hosagoudar, sp. nov. on Santalum album L. in Coimbatore. (194).
- O. schmiedeknechtii Braun, Mycotaxon 25: 266, 1986, Beih. Nova Hedwigia 89; 615, 1987.

Siruvani , Coimbatore.
O. scopariae (Sharama & Jain) Bagyanarayana & Ramachar, Curr. Sci. 52: 170, 1983;
Mettupalayam, Coimbatore.
O. sesami (Paul & Kapoor) Hosagoudar, Vijayanthi, Udaiyan & Manian, Indian J. Forestry 15:
162, 1992; Bharathiar University Campus, Coimbatore.
O. stachytarphetae Yen, Rev. Mycol. 31: 308, 1966; Braun, Beih. Nova Hedwigia 89: 616, 1987;
Siruvani, Coimbatore.
O. tamarindi (Yen) Braun, Zbl. Microbiol. 137:323, 1982. Hosagoudar, J. Econ, Tax. Bot. 7: 45,
1985; BSI Campus, Coimbatore.
O. tingitaninum Carter on Citrus aurantium, Coonoor (Nilgiris) (87:110).O . tribuli Hosagoudar,
Siddappa, Vijayanthi, & Udaiyan, Crypr. Bot. 2: 354, 1992; Bharathiar University Campus,
Coimbatore.
O. trichiliae Hosagoudar, Vijayanthi, Udaiyan & Manian, Indian J. Forestry 15: 162, 1992.
Kotagiri, Nilgiris.
O. udaiyanii Bappammal & Hosagoudar, New Botanist 19: 161, 1992; Kodaikanal.
O. udaiyanii Bappammal & Hosagoudar, sp. nov. on Trema orientalis causing powdery mildew in
Kodaikanal Hills, Tamil Nadu (120).
O. urenae Yen, Cahiers du Pacifique 11: 110., 1967; Braun, Beih. Nova Hedwigia 89: 617,
1987. Kolli Hills, Salem District.
O. violae Pass. in Thumen, Mycol. Univ. Cent. XII, 1176, Klosterneuburg 1878. Ooty, Nilgiris.
O. zizyphi (Yen & Wang) Braun, Zbl. Mikrobiol. 137: 148, 1982; Braun, Beih. Nova Hedwigia
89: 618, 1987; Mettupalayam, Coimbatore.

OLIEVA Arth, Telio., Uredinales.

O. isonandrae Hosagoudar sp. nov. on living leaves of Isonandra lanceolata Wight var.
anfractuosa Cl. In Valparai, Tamil Nadu (501).

OMPHALOTUS Fayod, Ann. Sc. Nat. Bot. VII., 9 : 338 (1889) . Agaricales, Basidio.

O. olearius (DC. ex Fr.) Singer. At the base of dicot tree, Madras Christian College campus,
Tambaram, Madras, Tamil Nadu.

O. radicata (Rehlan ex Fr.) Siger. On ground, Doddabetta, Ootacamund, Nilgiris, Tamil Nadu.

ONCOPODIUM Sacc., Hypho., Moniliales.

O. indicum Venkateshwarlu et al., sp. nov. on Eucalyptus lanceolatus L' Herit from leaves in
Wrangal, Tamil Nadu (1695).

OOSPORA Wallr. Imp., Moniliales, Moniliaceae.

O. lactis (Fres.) Sacc.in soil, Madras. (Thakur and Norris, 219 as Oidium lactis).

OPHIODOTHELLA (Henn) Hohnel., Polystimatales.

O. calami Hosagoudar sp. nov. on Calamus pseudotenuis Becari ex Becari & Hook from leaf
spot in Coimbatore, Tamil Nadu . (512).

O. fici Bessey. On living leaves of Lagerstroemia microcarpa Wt. In Coimbatore, Tamil Nadu
(1002).

OOTHIS Nits., Loculoasco., Pleosporales.
O. pulneyensis on dead wood in Tamil Nadu (1017).

OVULARIOPSIS Pat. and Har. (1900) Erysiphales.
O. gmelinae – arboreae Hosagoudar et al. Kombaikadu, Kodaikanal.
O. lawsoniae Bagyanarayana, Braun & Hosagoudar, Mycotaxon 32 : 457, 1988; Kanuvai, Coimbatore.

PANAEOLUS (Fr.) Quelet in Champ. Jur Vosges 1: 121 (1872). Agaricales, Basidiomycetes.
P. antillarum (Fr.) Dennis in Kew Bull. 15: 124 (1961). On elephant dung, in groups, Children's Park, Guindy, Madras, Tamil Nadu.
P. subbalteatus (Berk. & Broome) Sacc. In Syll. Fung. 5: 11124 (1887). On elephant dung, in groups, Deer Park, Guindy, Madras, Tamil Nadu.
P. sphinctrinus (Fr.) Quelet in Champ. Jura Vosges 1 : 151 (1872). On ground, solitary, 1972 Pine Regeneration Area, Konalaru, Kodaikanal, T.N.
P. annulatus Natarajan & Raman sp. nov. On elephant dung, Children's Park, Guindy, Madras, Tamil Nadu.
P. foenisecii (Pers. ex Fr.) Maire in Trebl. Mus. Cien. Nat. Barcelona 15: 109 (1933). On ground, among grass, solitary, Mel Odayaratty, Ootacamund, Nilgiris, Tamil Nadu.
P. microsperma Natarajan & Raman sp. nov. On group among grass, Silver Cascade, Kodaikanal, Tamil Nadu.

PARODIELLA (Speg.) Theiss. and Syd. Asco., Sphaeriales.
P. spegazzinii Theiss. and Syd. On leaves of *Crotalaria leschnaultii*, Coimbatore (206:327)
Immature.

PARACONSTANTINELLA Subram., Hypho.
P. elegans on leaf litter in Tamil Nadu, India. (1616).
P. pulchra on rotten leaf litter of *Glycosmis cochinchinensis* in Tamil Nadu, (India). (100).

PARAVALSA Annanthapadmanaban., Asco., Diporthales.
P. indica Annanthapadmanaban gen. et sp. nov. on twigs in Tirunelveli, Tamil Nadu (54).

PELICULARIA Cooke is a segregate from *Corticium* (Rogers, Farlowia, 1) Basidio., Agaricales, Thelphoraceae.
P. rolfssii (Sacc.) West Causing root rot of *Capsicum annum*, Pollachi (3) and rhizome rot of *Zingiber officinale* Pattambi (Kerala) Sundaram Mad. Agric. 225, 1951.
P. salmonicolor (Berk. Br). Dastur . On stems of *Hevea brasiliensis*, *Thea sinensis*, *Coffea arabica*, *Cinchona ledgeriana* and *Citrus* spp., throughout S. India.

PENICILLIUM Link ex. Fr. Imp., Moniliales, Moniliaceae.
P. digitatum Sacc. From soil, Madras (219).
P. glabrum (Wehmer) Westling from soil, Madras (219).
P. glaucum Link fom soil, Madras (219).

- P. oxalicum Currie and Thom from soil, Madras (219).
 P. Pericladium Pass (in Nuouo G. bot. ital. 7:185, 1875 emend Mundkur in Mycologia 36:291, 1944). Basidio, ustilagenales, Ustielagenaceae.
 P. tiliacearum Mund. and Thirum. (Lloydia, XIII, 176, 1951) on stems and Petioles of Grewia tiliaefolia Vandalur, Madras (105A; 47).

PERICONIA Tode ex Schw. Imp., Moniliales, Dematiaceae .

- P. byssoides Pers. ex Schw. On dead stems, Dodabetta, Nilgiris, Vandalur (Madras) on dead stem of Cassis sp., Kolathurar, Chingleput district of Artemesia sp., Ootacamund; of Clitoria ternatea, Madras (187:342).
 P. clitoriae Subram. On dead stems of Clitoria ternatea, Madras (187:360; SR.361).
 P. hispidula (Pers. ex Pers.) Mason and Ellis (Mycol. pap. 56:112 1953). On dead leaves of Cocos nucifera, on dead stems, Madras; Kambakkam on dead pods of Caesalpinia pulcherrima, Madras; on dead leaf sheaths of Cocos nucifera, Tirukuppam on dead leaves of a palm, Coimbatore; on dead culms of Aristida setacea, Vandalur (Madras); on straw, Madras (187:352).
 P. kambakkamensis Subram. On dead stems of bamboo, Kambakkam Hills (187:352).
 P. laminella Mason and Ellis (Mycol. Pap.56:120, 1953) on a rotting piece of bamboo, Madras (187:360).
 P. nilagirica Subram. on dead twigs of a Gramineae, Ootacamund, Madras State.
 P. madreeya Subram. On dead stems of Cynodon dactylon and on dead bamboo, Madras (187:356).
 P. minutissima Corda. On dead culms of Oryza sativa, Poonamallee (187:345).
 P. obliqua Subram. On dead bamboo, Madras. On dead culms of Cynodon dactylon (187:350).
 P. paludosa Mason and Ellis (Mycol. Pap.56:94; 1953) on dead culms of a grass and on straw, Madras (187:347).

PERONEUTYPA Berl.; Asco., Sphaeriales.

- P. pulchra Subram & Anathapadmanaban on fallen wood blocks in tirunelveli, Tamil Nadu (1609).

PERONOSPORA Corda . Phyco. Peronosporales, Peronosporaceae.

- P. obovata Bonorden . On leaves of Spergula arvensis, Nanjanad, Nilgiris (157:140).
 P. rumicis Corda . On leaves of Rumex vesicarius, Coimbatore (207:484).

PESTALOTIA de Not. as Pestalozzia) Imp., Melanconiales.

- P. marcotricha Kleb. On leaves of Rhododendron arboreum, Ootacamund (150:95).
 P. seiridioides Sacc. On leaves of Rosa leschnaultiana, Ootacamund (154A:113).

PETRAKIA Syd. .Imp., Moniliales, Tuberculariaceae.

- P. kambakkamensis Subram. On dead wood, Kambakkam Hills, Chingleput District, Madras.

PESTALOTIOPSIS Steyaert (Bull. Jard. bot. Brux., 19:300, 1949), Imp., Melanconiales.

- P. funerea (Desm.) Steyaert. On leaves of Eucalyptus globosus, Coonoor (214:220 and 87:110 as Pestalozzia).
 P. palmarum (Cooke) Steyaert. On leaves of Cocos nucifera, Madras (34:115; 18:21) .
 P. theae (Saw.) Steyaert On leaves of Thea sinensis, Madras (25:451).

PHAEOCHORELLA Theiss. and Syd. = Sphaerodothis fide Clements and Shear. Asco., Dothideales, Phyllachoraceae.

P. artocarpi Ramakr. T.S. and K. On leaves of Artocarpus lakoocha, Burliar Nilgiris (136:37).

PHAEODOTHIS Syd. is based on a parasitised Phyllachora (Ann. mycol., 1939).

P. cordifoliae Ramakr., and Sund. On leaves of Jasminum cordifolium, Burliar Nilgiris (156:28). **PHAEOMARASMIUS** Scherffel in Hedwigia 36: 289 (1897). Agaricales, Basidiomycetes.

P. erinaceus (Fr.) Kuhner in Encycl. mycol. 7: 33 (1935). On ground among moss, in groups, Manjankorai, Ootacamund, Nilgiris, Tamil Nadu.

P. globisporus Natarajan & Raman. On decaying wood, solitary, Indian Institute of Technology campus, Guindy, Madras.

P. setulosus Natarajan & Raman. On twigs and litter, in groups, Old Pine Plantation near Pillar Rocks, Kodaikanal, Tamil Nadu.

PHAEOPHACIDIUM P. Henn. and Lindau. Asco., Helotiales.

P. viburni Ramakr., T.S. and K. On leaves of Viburnum hebanthum, Coonoor (143:207).

PHAEOSPHEARELLA Karst.. Asco., Sphaeriales = Venturia fide Petrak.

P. ricciae Stephens. On Riccia himalayensis, Madras (173:63).

PHAEOTRICHOCONIS Subram., Hypho., Moniliales.

P. crotalariae (Saloum & Rao) Subra. On Trichosanthes anguina L. causing leaf spot in Padappai, India (1129).

PHAEOMARASMIUS

P. globisporus Natarajan & Raman . on rotten wood in Madras (894).

P. setulosus Natarajan & Raman . On twigs and litter in Tamil Nadu (894).

PHAKOPSORA Diet. Basidio., Uredinales, Melampsoraceae.

P. desmium (Berk. and Br.) Cumm. (Bull. Torrey bot. Cl., 42:206; 1945. On Gossypium spp., throughout S.India.

P. fici-elasticae Ramakr. On leaves of Ficus elastica, Ootacamund (127:144).

P. incompleta (Syd.) Cumm. On leaves of Ischaemum Ciliare var. wallichii, Coimbatore (150:93).

P. kirganeliae Ramakr., T.S. and K. On leaves of Kirganelia reticulata, Coimbatore (141:76).

P. phyllanthi Diet. On leaves of Phyllanthus distichus, Godavari, Thanjavur and Palghat (213:269; 54:469).

P. vignae (Bres.) Arth. (Bull. Torrey bot. Cl., 44:509, 1911. On leaves of Phaseolus lunatus, Kadamparai Anamalais (157:145).

P. ziziphi - vulgaris (P.Henn) Diet On leaves of Zizyphus trinervia, Kallar (160:58).

PHLEOSPORA Wallr. Imp., Sphaeropsidales, Sphaerioidaceae.

P. cassiae Thirum. and Naras. (Sydowia, 4:70, 1950) On leaves of Cassia fistula, Kallar-Burliar (Madras) (142:110) as P. cassiae Ramakr. T.S.and K.

P. Phoma glumarum see Phyllosticta glumarum.

PHOLIOTINA Fayod in Ann . Sci. Nat. VII, 9 : 359 (1889) . Agaricales, Basidiomycetes.
P. teneroides (J.E. Lange) Singer in Beih. Bot. Centralbl. 56(B) : 170 (1936). On rotting wood and ground, in groups, Shola near Lovedale Railway Station, Ootacamund, Nilgiris, Tamil Nadu.
P. filaris (Fr.) Singer in Lilloo 22 : 487 (1951). On leaf litter, in groups, Four Roads, Doddabetta, Ootacamund, Nilgiris, Tamil Nadu.
P. arrhenii (Fr.) Singer in Beih. Sydowia 7: 77 (1973). On ground and dead sticks, solitary , 1974 Pine regeneration area, Katharikai odai, Kodaikanal, Tamil Nadu.

PHOLIOTA (Fr.) Kummer in Fuhr. Pilzk.: 22 (1871). Agaricales, Basidiomycetes.
P. gregariiformis (Murrill) A.H. Sm & Hesler in The North American species of P. Pholiota : 304 (1968). On Pinus taeda trunk, in groups, Pine Plantation, Kundar, Kodaikanal, Tamil Nadu.
P. kadiakensis A.K. Sm. & Hesler in The North American species of Pholiota: 191 (1968). On wood, in groups, Old Pine Plantation near Pillar Rocks, Kodaikanal, Tamil Nadu.
P. truncata Natarajan & Raman . On ground, solitary, Tiger Shola, Kodaikanal, Tamil Nadu.
P. squarrosa (Fr.) Kummer in Fuhr. Pilzk.: 84 (1871). On living dicot tree trunk, in groups, Four Roads, Doddabetta, Ootacamund, Nilgiris, T.N.
P. squarrosa (Fr.) Kummer. Kodaikanal, Tamil Nadu.

PHOMATO Desm., Coelo., Sphaeropsidales.
P. sorghina (sacc). On Acacia mangium causing leaf spot of 2 year old plantation in Kerala and Tamil Nadu (833).

PHOMATOSPORA Sacc. (Sacc. I, 432). Asco., Sphaeriales .
P. artocarpi Ramakr. and Sund. On leaves of Artocarpus hirsuta, Gudalur Nilgiris (155:190).

PHOMOPSIS Sacc., Coelo., Sphaeropsidales.
P. casuarinae on Casuarina equisetifolia causing branch canker & foliar infection in nursery trial and plantation in Tamil Nadu and Kerala . (834).Phragmidium Link. Basidio, Uredinales; Pucciniaceae.
P. butleri Syd. On leaves of Rosa leschnaultiana Ootacamund (155:191).

PHYLLACHORA Nits. Asco., Dothidiales, Phyllachoraceae.
P. balakrishnanii on leaves of Osbeckia in Tamil Nadu (528).
P. bourreriae Stevens. On living leaves of Ehrentia laevis Roxb. var. canarensis Clarke. In Coimbatore. Tamil Nadu (1002).
P. cymbispora Ramakr. T.S. and K. On leaves of Eurya japonica, Lovedale Nilgiris (132:185).
P. cynodontis (Sacc.) Niessl. On leaves of Cynodon dactylon, throughout S.India (212:399; 206:328).
P. cyperi Rehm. On leaves of Fimbrystylis sp., Madras (117:257).
P. flemingiae Ramakr. and Sund. On leaves of Flemingia semialata, Pannaikadu, Madurai district (157:142).
P. glycosmidis Petch. On leaves of Glycosmia cochinchinensis, Burliar, Nilgiris (142:100).
P. gomphandrae Hosagoudar sp. nov. on leaves of Gomphandra coriacea Wight. In Coimbatore, Tamil Nadu (543).
P. graminis (Pers.) Fckl. On Chloris barbata, Coimbatore; (212:400).

- P. gudalurensis Ramakr. T.S. and K. On leaves of *Croton oblongifolius*, Gudalur, Nilgiris (142:101).
- P. hugoniae Theiss. and Syd. On leaves of *Hugonia mystax*, Tambaram and Kambakkam (Chingleput, Karaikudi, Ramanthapuram district).
- P. ixorae Theiss. and Syd. On leaves of *Ixora parviflora*, Coimbatore (224:553).
- P. kambakkamensis Ramakr. On leaves of *Ochna* sp., Thanthipandal, Chingleput district (114:121).
- P. kanyakumariana Hosagoudar sp. nov. on leaves, petiole and stems of *Tylophora subramanii* Henry. In, Kanyakumari Distt. Tamil Nadu (543).
- P. pongamiae (Berk. and Br.) P. Henn. On leaves of *Pongamia glabra*, Madras (206:328; 212:376).
- P. pterolobi (Ramakr. T.S. and K.) Arx and Mueller (Beitr. Kryptogrammenfl. Schweiz 2:175). On leaves of *Pterolobium indicum*, Kallar (Coimbatore) (135:7)
- P. rhamni Ramakr. On leaves of *Rhamnus wightii*, Ootacamund (126:67).
- P. rottboelliae Syd. and Butl. On leaves of *Rottboellia exaltata*, the Doorg, Nilgiris (212:400).
- P. scolopiae Ramakr. and Sund. On leaves of *Scolopia crenata*, Burliar Nilgiris (156:29).
- P. sikkimense Ramakr. T.S. and K. On leaves of *Canarium sikkimense*, Annamalais 141:74).
- P. sorghi Hoehn. On leaves of *Sorghum vulgare*, Coimbatore (154A:110).
- P. ventilaginis Ramakr. and Sund. On leaves of *Ventilago maderaspatna*, Kallar (Coimbatore) (159A:18).
- P. Phyllachorella micheliae see *Vestergrenia micheliae*.

PHYLLACTINIA Lev. Asco., Erysiphales, Erysiphales, Erysiphaceae.

- P. dalbergiae Pirozynski, Mycologia 57: 827, 1965; Bharathiar University Campus, Coimbatore.
- P. guttata (Fr.) Lev. Common on *Morus* sp., in Coonoor and Coimbatore (158:62). The correct name of *P. corylea* should be *P. guttata* fide Cooke, (Mycologia, 44:594, 1952).

PHYLLOSTICTA Pers. ex Desm. (Sacc. III, 3) Imp., Sphaeropsidales, Sphaerioidaceae.

- P. glumarum (Ell. and Tr.) Miyake (J. Coll. Agric. Tokyo., 2:252, 1910. On glumes of *Oryza sativa*, throughout India (214:187; 17:46; 23:35 as *Phoma*).
- P. hederae Sacc. and Roum. On leaves of *Hedera helix*, Ootacamund (160:61).
- P. sorghina Sacc. On leaves of *Sorghum vulgare*, Manaparai, Trichinopoly district (214:185).
- P. symploci Syd. On leaves of *Symplocos* sp., Nilgiris (214:181).

PHYLLOSTICTINA Syd. Imp., Sphaeropsidales, Sphaerioidaceae.

- P. musarum (Cke.) Petr. (Ann. mycol., 29:268, 1931). On leaves of *Musa paradisiaca*, throughout S.India. This fungus has been reported as *Macrophoma musae* (Cke.) Berl. and Vogl. in BB.158 and in 214:189.

PHYSALOSPORA Niessl. (Sacc. I, 433). Asco., Sphaeriales.

- P. achyranthes see *Vestergrenia achyranthes*.
- P. anamalaiensis Ramakr. T.S. and K. On leaves of *Embelia ribes*, Anamalais (141:69).
- P. heterostemmae see *Vestergrenia heterostemmae*.
- P. jasmini Ramakr. and Sund. On leaves of *Jasminum rigidum*, Pannaikadu, Madurai district (157:143).

P. pyrenacantheae Ramakr. and Sund. On leaves of Pyrenacantha volubilis. Kallar (Coimbatore) (159A:18).

P. pterolobi see Phyllachora pterolobi.

PHYTOPHTHORA de Bary . Phyco., Peronosporales, Pythiaceae.

P. cactorum (Libert and Cohn) Schroet. Causing foot root and wilt of Antirrhinum majus, Ootacamund (204:99 as var P. pini antirrhini).

P. cambivora (Petri) Buis. On Chrysanthemum cinerarifolium, Nilgiris and Pulneys (147:27-33).

P. cinnamomi Rand. On stems and roots of Cinchona ledgeriana and C. succirubra and C. sp., Anamalais (126:63).

P. colocasiae Racib. On Colocasia antiquorum, Anamalais .

P. cyperi-bulbosi Seethalakshmi and Ramakr. On leaves of Cyperus bulbosus, Coimbatore (169:150; 168:58).P . infestans (Mont.) on Solanum muricatum Ait. Causing leaf blight in Ooty, Tamil Nadu. (821).

P. palmivora (Butl.) Butl. Causing butt rot of Cocos nucifera and Borassus flabellifer, throughout S. India; causing fruit rot of Lycopersicum esculentum, Coimbatore. It has been reported on several other hosts from S. India.

P. parasitica Dast. var. nicotianae Tucker On roots and stems of Nicotiana tabacum, Salem and Coimbatore.

PILIDIUM Kunze., Coelo.

P. acerinum Kunze. On fallen leaves of Calophyllum inophyllum L. in Madras , Tamil Nadu (852); on fallen leaves of Eucalyptus sp. in Kodaikanal, Tamil Nadu. (852).

PILOPORIA Niemela., Basidio., Polyporaceae.

P. indica Ganesh & Leelawathy sp. nov. on twigs in Malabar forest, Tamil Nadu (376).

PISOLITHUS Alb., & Schw., Basidio., Sclerodermatales.

P. tinctorius (Ment). Fisch. On sandy soil around mature trees of Eucalyptus tereticornis F.Muell., Muttukaddu, Madras , Tamil Nadu (907h).

PILACRE Fr. is a nomen dubium Sacc. IV, 579.

P. orientalis Berk. and Br. On dead wood, Nilgiris, (13:101).

P. tephrospora Berk. and Br. On dead leaves, Nilgiris (13:101).

PIRICULARIA Sacc. Imp., Moniliales, Moniliaceae .

P. oryzae Cav. On Oryza sativa, throughout S.India (88:201).

P. setariae Nisikado (Ber. Ohara Inst. Landw. Forsch. 1:1917) Very common on Setaria italica, throughout S.India.

PLASMOPARA Schroet. Phyco., Peronosporales, Peronosporaceae.

P. vernoniae-chinensis Saw. (Agr. Expt. Sta. Govt. Forms Spec. Bull., 19:98, 1919). On leaves of Vernonia cinerea Coimbatore (158:61).

P. viticola Berk. and Curt. On leaves of Vitis vinifera Madras (213:244; 5:34), Collected from Salem, Madurai and Coimbatore districts .

PLEOCYTA Petr. and Syd. Imp., Sphaeropsidales, Spaeriodaceae.
P. sacchari (Massee) Petr. and Syd. On culms of *Saccharum officinarum* Madras (19:14 as *Trichosphaeria sacchari* Massee).

PLEUROTHECIUM Hohnel., Hypho.
P. magnum Subram. & Bhat. On rotten wood in Tamil Nadu ., India (611).
P. pulneyense Subram. & Bhat. On dead twigs in Tamil Nadu. India . (1617).

PLEUROTUS (Fr.) Quel. Basidio., Agaricales, Agaricaceae.
P. citrinopileatus singer on dead tree trunk in Kanalkandu , in Tamil Nadu (1550).
P. flabellatus (Berk. & Broome) Sacc. On dead wood, Kodimudi teak plantation on the way to Walyar, Tirunelveli, Tamil Nadu.
P. platopus (Cooke & Masses) Sacc. On decaying wood, Madras University campus, Madras, Tamil Nadu.

PLEUROPHRAGMIUM Cost. Imp., Moniliales, Dematiaceae.
P. scopaeforme (Berk.) Hughes (Canad. J. Bot. 36: 798, 1958). Recorded as *Cladosporium scopaeforme* Berk. in BB: 145. A re-description will be found in J. Indian bot. Soc .35 : 450 where it is re-named *Helminthosporium scopaeforme* (Berk.) Subram.

PLUTEUS Fr. Genera Hymen. 6 (1836) Agaricales, Basidio.
P. cervinus (Schaef. ex Fr.) Kummer. On wood, Doddabetta, Ootacamund, Nilgiris, Tamil Nadu.
P. subcervinus (Berk. & Broome) Sacc. On ground, Senkaltheri, Tirunelveli, Tamil Nadu.

PLOWRIGHTIA Sacc. Asco., Dothideales.
P. atlantiae Ramakr. T.S. and K. On leaves of *Atlantia monophylla*, Burliar Nilgiris (143:208).
P. indica Ramakr. T.S. and K. On leaves of *Jambosa laeta*, Anamalais (141:73).

PODAXON Fr. = Podaxis . Basidio., Hymenogastrales.
P. pistillaris (L) Fr. On the ground, Madras (84: 74 as P. indica; 77 : 170 ; 76).

PODOCONIS BOED (Bull. Jard. bot. Buitenz., Ser. III, 13:133; 1934) Imp., Moniliales, Dematiaceae .
P. macrura (Sacc.) Hughes (Mycol., Pap., 50:58, 1953; On dead rachis of *Phoenix sylvestris*, Tambaram (Madras) (180:162 as P. theae).

PODOSPHORIUM Schw. Imp., Moniliales, Stibaceae .
P. thysanolaenae Kandaswamy & Sundaram. On leaves of *Thysanolaena agrostis*, Connor (110: 76). It is the same as *Arthrobotrym coonoorense* Subram. See J. Indian bot. Soc., 35: 285, 1956 .

POLYCLYPEOLUM Theiss. Asco., Hemisphaeriales, Polystomellaceae.
P. salvadorae Ramakr. On leaves of *Salvadora persica*, Ennore, Chingleput district (114:119).

POLYPORUS Mich. ex Fr. Basidio., Agaricales, Agaricaceal.
P. acervalis Lloyd . South India (77:1126).
P. albellus Peck South India (75:130; 77:1126).

- P. arcularis (Batsch) Fr. On dead twigs, S.India (92:22; 77:1126).
 P. bicolor Jungh . On wood, Madras (77:1010).
 P. chocolatus Bose . On the ground, Coimbatore (14:226; 77:1187).
 P. emerici (Berk. in Herb.) Lloyd . In trunks, Nilgiris (75:137; 76:5).
 P. inamoenus Mont. (92:22).
 P. manilaensis Lloyd . South India (77:1126, 1131).
 P. nigrocrustosus Lloyd . Dodabetta, Nilgiris (74:373).
 P. personatus Berk. and Br. Growing on stumps and logs, Madras (14A:153).

POLYSEYTALUM Reiss., Hypho.

P. truncatum Sutton & Hodes on E. citriodora Hook, Ooty; on E. reginans F. Muell, Kodaikanal (348b); on leaf litter on Eucalyptus globules Label, Ootacamund, Tamil Nadu. (348a).

POLYSTICTUS Fr. Basidio., Polyporaceae.

- P. caperatus Berk. On dead wood (S.India) (77:1032).
 P. cervino-gilvus Jungh. On fallen branches, Nilgiris (76:33 as P. dermatodes Lev.) (76:33).
 P. cineraceus Lev. On trunks, Nilgiris (68:139).
 P. coriaceus Lev. On trunks, Nilgiris (68:137).
 P. flabelliformis Klotzsch . On dead wood, Ootacamund (11:386; 76:3).
 P. malaiensis Cke. S.India (77:1125 as "Polyporus maliensis").
 P. membranaceus (Swartz) Berk. Ootacamund (92:22 as Polyporus flabellum Mont.)
 P. nilgheriensis Mont. On old trunks, Nilgiris (92:22, 77:1010).
 P. pectunculus Lev. On trunks, Nilgiris (68:138).
 P. persoonii Fr. On dead wood, South India (76:2; 77:1126).
 P. pinsitus Fr. Nilgiris (68:136; 92:22 as Polyporus setosus Mont.)
 P. sanguineus (L.) Mey. Nilgiris (92:22; 76:3).
 P. xanthopus Fr. On dead trunks, Nilgiris (92:22; 76:3; 203:73).

PORIA Pers. ex S.F. Gray Basidio., Agaricales, Polyporaceae.

P. gallo-grisea Berk. On rotten wood, Nilgiris (41:25).

PRATHIGADA C.V. Subram. nom nov. for Macraea C.V. Subram. (180:164) non Lindl. 1830 et Wight, 1852. Imp., Moniliales, Dematiaceae.

P. crataevae (Syd.) Subram. (J. Mad. Univ., 26:367, 1956). On Crataeva religiosa, Coimbatore (206:239 as Napicladium crataevae).

PSATHYRELLA (Fr.) Quelet in Champ. Jura Vosges 1: 122 (1872). Agaricales, Basidiomycetes.

- P. candelleana (Fr.) Maire & Werner in Mem. Soc. Sci.Nat. Maroc. 45: 112 (1937). On litter, in groups, Indian Institute of Technology campus, Guindy, Madras, Tamil Nadu.
 P. candelleana var. solitaria A.H. Sm. in Mem. N. Y. bot. Gdn 24: 91 (1972). On ground, solitary, road side near Forest Guest House, Kodaikanal, Tamil Nadu.
 P. cordispora on soil in Tamil Nadu India . (896).
 P. hydrophila (Bull. ex Fr.) Marie in Maire & Werner in Mem. Soc.Sci. Nat. Marco. 45: 113 (1937). On litter, in groups, Cardamom Estate, Paraiadi, Myladumpara, Kerala .
 P. cordispora Natarajan & Raman . On ground, solitary, Women's Hostel campus, Chepauk,

Madras, Tamil Nadu.

P. debilis Peck in Bull. Torrey Club 23: 418 (1896). On litter, solitary, Tiger Shola, Kodaikanal, Tamil Nadu.

P. kodaikanalensis Natarajan & Raman. On ground, solitary, 1972 pine regeneration area, Konalaru, Kodaikanal, Tamil Nadu.

P. kodaikanalensis on soil in Tamil Nadu India . (896).*P. barlae* (Bresad.) A.H. Sm. In Contr. Univ. Mich. Herb. 5 : 39 (1941). On ground, in groups, near Forest Guest House, Berijam, Kodaikanal, Tamil Nadu.

P. gracilis (Fr.) Quelet in Champ. Jura. vosges 1 : 152 (1872). On ground, solitary, forest near Lovedale Railway Station, Ootacamund, Nilgiris, Tamil Nadu.

P. terrestris Natarajan. Occuring in groups on soil around a pomgranate tree (*Punica granatum L.*) every year in the months of August and September after heavy rains, Nungambakkam, Madras, Tamil Nadu.

PSEUDOCAMPTOUM Frag. and Cif., (Bol.R.Soc.Espanola, 25:453, 1925). *Melanographium* Sacc. fide Hughes (Canad. J. Bot. 31, 1953). Imp., Moniliales, Dematiaceae.

P. fasciculatum (Cke. and Mass.) Mason in Ciferri, Estac. Agron. de Moca, ser. B. Botan 14, 155, 1929) on dead leaf sheaths of *Phoealx canariensis*, Sims Park, Coonoor (186:289).

PSEUDOCERCOSPORA Speg., Hypho., Moniliales.

P. chloroxylicola Hosagoudar & Verma sp. nov. on *Anamirta coculus* in Tamil Nadu. (527).

PSEUDOPERONOSPORA Rostov Zevl (1903) Peronosporales.

P. cubensis (B & C.) Rost. On leaves of *Luffa acutangula* Coimbatore (150:85).

PSEUDOPEZIZA Fuckel . Asco., Helotiales.

P. indica Ramakr. T.S. and K. On leaves of *Embelia ribes*, Anamalais (141:67).

P. rubiae Ramakr. T.S. and K. On living leaves of *Rubia cordifolia* Lovedale, Coonoor (131:31).

PSEUDOTORULA Subram. (J. Indian bot. Soc., 37 : 60, 1958). Imp., Moniliales, Dematiaceae

P. heterospora Subram. On dead stems, Government Garden, Ootacamund (Nilgiris), Madras.

PSILOCYBE (Fr.) Kummer in Fuhr. Pilzk.: 71 (1871). Agaricales, Basidiomycetes.

P. gigaspora Natarajan & Raman sp. nov. On cow dung, in groups, Santinella, Ootacamund, Nilgiris, Tamil Nadu. (907g).

P. guzmanii Natarajan & Raman sp. nov. On ground, solitary, 1974 Pine Regeneration Area, Katharikai Odai, Kodiakanal, Tamil Nadu.(907g).

P. cubensis (Earle) Singer in Sydowia 2 : 37 (1948). On elephant dung manure,solitary, Deer park, Guindy, Madras, Tamil Nadu.

P. aztecorum R. Heim var. *Aztecorum* R. Heim emend. Guzman in Mycologia 70: 387 (1978) . On ground, solitary, New Pine Plantation, Kodaikanal, Tamil Nadu.

P. aztecorum R. Heim var. *Bonetii* (Guzman) Guzman in Mycologia 70: 392 (1978). On ground, solitary, Tiger Shola, Kodaikanal, Tamil Nadu.

P. crobula (Fr.) M. Lange ex Singer in Sydowia 15: 70 (1961). On ground among grass, in groups, New Pine Plantations near Pillar rocks, Kodaikanal, Tamil Nadu.

- P. muscorum* (P. Orton) Moser in Kleine Kryptogamenflora II, b/2: 239 (1967). On ground, solitary, Shola near Lovedale Railway Station, Ootacamund, Nilgiris, Tamil Nadu.
- P. coprophila* (Bull . ex. Fr.) Kummer in Fuhr. Pilzk. : 71 (1871). On dung, solitary and in groups, 1972 Pine Regeneration Area, Konalaru, Kodaikanal, Tamil Nadu.
- P. argentina* (Speg.) Singer in Beih. Nova Hedwigia 29: 241 (1969). On cow dung, in groups, Santinella, Ootacamund, Nilgiris, Tamil Nadu.
- P. squarrosipes* Singer in Mycologia 51 : 580 (1959). On ground, solitary, Doddabetta, Ootacamund, Nilgiris, Tamil Nadu.
- P. pseudoaztecorum* Natarajan & Raman on soil in Tamil Nadu. India (907g).

PUCCINIA Pers. Basidio., Uredinales, Pucciniaceae.

- P. aggregata* Syd. On leaves of *Strobilanthes barbatus*, Attapady Valley, Coimbatore (206:326).
- P. amphilophidis* Doidge (Bothalia, 3:496, 1939). On living leaves of *Amphilophis pertusa*, Coimbatore (158:63).
- P. arthraxonis-ciliaris* Cummins. On *Arthraxon hispidus*, Poombarai Valley, Pulneys (52:16:17).
- P. baryi* (Berk. and Br.) Wint. . On leaves of *Brachypodium sylvaticum*, Ootacamund (137:64).
- P. blepharidis* P. Henn. On *Blepharis boehaviaefolia*, Kallar (164:325).
- P. brizae-maximae* Ramakr. and Sund. On *Briza maxima*, Agricultural Research Station, Nanjanad, Nilgiris (156:30).
- P. chloridis-incompletae* Ramakr. Sriniv. and Sund. On leaves of *Chloris incompleta*, Kallar (150:91).
- P. chrysanthemi* Roze . On leaves of *Chrysanthemum indicum*, the Droog, Nilgiris; Ootacamund Nanjanad (Nilgiris) (210:431).
- P. citrulli* Syd. and Butl. On leaves of *Citrullus colocynthis*, Goundanpalayam Coimbatore (213:714).
- P. coronata* Corda . On leaves of *Avenastrum asperum* Ootacamund and Coonoor (137:65 telia) and on *Rhamnus virgatus* Nanjanad (aecia, 142:104).
- P. curculigonis* Racib. On leaves of *Curculigo orchoides*, Wynad (210:433).
- P. desertorum* Syd. On leaves of *Evolvulus alsinoides*, Kallar, Coimbatore district (150:90).
- P. droogensis* But.. On eaves of *Berberis aristata*, the Droog, Nilgiris (210:432; 15:30).
- P. exhauriens* Theum. On leaves of *Jasminum pubescens*, Cinchona, Anamalais (138:54).
- P. garnotii* Ramakr. and Sund. On leaves of *Garnotia arundinacea*, Burliar Nilgiris (156:30).
- P. gymnopetali-wightiae* Ramakr. Sriniv. and Sund. On leaves of *Gymnopetalum wightii*, Pannaikadu Madurai district (150 : 90).
- P. hydrocotyles* Link.) Cke. On leaves of *Hydrocotyle conferta*, Nanjanad Nilgiris (157:145).
- P. incompleta* see *Phakopsora incompleta*.
- P. investita* Schw. On leaves of *Anaphalis* sp., the Doorg, Nilgiris (211:494).
- P. iridis* (DC) Wallr.). On leaves of *Iris germanica*, Coonoor (161:93).
- P. jasminicola* Ramkr. T.S. and K. On leaves of *Jasminum flexile*, Burliar Nilgiris (138:53).
- P. kalchbrenneri* de Toni . On leaves of *Helichrysum buddleoides*, Ootacamund (151:88).
- P. kunthiana* Ramakr., Sriniv. and Sund. On leaves of *Isachne kunthiana*, Ootacamund, Nilgiris (151:88).
- P. lateritia* Berk. and Curt. On leaves of *Spermacoce stricta*, Coimbatore (210:431; 211:495). *P. leucadis* Syd. On leaves of *Leucas urticaefolia* Coimbatore (207:487); of *L. linifolia*, Kodaikanal (124:48). *P. levis* (Sacc. and Bizz.) Magn. . On leaves of *Digitaria marginata*, Kallar (151:89).
- P. linkii* Klotsch. On leaves of *Viburnum erubescens*, Ootacamund (131:33).

- P. luculenta (Syd.) Ramakr. T.S. and K. On leaves of *Loranthus longiflorus*, Attakatti, Anamalais (136:39).
- P. malvacearum Mont. On leaves of *Malva verticillata*, Keti, Nilgiris (128:119).
- P. pectiniformis Ramakr., Sriniv. and Sund. On leaves of *Vernonia pectiniformis*, Ootacamund (151:89).
- P. penniseti Zimm. On leaves of *Pennisetum typhoides*, throughout S. India (210:435) : aecidial stage on leaves of *Solanum melongena*, Coimbatore (T.S. Ramakrishnan and Soumini, C.K., Indian Phytopath., Vol.1: 99-103, 1948).
- P. peraffinis Syd. On leaves of *Justicia simplex*, Coonoor, Nilgiris and Anamalais, Coimbatore (143:210).
- P. picridis Haszl. On leaves of *Picris hieracioides*, Kodaikanal (124:46).
- P. pogonatheri Petch . On leaves of *Pogonatherum paniceum*, Singampatti, Tirunelveli district (156:31).
- P. prainiana Barcl. On leaves of *Smilax aspera* and *S. zeylanica*, Nilgiris (143:211).
- P. purpurea Cke. On leaves of *Sorghum vulgare* throughout S. India (210:434).
- P. romagnoliana Maire and Sacc. On leaves of *C. bulbosus*, Coimbatore and Ootacamund, of *C. rotundus*, Tirunelveli and Coimbatore Aecidial stage of leaves of *Ipomoea rumicifolia* and *I. pestigridis* Coimbatore (163:99).
- P. solani-giganteae Ramakr. T.S. and K. On leaves of *Solanum gigenteum*, Naduvattam, Nilgiris (132:180).
- P. solmsii P. Henn. On leaves of *Polygonum chinense*, and Nilgiris (211:494) .
- P. sorghi Schw. On leaves of *Zea mays* Coonoor (151:91).
- P. spongiosa Berk. and Br. On leaves of *Webera corymbosa*, Coimbatore (210:431; 87:110).
- P. substriata Ell. and Barth. On leaves of *Paspalum scrobiculatum*, Coimbatore (158:64).
- P. terminaliae (Ramakr. T.S. and K.) Ramakr. and Sund. On leaves of *Terminalia bellerica*, Valparai, Anamalais (Madras) (157:145; 136:43).
- P. thomasiana Ramakr. T.S. and K. On leaves of *Ocimum gratissimum*, Anamalais (137:60).
- P. tricholaenae (Syd.) Ramakr. T.S. and K. On leaves of *Rhynchelytrium roseum*, Coonoor, Nilgiris (137:64).
- P. tweedianae (Speg.) Ramakr. T.S. and K. On leaves of *Dicliptera cuneata*, Yercaud Salem (137:62).
- P. vernoniae-monosis Ramakr. T.S. and K. On leaves of *Vernonia monosis*, Anamalais (136:42).
- P. wattiana Barcl. On leaves of *Clematis wightiana* Ootacamund (151:91).

PYTHIUM Pringsh. Phyco., Peronosporales, Pythiaceae.

- P. aphanidermatum (Eds.) on *Hardwickia binata* causing blight of seedlings in Coimbatore Tamil Nadu (1561).
- P. carolinianum Mathews in water containing vegetable matter, Coimbatore (8:27).
- P. catenulatum Mathews Parasitic on *Spirogyra* sp., Vedapatti, Coimbatore (8:34).
- P. indicum Balakr. On *Hibiscus esculentus*, Podanur, Coimbatore. In artificial inoculations the following were infected: *Nicotiana tabacum*, *N. glutinos*, *Solanum melogena*, *S. nigrum*, *Capsicum annuum*, *Lycopersicon esculentum*, *Petunia* sp., *Carcica papaya*, *Cucurbita maxima*, *Zea mays*, *Amaranthus gangeticus*, *Vigna catjang*. *Datura fastuosa*, *Pennisetum typhoides*, were not infected (7:171).
- P. mamillatum Meurs Isolated from soil, Vandalur, Madras (116:112).
- P. paroecandrum Dresch. Isolated from pods of *Phaseolus vulgaris*, Coimbatore (8:28).

P. periplocum Dresch. Isolated from vegetable debris in water, Coimbatore (8:31).
P. vexanas de Bary (M.9 as P. piperina Dast.) Causing diseases of Zingiber officinale, Elettaria cardamomum, Tirunelveli and Coimbatore; on Pelargonium sp., Yercaud, Salem (Madras); on Cinchona officinalis, C. ledgeriana and C. succirubra and other hybrids; Anamalais; on Pyrus malus, Coonoor, Nilgiris (123:27).

RADULUM Fr. Basidio, Hydnaceae.
R. emerici Berk. On logs, Nilgiris (49:3).

RAMULARIA Sacc. Imp., Moniliales, Moniliaceae .
R. areola Atk. On leaves of Gossypium spp., Madras (25:368) .
R. gymnematis Ramakr. and Sund. On leaves of Gymnema sylvestris, Kallar, (158:65).
R. viticis Syd.. On leaves of Vitex negundo, Pollachi (207:490) .

RAMULISPORA Miura (S. Manch. Agr. Bull., 11:43, 1920). Imp., Melanconiales.
R. acaciae-arabicae Mundk. and Thirum. On leaves of Acacia arabica, Coimbatore (105:17).
R. albizziae-amarae Buccarini. On leaves of Albizia amara, Vellore (105:19).
R. coimbatoreica Ramakr. and Sund. on leaves of Phyllanthus urinaria, Kallar (128:119).
R. emblicaerum Syd. On Phyllanthus rheedii, Coonoor, Vellore(%); on Emblica officinalis, Tiruvarur, Thanjavur district, Musiri, Tiruchirappalli district, Hassanur, Coimbatore district and Umyalpuram, Thanjavur district .
R. stictica Berk. and Br. On leaves of Mundulea suberosa, Madras (105:25).

RHIZOCTONIA DC ex Fr., Hypocreales, Agromycetales.
R. solani (Teleomorphic stage – Thanatephorus cucumeris) on banana cv. Rosthali (Syn.Silk) causing leaf spot in Tamil Nadu. (709).

RHIZINA Fr. Asco., Pezizales.
R. reticulata Berk. and Br. On wood, Nilgiris (13:919).

RHIZOPUS Ehr. ex Corda Phyco., Mucorales, Mucoraceae.
R. nigricans Ehrenb. from soil, Madras (219).
R. nodosus Namyslowski . Isolate from cotton seeds, Madras (241:101).
R. oryzae Went. and Prinzen-Geerlings Isolated from soil, Vedasandur (245; 181; 208).

RHYTISMA Fr. Asco., Phacidiales.
R. lagerstroemiae Rabenh. On leaves of Lagerstroemia lanceolata, Coimbatore (207:489).

ROSELLINIA de Not. Asco., Sphaeriales .
R. arcuata Petch . On roots of Thea sinensis Nilgiris (25:437).
R. picta (Berk.) Cke. On decorticated wood; Nilgiris (42:81).

RIPARTITES Karsten, Hymeno., Tricholomataceae.
R. flabellatus Natarajan & Raman. In Tamil Nadu. India (901).

ROSTROSPORA Subram. and Ramakr. (J. Madras Univ., 22B:67, 1952)., Imp., Melanconiales.

R. ciliata (Ramakr. T.S. and K.) Subram. and Ramakr. On leaves of Cymbopogon polyneuros, Nanjanad (189:67; 132:185 as Colletotrichum ciliatum).

RUSSULA Pers. ex S.F. Gray . Basidio., Agaricales, Agaricaceae.

R. lepida Fr. On the ground in pine forests, Kodaikanal (150:94).

R. parazurea Schaeff. On ground, permanent pine plantation, pinus patula plantation near Pillar Rocks, Kodaikanal, Tamil Nadu.

SACCOBOLUS Boud., Disco., Pezizales.

S. beckii Heimen. On pine bark under cooling tower in Coimbatore, Tamil Nadu (1663b).

SADASIVANIA Subram. (J. Indian bot. Soc., 36: 66, 1957). Imp., Moniliales, Dematiaceae .

S. girisa Subram. On dead leaves, Nilgiris (217 : 66).

SAKIREETA Subram. & Ramkr. (J. Indian bot. Soc., 36: 83, 1957) Imp., Sphaeropsidales, Sphaerioidaceae .

S. madreeya Subram. & Ramkr. On dead twigs of Aristidasetacea Retz., Choolai, Madras .

SAROCLADIUM Gams & Hawksw., Hypho.

S. oryzae (Sawada) Hawksw. On Rice on Sheath rot in Madras (1632).

SAPROMYCES Fritsch . Phyco., Leptomitales, Rhipidiaceae.

S. indicus Iyengar, Ramakr. and Subram. On dead leaves in water, Thanthipandal, Chingleput district (63:144).

SAPUCCHAKA Ramakr. (J. Indian bot. Soc. 35:115, 1956). Asco., Hemisphaeriales Microthyriaceae.

S. madreeya Ramakr. On dead twigs of Quisqualis indica, Madras, (J. Indian bot Soc., 35:116, 1956).

SARTORYA Vuill. (C.R. Acad. Paris, 184:136, 1927). Asco., Eurotiales, Eurotiaceae.

S. fumigata Vuill (C.R. Acad. Paris, 184:136, 1927) from soil, Madras (219). According to Benjamin (Mycologia 47:678, 1955) this should be the correct name.

SCHIZOPHYLLUM Fr. Basidio., Agaricales, Agaricaceae.

S. flabellare Fr. Nilgiris (92:21).

SCLEROERDERMA Pers. Sclerodermatales.

S. cepa (Vaill.) Per. South India (77:17).

SCLEROSPORA Schroet. Phyco., Peronosporales, Peronosporace.

S. andropogonis-sorghii (Kulk.) Kulk. ex Safee. and Thirum (Mycologia, 47:177, 1955). On

Sorghum vulgare, throughout S. India (25:203).
S. graminicola (Sacc.) Schroet. On leaves and inflorescence of *Setaria italica* and *Pennisetum typhoides*, throughout S.India (20:24; 206:326; 211:513; 213:245). On *Panicum miliaceum* Coimbatore (150:85).

SCLEROTIOPSIS Speg. Imp., Sphaeropsidales.

S. indica Ramak. and Sriniv. On leaves of *Ilex wightina*, Kodaikanal (126:70).
S. Sclerotium oryzae see *Leptosphaeria salvini*.
S. rolfssii see *Pellicularia rolfssii*.

SCLEROTIUM Tode ex Fr., Dentro., Agonomycetales.(*Corticium*) rolfssii On *Ficus auriculata* L. causing fruit rot in Yercaud, Tamil Nadu. (822).

SCOLOCOSPORIUM Lib. Imp., Melanconiales.

S. phoebi Ramakr. On leaves of *Phoebe paniculata*, Ootacamund, Nilgiris (126:70).

SCOPELLA Mains (Ann. mycol., 37:58, 1939). Basidio., Uredinales, Pucciniaceae.

S. ascotela see *Maravalia ascotela*.
S. fici Mundk. and Thirum. On leaves of *Ficus* sp., Shambaganur, Kodaikanal Hills (105:9).
S. copelopsis dalbergiae see *Maravalia pterocarpi*.

SEPTOBASIDIUM Pat. Basidio., Tremellales, Auriculariaceae.

S. pteruloides (Mont.) Pat. On dead bark, Nilgiris (93:152).
S. theae Boed. and Stein. (Bull. jard. bot Buitenz., ser III, 11:177, 1931). On *Thea sinensis*, S. India (Rept. U.PI.Assoc. S.India, 1936 :135).

SETOGLOEUM Sacc. Imp., Melanconiales.

S. acaciae see *Camptomeris acaciae*.
S. feroniae Ramakr. T.S. and K. On leaves of *Feronia elephantum*, Coimbatore (141:77).
S. manihotis see *Cercospora henningsii*.
S. poinciana Syd. On leaves of *Delonix elata*., Coimbatore and Koilpatti (207:490) .
S. scutiae Ramakr. T.S. and K. On leaves of *Scutia myrtina*, Kotagiri, Nilgiris (142:109).

SEPTOSPORIUM Corda. , Hypho.

S. bulbotrichum Dorai & Vittal. On leaf litter of *Eucalyptus globulus* Label, Madras, Tamil Nadu. (348a).

SEPTONEMA Corda . Imp., Moniliales, Dematiaceae.

S. harknessii (Ell.) hughes (Canad. J. Bot., 31:585, 1953). On dead leaf base of *Phoenix canariensis*, Coonoor (186:291).
S. indica Ramakr. (nomen nudum) Isolated from soil, Vandalur, Madras (116:112).

SEPTORIA Sacc. Imp., Sphaeropsidales, Sphaerioidaceae.

S. adanensis Petrak, 1953. *Sydowia* 7: 40-41. On leaves of *Chrysanthemum* sp. Madras, India. Coll. J. Muthumary, 8-2-1979. Herb. MUBL. 2664.
S. apiicola Speg. 1887. *Boln. Acad. Nac. Cienc. Cordoba* 11: 297. On leaves of *Apium*

graveolens L. Nilgiris, India. Coll. J. Muthumary, 17-2-1978. Herb. MUBL. 2661.
S. apii-graveolentis Dorog. On leaves of Apium graveolens, Ootacamund (108:66).
S. delonicis Ramakr. and Sund. On leaflets of Delonix elata, Coimbatore (15&:147).
S. dianthi Desm. 1849. Ann. Sci. Nat. 11 : 346 . On leaves of Dianthus caryophyllus, Linn Sim's park, Coonoor, Nilgiris, India. Coll. T.S. Ramakrishnan, 25-6-1949, Herb. Department of Pathology, Tamil Nadu Agriculture University, Comibatore India (143:212).
S. divaricatae Ell. & Everh. 1889. J. Mycol. 5 : 151. On leaves of Phlox sp. Sim's Park, Coonoor, Nilgiris. Coll. T.S. Ramakrishnan, 25-6-1949. Herb. Tamil Nadu Agricultural University, Coimbatore, India.
S. dolichi Berk . & Curt. 1853. Ann. and Mag. Nat. Hist. 2 Ser 12: 147. On leaves of Dolichos lablab Linn Nilgiris, India collected by the author 12-12-1978, Herb. MUBL 2656.
S. erythrinae Ramakr. T.S. and K. On leaves of Erythrina sp., Kallar (135:10) on Er.indica, Coimbatore (157:148).
S. fusiformis sp. nov. On living leaves of Hydrocotyle asiatica Ootacamund, India. J. Muthumary, 17-2-1978, Herb. MUBL. 2663.
S. graminum Desm. 1843. Ann. Sci. Nat. 19: 339. On leaves and culms of Digitaria marginata Link., Coimbatore, 1950. Coll. T.S. Ramakrishnan, Herb. Of Tamil Nadu Agriculture University, Coimbatore, India. S. hexandrae Kand. and Sund. On leaves of Manilkara hexandra, Coimbatore (65:210).
S. hydrocotyles Desm. On leaves of Hydrocotyle javanica, Anamalais (143:212).
S. Iiycopersici Speg. On leaves of Lycopersicon esculentum, Cinchona, Anamalais and Coonoor Nilgiris (157:148) .
S. kodaikanalensis sp. nov. On living leaves of Hydrocotyle asiatica Linn. Kodaikanal, J. Muthumary, 8-3-1979, Herb. MUBL 2662.
S. macropoda Pass. var. septulata (Frag.) Sprague. (Phytopathology 32 : 737, 1942) . On living leaves of Poa sp., Ootacamund, Nilgiris. S. modonia Sacc. 1909. Ann. mycol. 7: 434; 1913. Syll. Fung. 22 : 1108. On leaves of
S. Sonchus sp. Kodaikanal, India. Coll. J. Muthumary, 11-8-1977, Herb. MUBL. 2665.
S. nodorum Berk. On Triticum dicoccum, Kotagiri, Nilgiris (28:17).
S. phlogis Sacc. and Speg. On leaves of Phlox sp, Coonoor Nilgiris (143:212).
S. prinsepiae sp. nov. On living leaves of Prinsepia utilis Royle, Nilgiris (6000ft) India, coll. J. Muthumary , 02-08-1979, Herb. MUBL. 2659 .
S. rosae Desm. 1825. Plantes cryptogames du Nord de la France. Ser 1. Exs No. 535. On leaves of Rosa sp., Kodaikanal, India. Coll. J. Muthumary , 6-6-1976, Herb. MUBL. 2660. S. thespesiae Ramakr. T.S. and K. On leaves of Thespesia populnea, Coimbatore (135:11).
S. veronicae Rob. & Desm. 1849. Ann. Sci. Nat. 9 : 348. On leaves of Veronica sp. Nilgiris (6000 ft.) India, Coll. J. Muthumary, 2-8-1979, Herb. MUBL. 2668.

SIROBASIDIUM Lagerh. and Pat. Basidio., Tremellales.

S. indicum Ramakr. and Subram. On dead twigs, Tambaran (Madras) (119:304).

SOROSPORIUM Rud. Basidio., Ustilaginales, Ustilaginaceae.

S. barberi (Mundk.) Ling. (Sydowia, 5:46, 1951). On Cymbopogon coloratus, Palayamcottah, Tirunelveli (98:98). Mund. and Thirum. (105A:25) retain this as Ustilago barberi.
S. brachiariae-ramosae Ramakr. In ovearies of Brachiaria ramosa, Pollachi (128:113).
S. cenchri (Bref.) Zundel (Bothalia, 3:283, 1938). On inflorescence of Cenchrus ciliaris and C .

setigerus, Coimbatore (159A:21).

S. cornutum Pavgi & Thirum. In ovaries of *Cymbopogon confertiflorus*, Madras.

S. tumefaciens Mc. Alpine. On culms of *Chrysopogon montanus* Bhavanisagar (Coimbatore district) (159A:21).

S. phaceloma fawcetti Jenkins. On leaves and fruits of *Citrus paradisi* Kallar and *C. sinensis*, Tidiyalur .

SPHACELIA Lev. (*claviceps statis conidiis*), Hypho., Moniliales.

S. sorghi (Claviceps) on *Cencharus ciliarus* in Coimbatore, Tamil Nadu (711); on *Cecharus setigerus* in Coimbatore, Tamil Nadu (711).

SPHACELOTHECA de Bary . Basidio., Ustilaginales, Ustilaginaceae.

S. annulata (Ell. and Ev.) Mundk. On *Dichanthium annulatum*, Coimbatore (98:92).

S. cymbopogonis-colorati Thirum and Mundk. On ovaries of *Cymbopogon coloratus*, Bargur, Salem (237:3).

S. fagopyri Mohari et al. On *Fagopyrum cymosum* (Meissn.) causing smut rot in Nilgiri Hills, Tamil Nadu (823).

S. operta (Syd. H & P) and Butl. Zundel (Ustilaginales of the world 186). In ovaries of *Panicum villosum*, Ootacamund (210:426; 213:249 as *Ustilago operta*) Mund. and Thirum (105A:33) retain this as *Ustilago operta*.

S. ophiuri (P.Henn.) Ling (Sydowia, 3:127, 1949) In ovaries of *Rottboellia exaltata*, Anamalais (102:49 and RS.51) as *Ustilago flagellata* Syd. U. flagellata is a synonym of this fungus fide Ling (Farlowia 4:331 1953).

S. reiliiana (Kuehn) Clinton. In inflorescence of *Sorghum vulgare*, throughout S.India (210:425; 213:249; 194:136).

S. schoenanthi (Syd. and Butl.) Zundel. (Mycologia XXII, 136, 1930) in ovaries of *Cymbopogon flexuous* Krishnagiri (210:425 as *Ustilago schoenanthi* (98:96; 105A:20).

S. sorghi (Link) Clinton in ovaries of *Sorghum vulgare*, throughout S.India (210:425).

S. tenuis (Syd.) Zundel. (Mycologia 22:137, 1930, Palamcottah (111:112; 105A:22).

SPHAERODOTHIS (Sacc.ex, Syd.) Shear . Asco., Dothideales.

S. borassi Ramakr. T.S.and K. On leaves of *Borassus flabellifer*, Coimbatore (141:74).

S. coimbatorica Ramakr. On leaves of *Calamus rotang*, Anamalais (125:162).

SPHAEROPSIS Sacc. Sphaeropsidales, Sphaerioidaceae.

S. absus Cke. On twigs of *Cassia absus*, Madras (38:93).

S. gracilipes see *Nectria gracilipes*.

SPHAEROTHECA Lev. Asco., Erysiphales, Erysiphaceae.

S. balsaminae (Wallr.) Kari, Ann. Univ., Turkuensis A, 2, 23: 99, 1957; BSI Garden, Coimbatore.

S. cassiae Pandotra & Ganguly, Mycopath. Mycol. Appl. 22: 107, 1964; Siruvani, Coimbatore. crotonis (Ponnappa) Braun, Mycotaxon 20: 484, 1984; Beih. Nova Hedwigia 89; 120, 1987; P.N. Pudur, Coimbatore.

S. euphorbiae - hirtae Barun & Somani, Mycotaxon 25: 263, 1986, BSI Garden, Coimbatore.

S. fusca (Fr.) Blumer, Beitr. Krypt. Fl. Schweiz. 7 : 117, 1993; Siruvani, Coimbatore.
S. phaseoli (Zhao) Braun. Zbl. Mikrobiol. 140: 166, 1985; Annur, Coimbatore.

SPORIDESMIUM Link. Imp., Moniliales, Dematiaceae.

S. litseae Patil & Sawant. Sp. nov. on the living leaves of *Listea* sp. in Kodaikanal, Tamil Nadu (1009).

S. nilgirense Subram. On dead stems of *Bambusa nana*, Ootacamund (188:79).

S. vagum C.G. & T.F.L. Nees (Linn. Spec. Plant ed. 4 : 1825). On dead stem of *Quisqualis malabarica* Bedd. Univ. Bot. Lab. Campus, Madras.

SPORORMIELLA Ell. & Ev., Loculoasco., Pleosporales.

S. minima on leaves of *Rhizophora apiculata* in Pichavaram mangrove of Tamil Nadu (1618); on leaves of *Rhizophora mucronata* in Pichavaram mangrove of Tamil Nadu (1618).

SPOROTRICHUM Link ex Fr. (Sacc. IV, 96). Imp., Moniliales, Moniliaceae .

S. pruinosa Gilman & Abbott. (J. Iowa St. Coll. J. Sci. 1: 283, 1927). Isolated from kanji, Orissa (119 : 458); isolated from rhizosphere, Madras.

SPOROCYBE Fr. ex Bon. Imp., Moniliales.

S. hybrida Mason Isolated from roots of orange, Madras (83:125).

STACHYBOTRYS Corda . Imp., Moniliales, Dematiaceae.

S. atra Corda. On dead leaf base of *Musa paradisiaca*, Madras, on paper, Madras (176:48); isolated from soil, Madras (2: 98).

S. nilagirica Subram. On dead twigs of *Althaea rosea*, Sim's Park, Coonoor.

S. pulchra Speg. On dead leaf of *Ficus bengalensis*, Madras (176:50).

S. ranosa Dorai & Vittal. Sp. nov. on leaf litter of *Eucalyptus golbulus* Label. In Nilgiris, Tamil Nadu (338).

STARKEOMYCES Agnihothrudu (J. Indian bot Soc., 35:41, 1956). Imp., Moniliales, Tuberculariaceae.

S. koorchalamoides Agni., isolated from the rhizosphere of many plants, Anamalais Madras (1: 41).

STEMPHYLIUM Wallr. Imp., Moniliales, Dematiaceae .

S. paxianum (von Szabo) Lindau (Wiltshire, S.P., Trans. Brit. Mycol. Soc., 21: 211, 1938). Isolated from rhizosphere of *Cajanus cajan*, Madras.

STEREUM Pers. ex S.F. gray . Basidio., Agaricales, Thelephorace.

S. fuscum (Schrad) Quel. On dead wood, Nilgiris .

STILBOSPORA Pers. Imp., Melanconiales.

S. celtidis Ramakr. and Sund. On leaves of *Celtis tetrandra*, Burliar Nilgiris (156:34).

STILBUM Tode ex Fr. Imp., Moniliales .

S. cinnabarinum Mont. Causing dieback of tea shoots and pruned branches, South India.

STROPHARIA (Fr.) Quel. Champ. Jura Vosg 141 (1872-3) Agaricales, Basidio.
S. semiglobata (Batsch ex Fr.) Quelet in Champ. Jura Vosges 1: 143 (1872). On dung, in groups, Naduvattum, Ootacamund, Nilgiris, Tamil Nadu.
S. aurantiaca (Cooke) P.Orton in Trans. Br. Mycol. Soc. 43: 181 (1960). On ground, solitary, Santinella, Ootacaamund, Nilgiris, Tamil Nadu.

SUBRAMANIOMYCES Mani Varghese & V.G. Rao, Hypho.
S. fusisaprophyticuss (Matsushima) Kirk. On Myrica nagi Thunb, Solan, H.P.; on leaf litter, Ooty, Tamil Nadu (658a).

SUILLUS Micheli ex S.F. Gray, Nat. Arr. Brit. Pl. 1: 646 (1821) Boletales, Basidio.
S. brevipes (Peck) Kunze. On ground in Pinus patula plantation near Pillar Rocks, Kodaikanal, Tamil Nadu.
S. pallidiceps A.H. Sm. & Thiers On ground in Pinus patula plantation, 1974 Pine regeneration area, Kodaikanal, Tamil Nadu. (907g).
S. punctatipes (Snell & Dick) A. H. Sm. & Thiers. On ground in Pinus patula plantation, Thalaikunda, Ootacamund, Nilgiris, Tamil Nadu.(907g).
S. subluteus (Peck.) snell ex slipp & Snell. On ground in Pinus patula plantation, 1974 pine regeneration area, Kotharikai Odai, Kodaikanal, Tamil Nadu.

SYNCEPHALIS van Tiegn and Le Monnier Phyco., Mucorales, Piptocephalidaceae.
S. corna van Tiegh. Isolated from soil, Vandalur, Madras (116:112).
S. reflexa van Tiegh. Isolated from soil, Vandalur, Madras (116:112).

SYNCHYTRIUM de Bary Woronin . Phyco., Chytridiales, Synchytriaceae.
S. atylosiae (Petch) Gaum. On leaves of Rhynchosia minima, Gangurarpatti, (Madurai district) (150:61).
S. crotalariae Ramakr. T.S. and K. On leaves of Crotalaria semperflorens, Ootacamund (141:67).
S. dolichi (cke.) Gaum. On leaves of Dunbaria ferruginea, Nilgiris (90:134).
S. lepidagathidis Mundk. and Mhatre. On leaves of Lepidagathis cristata, Aitampudi, Madras, (90;135).
S. rytzii Syd. On leaves of Leucas aspera, Coimbatore (211:510; (206; 326; 213:247).

TAPHRINA Fr. Asco., Taphrinales.
T. cornu cervi Giesenhagen . In fronds of Aspidium aristatum, Coonoor (57:135). T. tubiforme (Rabenh). Lagerh should be the correct name of this fungus fide Thirumalachar (Sydowia, 5:26).
T. deformans (Berk.) Tul. Causing peach (Prunns Persica) leaf curl, Nilgiris and Kodaikanal.

TERMITOMYCES Heim, Arch. Mus. Nat. Hist. Nat. Ser. 6,18: 147 (1942) Agaricales, Basidio.
T. badius Otieno. On ground among grass, Madras University campus, Madras, Tamil Nadu.
T. clypeatus R. Heim. On ground, sandy soil, Madras University campus, Madras, Tamil Nadu.
T. heimii Natarajan. On termite nest, Madras University campus, Madras, Tamil Nadu.
T. indicus Natarajan. On ground, sandy soil, Post-graduate Women's Hostel, Chepauk, Madras,

Tamil Nadu.

T. microcarpus (Berk. & Broome) R. Heim. On ant hill, Madras University campus, Madras, Tamil Nadu.

T. microcarpus f. *elongatus* R. Heim. In large groups on a underground termitarium, Mundanthurai sancturay, Tirunelveli, Tamil Nadu.

T. rabuorii Otieno. Growing from an underground termitarium, Ramanujam Institute of Mathematics campus, Chepauk, Madras, Tamil Nadu.

THANATEPHORUS Donk., Basidio., Aphyllophorales.

cucumeris (Frank.) on Rasthali Bananas causing leaf spot in Coimbatore, Tamil Nadu. (828).

THAXTERIELLOPSIS Sivanesan., Panwar & Purohit., Loculoascomycetes.

T. lignicola Rao & Verghese. On Eugenia in M.P., T.N. and Kerala . (1163).

HYROSTROMELLA Hohnel, Hypho. *T. asymmetrica* Subram. & Sudha . on decaying angiospermic litter of *Glycosmis cochinchinensis* L. Tambaram, Madras, Tamil Nadu (1607c).

TRICHOLOMA (Fr.) Quel. Champ. Jura Vosges 76 (1872-73) Agaricales, Basidio.

T. lobayense R. Heim. On soil at the base of a dicot tree, Post-graduate Women's Hostel campus, Chepauk; on decaying tree trunk of *Borassus flabellifer* Linn., Madras University Botany Field Research Laboratory, Maduravoyal, Madras, Tamil Nadu.

TROCHOPHORA Morre., Hypho., Moniliales,

T. simplex (Petch.) Moore. On the living leaves of *Daphniphyllum neighterense* Rosenth. In Kodaikanal, Tamil Nadu (1009).

TROGIA Fr. Genera Hymenom. 10 (1836) Agaricales, Basidio.

T. montagnei Fr. On fallen branches in forest, Trichirapalli hills, Tamil Nadu.

THAROOPAMA Subram. (J.Indian bot. Soc. 35:84, 1956). Imp., Moniliales, Stilbaceae.

T. trina Subram. On dead culms of grass (*Cynodon dactylon*) and on dead pods of *Caesalpinia pulcherrima*, Madras (188:85).

THIELAVIA Zopf (Sacc. I, 39). Asco., Eurotiales, Eurotiaceae.

T. basicola Zopf. Isolated from soil, Madras (116:112).

T. setosa Dade (Trans. Brit. Mycol. Soc., 21: 16, 1937). Isolated from rhizosphere, Madras.

TILLETIA Tul. Basidio., Ustilaginales, Tilletiaceae.

T. eleusines Syd. On *Dactyloctenium aegyptium*, Coimbatore (98:101).

T. horrida see *Neovossia horrida*.

TITAEOSPORA Bubak . Imp., Melanconiales.

T. daphniphylli Ramakr. and Sund. On leaves of *Daphniphyllum neilgherrense*, Burliar, Nilgiris (156:34).

T. pterolobii Ramakr. and Sund. On leaflets of *Pterolobium indicum*, Kallar (160:64).

TOLYPOSPORIUM Woron . Basidio., Ustilaginaceae.

T. ehrenbergi (Kuehn) Pat. In ovaries of Sorghum vulgare, throughout S.India (210:247).

T. penicillariae Brefeld . In ovaries of Pennisetum typhoides, throughout S.India (211:489).

TORULA Pers. ex Fr. Imp., Moniliales, Dematiaceae.

T. herbarum (Pers.) Link ex Fr. On dead leaf sheath of Cocos nucifera. Madras, on dead stem of Acalypha wickesiana and Cajanus cajan, Madras; on dead stem of ? Crassulaceae, Madras, (176:43); on dead stem of Jasminum sp., Madras; on dead wood, Pannaikadu, Kodaikanal .

TRAMETES Fr. Basidio., Agaricales, Polyporaceae.

T. sycamori P.Henn. S.India (77:1126).

TRICHODERMA Pers. ex Fr. Imp., Moniliales, Moniliaceae .

T. album Preuss From soil, Madras (219). This is probably not a Trichoderma fide Lindau.

TRICHOSPORIUM Fr. Imp., Moniliales, Dematiaceae .

T. vesiculosum Butl Tirunelveli and Tiruvananallur S.Arcot (3). (Marudarajan, Ramakr. and Sowmini - Curr. Sci. 19:63-64,1950).

TROCHOPHORA Moore (Mycologia, 47:90). Syn. Helicostilbe Linder Imp. Moniliales, Moniliaceae .

T. simplex (Petch) Moore (Mycologia, 47:90). On Daphniphyllum neilgherrense, Nilgiris and Kodaikanal (64:76 as Helicostilbe simplex).

T. Trogia belangeri see Pleurotus belangeri.

TUBARIA (W. G. Sm) Gillet in Champ. France, Hym.: 537 (1876). Agaricales, Basidiomycetes.

T. pentstemonis Singer var. Phragmocystidosa Natarajan & Raman var. nov. On fallen twig, solitary, Four Roads, Doddabetta, Ootacamund, Nilgiris, Tamil Nadu.

T. dispersa (Pers.) Singer in Persoonia 2 : 22 (1961). On ground, in groups, Deer Park, Guindy, Madras, Tamil Nadu.

TUBERCULINA Sacc. Imp., Moniliales, Tubulariaceae.

T. persicina (Ditm.) Sacc. On aecia of Aecidium pavettae, A sp., on Strobilanthes cuspidatus Burliar (125:164).

ULEODOTHIS Theiss. and Syd. Asco., Dothideales.

U. coonoorensis Ramakr. T.S. and K. On leaves of Phoenix sp., Coonoor Nilgiris (143:209).

UMBELLULA Morris (Mycologia 47:602; 1955). Imp., Moniliales, Dematiaceae.

U. terrestris (Timonin) Morris (Mycologia 47:6021 1955). On dead stems, Coonoor, Nilgiris (188:86) .

UNCINULA Lev. (Sacc. I, 6) Asco., Erysiphales, Erysiphaceae.

U. fici- naervosae sp. nov. Kodaikanal.

U. garugae sp. nov . Manchur, Kodaikanal.
religiosa Ramakrishnan. On living leaves of *Ficus religiosa* L., Glenburn Estate, Nilgiris.
U. tectonae Salmon, Ann. Mycol. 5: 479, 1907; Thudiyalur, Coimbatore.

URAECIUM Arthur (Bull. Torrey bot CL., 60:476, 1933). Basidio., Uredinales.
U. nothopégiae Ramakr. T.S. and K. On leaves of *Nothopégia* sp., Naduvattam Nilgiris (137:59).

UREDINOPSIS Magn. Basidio., Uredinales, Melampsoraceae.
U. macrosperma (Cke.) Magn. On leaves of *Pteridium aquilinum*, Anamalais (142:103)

UREDO Pers. Basidio., Uredinales, from genus.
U. acalyphae fruticosae Ramakr., Sriniv. and Sund. On leaves of *Acalypha fruticosa*, Kallar (150:93).
U. amomi Petch . On leaves of *Amomum* sp., Valparai, Anamalais (Madras) (136:44).
U. artocarpi Berk and Br. On leaves of *Artocarpus integrifolia*, Nilgirs (128:120).
U. brachylepissae Ramakr. and Sund. On leaves of *Brachylepis nervosa*, Burliar, Nilgiris (156:31).
U. celastri paniculati Ramakr and Sund. On leaves of *Celastrus paniculatus* Burliar Nilgiris (156:32).
U. colebrookiana Barcl. On leaves of *Colebrookia oppositifolia*, Valparai, (136:45).
U. emeliae - scabrae Ramakr and Sund. On leaves of *Emelia scabra*, Burliar Nilgiris (156:33).
U. hyperici - mysorensis Petch. On leaves of *Hypericum mysorense*, Ootacamund (217:54).
U. neilgheriensis Ramakr. On leaves of *Parthenocissus neilgheriensis*, Kodaikanal (124:45).
U. pileae Barcl. On leaves of *Pilea trinervia*, Burliar, Nilgiris (156:32).
U. pouzolziae Syd. On leaves of *Pouzolzia pentandra*, Ootacamund (210:443).
U. ravennae Maire. On leaves of *Erianthus arundinaceus*, Coimbatore (156:33).
U. rhinacanthi Ramakr. and Sund. On leaves of *Rhinacanthus communis*, Burliar, Nilgiris (156:32).
U. schuteriae Ramakr. On leaves of *Schuteria vestita*, Kodaikanal (124:44).
U. tectonae see Chaconia tectonae.

UROMYCES Link Basidio., Uredinales, Pucciniaceae.
U. acori see U. sparganii.
U. aloes (Cke.) Magn. On leaves of *Aloe spicata*, Coimbatore (207:487).
U. amphiphilis-insculptae Ramakr., Sriniv and Sund. On leaves of *Amphilophis insculpta*, Musiri Trichi, district (150:92).
U. andropogonis-annulati Syd. and Butl. On leaves of *Dichanthium annulatum*, , Ootacamund and Coimbatore (211:492).
U. anotis-monospermae Ramakr. and Sund. On leaves of *Anotis monosperma*, Nanjanad, Nilgiris (162:194).
U. appendiculatus (Pers.) Link . On leaves of *Vigna catjang phaseolus* sp., P. mungo, var radiatus, and *Dolichos lab-lab*, widespread in S. India (210:428; 213:256).
U. aulicus see Scopella aulica.
U. bidentis Lagerh. On leaves of *Bidens pilosa*, Nilgiris, Wynad (Kerala) 210:428.
U. clignyi Pat. and Har. On leaves of *Eremopogon foveolatus* Coimbatore (151:91).
U. commeliniae Cke. On leaves of *Commelina C. obliqua*, Nilgiris, (210:429).

- U. decoratus Syd. On leaves of *Crotalaria juncea*, Samalkota and Godavari Coimbatore (211:491).
- U. fabae (Pers.) de Bary . On *Vicia faba*, Nilgiris (151:93).
- U. leptodermus Syd. On leaves of *Panicum javanicum*, Nilgiris (211:493) 210:444 as *Uredo isachnes*; and U.*panici prostrata*), on *Brachiaria ramosa* and *Panicum antidotale*, Coimbatore; on *P.prostratum*, Nanjanad Nilgiris (150:92).
- U. loculiformis Ramakr. T.S. and K. On leaves of *Chlorophytum attenuatum*, Coonoor, Nilgiris (137:66).
- U. mimusops see *Scopella mimusops*.
- U. nilagiricus Ramakr. T.S. and K. On leaves of *Loranthus* sp. Kotagiri on *Citrus reticulata*, Nilgiris (142:104).
- U. orthosiphonis Ramakr. and Sriniv. On leaves of *Orthosiphon glabratus*, Nilgiris, (148:26).
- U. piauhensis P.Henn. On leaves of *Wedelia urticaefolia*, Perur, Coimbatore (141:77)
- U. sparganii Clint. and Peck. (Sacc. VII, 572). On leaves of *Acorus calamus*, Ootacamund (144:240 and RS.51 as U. *acori* Ramakr. and Rang.) U. *acori* is considered a synonym of U.*sparganii* Parmelee and Savile (*Mycologia*, 46:833; 1954) and made a subspecies as U. *saprganiisspp.*, *asiaticus* Parm. Sav.
- U. sojae (P.Henn.) Syd. On leaves of *Glycine max*, Palur (125:162).
- U. triandrae Ramakr. and Sriniv. On leaves of *Themeda triandra*, Burliar, Nilgiris (148:25).
- U. wellingtonica Ramakr. T.S. and K. On leaves of *Sporobolus indicus*, Wellington Nilgiris (137:66).

USTILAGINOIDEA Bref. Imp., Moniliales, Dematiaceae.

U. virens (Cke.) Takahashi. In the inflorescence of *Oryza sativa*, Tirunelveli, (210:125) .

USTILAGO (Pers.) Roussel . Basidio., Ustilaginales, Ustilaginaceae.

- U. andropogoni-annulati see *Sphacelotheca andropogoni-annulati*.
- U. barberi see *Sorosporium barberi*.
- U. courtoisii Cif. On *Saccharum arundinaceum* Bolampatti and Tiruvadi, (100:210) .
- U. crameri Koern. On ovaries of *Setaria italica*, Madras State (213:249).
- U. cynodontis P.Henn. In inflorescence of *Cynodon dactylon*, Madras (210:427) (3).
- U. digitariae see (*Sorosporium digitariae*).
- U. emodensis see *Melanopsichium emodensis*.
- U. flagellata Syd. In ovaries of *Rottboellia exaltata*, Anamalais (102:49).
- U. iseiliensis see *Sphacelotheca iseiliensis*.
- U. nardi see *Sorosporium nardi*.
- U. operta see *Sphacelotheca operta*.
- U. panici-glauci see U.*neglecta*.
- U. panjabensis (Syd.) Ling. In ovaries of *Tragus biflorus*, Coimbatore (71:76; 149:216) as U. *tragana* Zundel). Mundkur and Thirumalachar (105A) retain this as *Sphacelotheca panja-bensis* and consider U.*tragi* Mundkur as a synonym of U. *tragana* and separate from U.*panjabensis*.
- U. schoenanthi see *Sphacelotheca schoenanthi*.
- U. scitaminea Syd.. In culms of *Saccharum* of *ficinarum*, throughout S.India (210:424).<
- U. shiraiana P.Henn. On shoots of *Arundinaria wightiana*, Ootacamund (137:58).
- U. sporoboli tremuli Remakr. T.S. and K. In culms of *Sporobolus tremulus*, Coimbatore

(137:58).

U. superflua see *Sphacelotheca superflua*.

U. tanglinensis see *Sphacelotheca tanglinensis*.

U. tragana see *U.panjabensis*.

U. tritici (Pers.) Jensen. In ovaries of *Triticum vulgare* Nilgiris (210:424).

U. vittata see *Tilletia vittata*.

U. warneckiana see *Sphacelotheca monilifera*.

VAKRABEEJA Subram. (J. Indian bot. Soc. 35: 466, 1956). Imp., Moniliales, Dematiaceae .

V. sigmoidea (Cavara) Subram. (J. Indian bot. Soc., 35: 466, 1956). Recorded as *Sclerotium oryzae* Cattaneo in BB: 149. Mundkur (1935, Indian J. agric. Sci., 5: 410) obtained the conidial stage in culture.

VENTURIA Sacc., Asco., Sphaeriales.

V. inaequalis (Cooke) Wint. On apple causing apple scab in Nilgiri Hills, Tamil Nadu (442).

VERTICILLIUM Nees ex Wallr. Imp., Moniliales, Moniliaceae .

V. glaucum Bonorden . From soil, Madras (219).

VESTERGRENIA Rehm Asco., Sphaeriales .

V. achyranthes (Ramakr.) Arx. and Mueller (Beitr. Krypto amenfl. Schw., 2:170, 1954). On leaves of *Achyranthes aspera*, Kodaikanal (125:161 as *Physalospora achyranthes*).

V. heterostemmae (Ramakr. T.S. and K.) Arx. and Mueller (Beitr. Kryptogamenfl. Schw. 2:173, 1954). On leaves of *Heterostemma tanjorensense*, Kallar (135:8 as *Physalospora Heterostemmae*).

V. micheliae (Syd.) Arx. and Mueller (Beitr. Kryptogamenfl. schw., 2:75, 1954). On leaves of *Michelia nilagirica* and *M. champaka*, Ootacamund (207:489; 224:576 and 142:102 as *Phyllachorella micheliae*).

VOLVARIELLA Speg. Anal. Mus. Nac. Buenos Aires 6: 118 (1899). Agaricales, Basidio.

V. parvula (Weinm.) Speg. On ground, Madras University Botany Field Research Laboratory, Maduravoyal, Madras, Tamil Nadu.

V. volvaceae (Fr.) Singer . On paddy straw, Madras University Botany Laboratory, Madras , Tamil Nadu.

VOLUTINA Penz. and Sacc. Imp. Moniliales, Tuberculariaceae.

V. concentrica Penz. and Sacc. On straw (Madras) (184:42).

WAITEA Warcup & Talbot, Basidio., Aphylophorales.

W. circinata Warcup & Talbot. On paddy, Coimbatore, Tamil Nadu (883a).

WIESNERIOMYCES Koord. Imp., Moniliales Tuberculariaceae.

W. javanicus Koord. On dead leaves of *Caesalpinia pulcherrima* Madras (188:35). *Woroninella dolichi* see *Synchytrium dolichi*.

W. umbilicata (Berk. and Br.) Petch (Trop. Agric.) 1:162, 1918). On leaves, stems and pods of *Cajanus cajan*, *Cinchona Anamalais* (157:140).

XENOSTELE Syd. Basidio, Uredinales, Pucciniaceae.

X. indica Thirum. On leaves of *Neolitsea zeylanica*, Ootacamund (229:27; 131:30 as *X. neolitseae*).

X. neolitseae see *X. indica*.

XEROTUS Fr. Basidio, Agaricales, Polyporaceae fide Singer.

X. perrottetii Mont. On branches near Ootacamund (94:151).

XYLARIA Hill ex Grev. Asco., Sphaeriales .

X. emericci Berk. in Herb. On the ground Nilgiris (39:86)

X. salmonicolor Berk. in Herb. on wood, Nilgiris (39:87)

ZYGOSPORIUM Mont. Imp., Moniliales, Dematiaceae.

Z. oscheoides Mont. On dead leaves of *Musa paradisiaca* and rotting leaves of *Odina wodier*, Madras; (176:45).

3. References

Authors Name	Year of Publication and Reference
Agnihothrudu , V.	1957 Fungi isolated from rhizosphere-IIStarkeyomyces, a new genus of the Tuberculariaceae. J. Indian Bot. Soc., 35: 38–42.
Agnihothrudu, V.	1959 Fungi isolated from rhizosphere-IV. J . Madras Univ., 29: 155-181.
Agnihothrudu,V.	1967 Some probable traumatic parasites on tea and rubber in South India. Indian Phytopath., 20: 196-198.
V. Bhuvaneshwari and Suryanarayanan, S.	Fungi isolated from rhizosphere-I. 1955,Proc. Indian Acad. Sci., Sect. B., 42: 98-104.
Ananthapadmanaban, D.	1988 A new Gnomonia species from India. Trans. Brit. Mycol. Soc. 91: 347-349.
Ananthapadmanaban, D.	1990 Paravalsa indica sp. nov. from India. Mycological Research. 94: 275-276.
Anonymous	1952 Index of Fungi. C.M.I. 2 (4): 51-70.
Ayyangar, C.R.	1928 A leaf spot and blight disease of onions caused by <i>Alternaria palandui</i> nov. sp. Agric. Res. Inst. Pusa Bull., 179: 14.
Bagyanarayana,G.,Braun,U.and Hosagoudar, V.B.	1988 Mycotaxon. 32: 457.
Bagyanarayana, G., Subbalakshmi,	1987 Nyssopsora schefflerae sp. nov. from India. Current

Ramachar, P. and Hosagoudar, V.B.	Science. 56: 1022 –1023.
Balakrishnan, M.S.	1948 South Indian Phycomycetes -I. <i>Pythium indicum</i> sp. nov. causing a fruit rot of <i>Hibiscus esculentus</i> L. Proc. Indian Acad Sci., Sect. B., 27: 161-173.
Balakrishnan, M.S.	1948 South Indian Phycomycetes –II. Some little known species of <i>Phythium</i> occurring in South India. Proc. Indian Acad. Sci., Sect. B., 28: 27-34.
Bains, S.S., Kaur, L., Dhaliwal., H.S., and Gill , A.S.	1989 Out break of new antharcnose of mung mash in Punjab. Indian Botanical Reporter 8 (2) 164-165.
Bappammal,M. and Hosagoudar, V.B.	1992 A new powdery mildew fungus from Tamil Nadu, (India). New Botanist. 19 (1-4): 161-162.
Bappammal, M., Hosagoudar, V.B., and Udayan . K.	1995 Powdery Mildews of Tamil Nadu, India. New Botinist, 22: 81-175.
Berkeley, M.J.	1867 Fungi of the Plains of India. Intellectual Observer. 12: 18-21.
Bodman, M.C.	1952 A taxonomic study of the genus <i>Heterochaete</i> . Lloydia., 15: 193-233.
Bhardwaj, L.N, and Shyam, K.R.	1986 Occurrence of rust on Japanese plum. Himachal Journal of Agricultural Research. 12 (1) : 62.
Bhartiya, H.D., Dubey, R., and Singh, S.K.	2000 New <i>Cercospora</i> sp. associated with vegetable crop in North Eastern U.P.Indian Pytopathology. 53(2) : 149-152.
Bose, S.R.	1944 Importance of anatomy in systematics of Polyporaceae. J. Indian Bot. Soc. 23 : 153-157.
Braun, U., and Hosagoudar, V.B.	1989 Two new <i>Oidium</i> species from India. International Journal of Mycology and Lichenology. 4:187-190
Bulter, E.J.	1918 Fungi and Diseases in Plant, Thacker, Spink & Co., Calcutta, pp. 547.
Bulter, E.J. and Bisby, G.R.,	1960 The Fungi of India., I.C.A.R. Publ., Revised by Vasudeva, R.S. New Delhi, India, 1960, pp. 552.
Bulter, E.J., and Hayman, J.M.	1906 Indian Wheat Rusts. Mem, Dept. Agric. India Bor. Ser. 1. 58.
Cannon, P.F. and Minter, D.W.	1986 The Rhytismataceae of the Indian sub-continent. Mycological Papers No. 155 CAB. International Mycological Institute.
Chandra A.B., and K. Natarajan	1987 Occurrence of <i>Neotestudina cunninghamiae</i> in Indian soil. Curr. Sci. 56: 371 –372.
Child, M.	1932 The genus <i>Daldinia</i> . Ann. Mo. Bot Gard., 19: 429-496.

Chona, B.L. and Munjal, R.L.	1952 Glume blotch of wheat in India. Indian Phytopath., 5: 17-19
Chona, B.L. , Munjal, R.L, and Kapoor, J.N.	1956 Notes on miscellaneous Indian fungi.IV. Indian Phytopath., 9: 125-132.
Cooke, M.C.	1876 Some Indian Fungi. Grev., 5: 14-17.
Cooke,M.C	1878 Some Indian Fungi. Grev., 6: 117-118.
Cooke,M.C	1880 Fungi of India. Grev., 8: 93-96.
Cooke,M.C	1884 Notes on Hypocreaceae .Grev.,12:77-83.
Cooke,M.C	1885 Some remarkable moulds. J. Quekett Micro. Club. Ser., 2: 138-134.
Cooke,M.C	1886 Precursors and monographia Polypororum. Grev., 15: 19-27, 60-60.
Cooke,M.C	1888 Exotic Agarics. Grev., 16: 105-106.
Cooke,M.C	1891 Species of Hydnellus Grev., 20: 1- 4
Cooke,M.C	1891 Notes on Tremellini. Grev., 20: 15.
Couch, J.N.	1938 The Genus Septobasidium. Univ. North Carolina Press, pp. 480.
Cummins, G.B., and Caldwell, R.M	The validity of the binomials in the leaf rust fungus complex of cereals and grasses. Phytopathology, 46: 81-82.1956
Cunningham, G.H.	1942 The Gasteromycetes of Australia and New Zealand. Dunedin, N.Z., 1942, pp. 236.
Currey, F.	1874 On a collection of fungi made by Mr. Salpiz Kurz, Curator of the Botanic Garden, Calcutta. Trans. Linn. Soc. London, II. Ser. Bot. 1: 119-131.
Dohroo, N.P., and Sharma, N.	1997 New records of fungi occurring on ginger rhizomes in Himachal Pradesh . Indian Phytopathology. 50 (1) : 148.
Dorai, M., and Vittal . B.P.R.	1986 A new Stachybotrys from Eucalyptus litter. Transactions of British Mycological Society. 87 : 642-644.
Dorai, M. and B.P.R. Vittal	1984 Some interesting Hyphomycetes from Eucalyptus litter. Kavaka. 12: 107-112.
Dorai, M., and B.P.R. Vittal.	1984 On Polyscytalum truncatum. Trans. Br. Mycol. Soc., 88: 266-268

Drechsler, C.	1923 Some graminicolous species of <i>Helminthosporium</i> . <i>J. Agric. Res.</i> , 24: 641-739.
Ebenezar, E.G., Subramanian, K.S., and sely, E.G.	1996 A new leaf blight of <i>Maranta arundinacea</i> Indian Journal of Mycology and Plant Pathology. 26 (2): 238.
Ganesh, P.N., and Leelavathy, K.M..	1988 <i>Piloporia indica</i> sp. nov. from India. Transactions of British Mycological Society. 91:169-171.
Govindu, H.C. and Thirumalachar, M.J.	1954 Notes on some Indian Cercosporae-IV. <i>Sydowia</i> , 8: 221-230.
Govindu, H.C. and Thirumalachar, M.J.	1955 Notes on some Indian Cercosporae-VI. <i>Sydowia</i> , 9: 221-228.
Guba , E.F.	1961 Monograph of <i>Monochaetia</i> and <i>Pestalotia</i> . Harvard Univ.Press. 1961, pp. 342.
Gupta, G.K.	1988 Apple scab in Nilgiri Hills of Tamil nadu – A new record. Indian Journal of Mycology and Plant Pathology . 17 (1) : 47.
Hansford, C.G.	1947 New or interesting tropical fungi –I. <i>Proc. Linn. Soc. Lond.</i> , 158 : 28-50.
Hosagoudar, V.B.	1989 A new species of <i>Olivea</i> Arth. From India. <i>Nova Hedwigia</i> 49: 203-205
Hosagoudar , V.B	1990 Some powdery mildews from Coimbatore, Tamil Nadu, India. <i>Indian Journal of Forestry</i> .13 (3): 223-225.
Hosagoudar, V.B.	1991 <i>Indian Journal of Forestry</i> . 13: 28.
Hosagoudar, V.B.	1991 Meliolaceae of South India –VIII. <i>Cryptogamic Botany</i> . 2: (2-3): 183-187.
Hosagoudar , V.B	1987 Meliolaceae of South India-II. <i>Sydowia</i> . 60:113-121.
Hosagoudar, V.B.	1987 <i>Meliola ramacharii</i> sp. nov. from Tamil Nadu, India. <i>Kavaka</i> . 15: 5-6..
Hosagoudar, V.B.	1989 A new variety <i>Meliola carissae</i> Dodge from India. <i>Current Science, India</i> . 58 : 145-146.
Hosagoudar , V.B	1990 Some powdery mildews from Coimbatore, Tamil Nadu, India. <i>Indian Journal of Forestry</i> . 13 (3): 223 –225.
Hosagoudar, V.B.	1994 New species of <i>Balansia</i> and <i>Ophiiodothella</i> from Southern India. <i>Indian Phytopathology</i> . 47(1) : 38- 40
Hosagoudar, V.B. and Goss, R.D	1994 Some <i>Asterina</i> , <i>Asterostomella</i> and <i>Lembosia</i> species from Southern India. <i>Mycotaxon</i> . 52(2): 467-473.
Hosagoudar, V.B., and Verma, R.K	1992 New species of <i>Cercosporella</i> and <i>Pseudocercospora</i> from South India. <i>Mycological Research</i> . 96(1) 55-58.
Hosagoudar, V.B., Manian S. And Vasuki,	1989 <i>J. Econ. Taxon. Bot.</i> 12: 421.

Hosagoudar, V.B., Kaveriappa, K.M., Raghu, P.A. and Goss, R.D.	1994 Meliolaceae of Southern India –XVI. M ycotaxon 51, 107-118
Hosagoudar, V.B .	1995 Two new Phyllachora species from Tamil Nadu. Indian Phytopathology. 48 (2): 111.
Iyengar, M.O.P and Krishnamurthy, V.	1954 A note on <i>Asero rubra</i> (La Bill.) Fisch. var. <i>zeylanica</i> (Berk.) Ed. Fischer, from South India. Lloydia, 17: 225-262.
Iyengar, M.O.P , Ramakrishnan, K. andSubramanian, C. V	1955 A new species of Sapromyces from South India. J. Indian Bot. Soc.,34: 140-145
Jayasekhar, M., Rajasekaran, R., and Paramasivan, K.	1989 Varietal resistant to ground nut (<i>Arachis hypogaea</i> L.) to late leaf spot diseases. Madras Agricultural Journal.76 (6) : 352
Johnson, I and Palaniswami, A.	1999 hytophthora tuber rot of cassava –A new record in India. Journal of Mycology and Plant Pathology. 29 (2) : 323-332.
Kamal, and Kumar, P.	1981 Environ., India. 3: 2- 4.
Kaporr, I.J.	1988 Fungi involved in tomato wilt syndorme in Delhi, Maharshta and Tamil Nadu. Indian Phytopathology. 41 (2) : 208 – 273.
Kaul, V.P. and Nair, L.N	1988 Some new reports of Asterina from India. Acta Botanica Indica. 11: 227-229.
Kirk, P.M.	1982 New or interesting microfungi IV. Dematiaceous Hyphomycetes from Devon. Trans. Br. Mycol. Soc. 78: 55-74.
Kumar, A. and Marimuthu. T.	1993 A new die back disease of <i>Eucalyptus camaldulensis</i> . Plant Disease Research. 8 (2): 142.
Lakshmanan, P.	1992 Boll rot of cotton incited by <i>Colletotrichum gloeosporioides</i> in Tamil Nadu. Plant Disease Research. 7 (1) : 54-55
Lakshmanan, P.	1991 A new sheath rot (ShR) disease of rice identified in Tamil Nadu. International Rice Research Newsletter. 16 (5) : 20
Lakshmanan, P.	1992 Sheath rot of rice incited by <i>Curvularia lunata</i> in Tamil Nadu. Tropical Pest Management. 38 (1) : 107.
Lakshmanan, P., and Mohan, S.	1989 Occurrence of a new leaf spot diseases of <i>Musa</i> sp. incited, by <i>Thanatephorus cucumeris</i> . hytoparasitica. 17 (2) : 123-126.
Lakshmanan, P., and Mohan, S.	1989 Occurrence of a new leaf spot disease of <i>Musa</i> sp.incited by <i>Thanatephorus cucumeris</i> Phytoparasitica.17 (2): 123-126

Lakshmanan, P., and Mohan, S.	1989 Sources of primary inoculation and identification of resistant Sorghum genotypes for <i>Spharelia sorghi</i> in Tamil Nadu. Plant Disease Research. 4(2): 158-159.
Lakshmanan, P., and Vidhyasekaran, P.	Corticium rolfssii, a new potential pathogen causing bole rot of <i>Gossypium hirsutum</i> . Zeitschrift Pflanzenkrankheiten und Pflanzenschutz. 98 (1): 80-83.
Lakshmanan, P. Mohan, L., Mohan S., and Jeyarajan, R.	1987 A new leaf spot of Sorghum caused by <i>Cochilobolus bicolor</i> in Tamil Nadu, India. Plant disease. 71 (7): 651.
Leveille, J.H.	1846 Description des champignons de L'herbier du Museum de Paris. Ann. Sci., Nat., 5:111-167, 249-304
Ling, L.	1951 Taxonomic notes on Asiatic smuts III. Sydowia, 5: 40-48.
Lloyd, C.G.	1898-1925 Mycological Notes, Nos. 1-75 Cincinnati, Ohio, 1-1364
Lloyd, C.G.	1904-1919 Mycological Letters, 1-69. Cincinnati, Ohio
Lloyd, C.D.	1912 Synopsis of the stipitate polyporoids, 95-208.
Lloyd, C.G.	1915 Synopsis of the section Apus of the genus <i>Polyporus</i> , 291-392
Manjula., B.	1983 A revised list of Agaricoid and Boletoid basidiomycetes from India and Nepal. Proc. Indian. Acad. Sci. (Plant . Sci), 92: 81-213.
Mason, E.W.	1941 Annotated account of fungi received at the Imperial Mycological Institute. List II. Fascicle 3- Special part; 101-144.
Marimuthu, T.	1991 Occurrence of <i>Phytophthora palmivora</i> in betelvine (<i>Piper betle</i> L.) Plant Disease Research 6 (2): 88-89.
McRae, W.	1917 Notes on South Indian Fungi. Madras Agric. Dep. Year Book. 107-111.
Mhatre, J.R. and Mundkur B.B.	1945 The Synchytria of India. Lloydia, 8: 131 – 138.
Middleton, J.T.	1943 The Taxonomy, Host Range and Geographic distribution of the genus <i>Pythium</i> . Mem. Torrey. Bot. Club., 20: 171
Mohan, L.	1994 A new stem rot and leaf rot of <i>Eucalyptus</i> . Indian Phytopathology. 47 (4) : 443.
Mohan, L., Paranidharan, V. and Murugesan, R.	2000 New records-On <i>Pepinno</i> (<i>Solanum muricatum</i>). Indian. Phytopathology. 53(4): 496.
Mohan, L., Paranidharan, V. and Prema, S	2000 New diseases of Timla fig (<i>Ficus auriculata</i>) in India. Indian Phytopathology. 53(4) : 496.

Mohan., L., Rabindran, R., and Jeyarajan.R.	1991 A new smut disease of <i>Fagopyrum cymosum</i> (Meissn) caused by <i>Sphacelotheca fogopyri</i> . Madras Agricultural Journal. 78 (1-4) : 122.
Mohan, S. and Lakshmanan, P.	1989 Pseudo stem rot caused by <i>Corticium rolfsii</i> , a new disease of <i>Musa</i> sp. In T.N Phytoparasitica. 17 (2):127-130.
Mohan., S., and Lakshmanan, P.	1990 A new leaf spot disease incited by <i>Thanatephorus cucumeris</i> on Banana in Tamil Nadu. Plant Disease Research . 5 (1): 71-72.
Mohan,S., Lakshmanan, P. and Jeyarajan,R	1988 A new leaf spot and fruit rot of a papaya caused by <i>Myrothecium roridum</i> Tode ex Fr. Current Science, India .57: 1345-1346.
Mohanan, C. and Sharma, J.K.	1988 Diseases of exotic Acacias in India. Journal of Tropical Forestry. 4 (4) : 357-361
Mohanan, C. and Sharma, J.K.	1988 Occurrence of new disease of <i>Casuarina equisetifolia</i> in India. Indian Forester. 115 (1) : 33-37.
Mohanan, R.C., and Kaveriappa, K.M.	1988 Occurrence of new disease of <i>Casuarina equisetifolia</i> in India. Indian Forester. 115 (1) : 33-37.
.Montagne, J.F. C.	1842 Cryptogamae Nilgherenses. Ann. Sci. Nat. II Ser., 18: 12-23.
Mouli, B.C. and Kumar. R.	1988 Fungi occurring on tea and <i>Grevillea robusta</i> in tea plantations of Southern India. Indian Phytopathology. 41(3) : 503
Mueller, E. and Menon, R.	1954, <i>Bagcheea</i> , eine neue Gattung der Sphaeriales aus Indian, Phytopath. Z. 22 : 417-420.
Muthumary, J.	1986 <i>Conostroma quercicola</i> sp. nov. from India. Current Science, India. 55: 1081-1082.
Muthumary, J.	1986 <i>Pilidium acerinum</i> Kunze.-a new generic record for India. Current Science, India. 55: 791-792
Muthumary, J.	1999 First contribution to a monograph of <i>Septoria</i> species in India. University of Madras, 117 pp.
Muthumary, J., and Sutton, B.C.	1986 <i>Coryneum quercinum</i> sp. nov. on <i>Quercus alba</i> from India. Transactions of British Mycological Society. 86: 512-515.
Mundkur, B.B. and Thirumalachar M.J.	1952 M.J., Ustilaginales of India. C.M.I., pp. 84.
Mundkur, B.B.	1934, Oat smuts in India, Indian J. agric. Sci. 898.
Mundkur,B.B	1935, The parasitism of <i>Sclerotium oryzae</i> Catt. Ibid., 5 : 393-414.
Mundkur,B.B	1939, A contribution towards a knowledge of Indian Ustilaginales. Trans. Brit. mycol. Soc., 23 : 86-121.

Mundkur,B.B	1940, A second contribution towards a knowledge of Indian Ustilaginales, Fragments XXVI-L, Ibid. 24 : 312-336.
Mundkur, B.B.	1943, Studies on Indian cereal smuts VI, the smuts of Sawan (<i>Echinochloa frumentacea</i>). Indian J. agric. Sci. 13 : 631-633
Mundkur, B.B.	1944, Some rare and new smuts from India . Ibid., 14: 49-52.
Mundkur, B.B. and Kheswalla, K.F.	1942, Indian and Burman species of the genera Pestalotia and Monochaetia . Mycologia, 34 : 309-317
Mundkur, B.B. and Kheswalla, K.F.	1943, Dasturella, a new genus of the Uredinales, Ibid., 35 : 201-206.
Mundkur, B.B and Thirumalachar, M.J.	1946, Revisions of and additions to Indian fungi I. Mycol. Pap., 16 : 1-27.
Mundkur, B.B and Thirumalachar, M.J.	1952, Ustilaginales of India .
Narasimhan, M.J. and Thirumalachar, M.J.	1943, Preliminary notes on the perfect stage of <i>Ephelis oryzae</i> Syd. <i>Balansia oryzae</i> comb. Nov., Curr. Sci. 12 : 276.
Narayanaswamy, T., and A. Venkata Rao	1984 <i>Waitea circinata</i> – a new fungus causing sheath blight on rice. Curr. Sci. 53: 874.
Narayanappa. M. and M.M. Mustaffa	1985 A new disease of banana main stalk.Curr. Sci. 54:760-761.
Natarajan , K. and Raman, N.	1983 South Indian Agaricales . Bibl. Myc.89: 41-44.
Natarajan ,K. and Raman, N.	1980 Mycologia. 72: 640.
Natarajan, K., and Kolandavelu, K.	1985 <i>Kavinia globispora</i> sp. nov. Transanctions of British Mycological Society. 84: 362-363.
Natarajan, K., and Raman , N.	1982 Mycologia . 74: 1037.
Natarajan,K., and Manjula, B.	1982 South Indian Agaricales – XI. Mycologia. 74:130-137.
Natarajan,K., and Manjula, B.	1982 South Indian Agaricales – XVI. Indian Phytopath.35: 57-64.
Natarajan , K., and Manjula, B.	1982 South Indian Agaricales, XVIII Marasmius. Kavaka.10: 13-28.
Natarajan, K., and Kolandavelu, K .	1985 Resupinate aphyllophorales from South India. Kavaka. 12: 71-76.
Natarajan , K., and Raman, N.	1982 Occurrence of <i>Thelephora terrestris</i> in India. Curr Sci. 55: 483-484.

Natarajan, K., and Raman, N.	1983 South Indian Agaricales. XX-Some mycorrhizal species. <i>Kavaka</i> . 11: 59-66.
Natarajan, K., Mohan, V and Kaviyarasan, V.	1988 On some ectomycorrhizal fungi occurring in Southern India. <i>Kavaka</i> 16: 1-7.
Natarajan, K. and Purushothama, K.B	1989 Two new agarics from South India. <i>Mycol. Res.</i> , 92: 111-113.
Padwick, G.W.	1938 India: new plant diseases recorded in 1937. <i>Int. Bull. Pl. Prot.</i> , 12: 122-123.
Padwick, G.W.	1945, Notes on Indian fungi III, <i>Mycol. Pap.</i> 12: 15.
Padwick, G.W.	1946, Notes on Indian fungi IV, <i>Ibid.</i> , 17 : 1-12.
Padwick, G.W. and Khan, A.	1944, Notes on Indian fungi II, <i>Ibid.</i> , 10 : 1-17.
Padwick, G.W. and Mehr, J.L.	Notes on Indian fungi I, <i>Ibid.</i> , 7 : 1-7.
Patel, M.K., Kamat, M.N. and Bhide, V.P.	1949 Fungi of Bombay, supplement-I. <i>Indian Phytopath.</i> , 2: 142-155.
Patil, M.S. and Pawar, A.B.	1989 Studies on foliicolous ascomycetes –IV. <i>Indian Phytopathology</i> . 39 (4) : 515-520.
Patil, M.S., Sawant, R.S.	1991 Studies on Hyphomycetes –I. <i>Indian Phytopathology</i> . 45 (2) : 179-189.
Patil, S.D., and Ramesh.	1986 <i>Indian Botanical Reporter</i> . 5: 27.
Paul, Y.S. and Kapoor, L.N.	1987 Taxonomy of <i>Oidiopsis scalia</i> found in India. <i>Kavaka</i> . 14: 61-62.
Pavgi, M.S. and Mundkur, B.B.	1948, A third contribution towards a knowledge of Indian Ustilaginales, <i>Indian Phytopath.</i> 1 : 107-118.
Patouillard, N.	1925 Quelques champignons du Tonkin (suite). <i>Bull. Soc. Mycol.</i> , France, 3: 129-131.
Petrak, F. and Sydow, H.	1926-27 Die Gattungen der Pyrenomyzeten Sphaerospideen und Melanionieen. <i>Feddes Repertorium, Beihefte</i> , 42: 551. Dahlem.
Petch, T.	1921, Studies on entomogenous fungi, <i>Ann . R. bot. Gdns. Perandeniya</i> , 7 : 167-278.
Petch, T.	1925, Entomogenous fungi, additions and corrections, I. <i>Trans. Brit. Mycol. Soc.</i> , 10 : 190-201.
Prakasam, V.	1991 Red leaf spot of cinnamon in lower pulney hills of Tamil Nadu. <i>Indian Cocoa, Areca nut and Spices Journal</i> . 14(3) 123.
Purushothama, K.B., and Natarajan, K.	1987 <i>Amanita flovofloccosa</i> -An addition to Indian agaric flora. <i>Current Science</i> . 56: 1073-1074.

Rajappan, K.	1999 A report on the occurrence of wilt of cauliflower in the Nilgiris. Journal of Mycology and Plant Pathology. 29 (2) : 260-261.
Ramakrishnan, K. and Subramanian C.V.	1952 The fungi of India-a second supplement.J. Madras Univ., B., 22: 1-65.
Ramakrishnan, K. and Subramanian C.V.	1946 Studies in the genus <i>Colletotrichum</i> -III. Proc. Indian Acad. Sci., Sect. B., 25: 15-27.
Ramakrishnan, K, and Sundaram, N.V.	1954, Notes on to the fungi from South India-IV. Indian Phytopath., 7: 140-151.
Ramakrishnan, K.	1953, Ascomycetes from South India, I, Proc. Indian Acad. Sci., B.38 : 118-124.
Ramakrishnan,K	1953, Soil conditions and fungal wilts in plants-Distribution and behaviour of fungi in soils. Doctoral thesis, Madras University.
Ramakrishnan,K	1953, Ascomycetes from South India, II, J. Madras Univ. B. 23 : 145-147.
Ramakrishnan,K	1955, Some aspects of soil fungal ecology, Proc. Indian Acad. Sci., B. 41 : 110-116.
Ramakrishnan,K	1955, Ascomycetes from South India, III, Ibid., 42 : 249-257.
Ramakrishnan,K and Ramakrishnan, T.S.	1948, Banded sclerotial diseases of arrow root - <i>Maranta arundinacea</i> L. Indian Phytopath 1 : 129-136.
Ramakrishnan, K. and Subramanian, C.V.	1951, A new species of <i>Sirobasidium</i> , J. Madras Univ. B.21 : 303-305.
Ramakrishnan, T.S.	1931, A leaf spot disease of <i>Andropogon sorghum</i> , Mem. Dep. Agric. India, Bot. Ser. 18 : 259-279.
Ramakrishnan, T.S.	1942, A leaf spot disease of <i>Zingiber officinale</i> caused by <i>Phyllosticta zingiberi</i> n. sp. Proc. Indian Acad. Sci. B. 15 : 167-171
Ramakrishnan, T.S.	1949, Studies in the genus <i>colletotrichum</i> Part IV, leaf spot of <i>Arundo donax</i> L. caused by <i>Colletotrichum falcatum</i> Went var. <i>arundinis</i> nov. var. Ibid 29 : 289-294.
Ramakrishnan, T.S.	1949, The occurrence of <i>Pythium vexans</i> de Bary in South India. Indian Phytopath 2 : 27-30.
Ramakrishnan, T.S.	1950, Some interesting rusts of South India . Ibid. 3 : 43-56.
Ramakrishnan, T.S.	1951, Additions to fungi of Madras XI . Proc. Indian Acad. Sci. B. 34 : 157-164.
Ramakrishnan, T.S.	1951, Additions to fungi of Madras X . Ibid, 34 : 63-72.

Ramakrishnan, T.S.	1951, Two new rusts from South India. Trans. Brit. Mycol. Soc., 34 : 141-145
Ramakrishnan, T.S.	1952, Additions to fungi of Madras XII. Proc. Indian Acad. Sci. B. 35 : 111-121.
Ramakrishnan, T.S.	1955, Decline in cashewnut. Indian Phytopath 8 : 58-63.
Ramakrishnan, T.S.and Ramakrishnan, K.	1947, Additions to fungi of Madras I. Proc. Indian Acad. Sci., 25 : 28-34.
Ramakrishnan, T.S.and Ramakrishnan, K.	1947, Additions to fungi of Madras I. Ibid. 25 : 178-186.
Ramakrishnan, T.S.and Ramakrishnan, K.	1947, A new rust on <i>Dalbergia paniculata Roxb.</i> Ibid., 26 : 60-63.
Ramakrishnan, T.S.and Ramakrishnan, K.	1947, Revision of a rust on <i>Oldenlandia</i> spp. Ibid., 26 : 64-68.
Ramakrishnan, T.S.and Ramakrishnan, K.	1947, Additions to fungi of Madras III. Ibid., 26 : 7-12.
Ramakrishnan, T.S.and Ramakrishnan, K.	1948, Additions to fungi of Madras IV. Ibid., 27 : 33-46.
Ramakrishnan, T.S.and Ramakrishnan, K.	1948, Additions to fungi of Madras V. Ibid 28 : 56-70.
Ramakrishnan, T.S.and Ramakrishnan, K.	1949, Additions to fungi of Madras VI. Ibid., 29 : 48-58.
Ramakrishnan, T.S.and Ramakrishnan, K.	1949, <i>Chacoina tectonae</i> Ramak., T.S. and K. on teak. Indian Phytopath., 2 : 17-19.
Ramakrishnan, T.S.and Ramakrishnan, K.	1949, <i>Exobasidium</i> from South India. Proc. Indian Acad. Sci., B. 29 : 5-12.
Ramakrishnan, T.S. and Ramakrishnan, K.	1950, Additions to fungi of Madras VII. Pro. Indian Acad. Sci., B.32 : 67-79.
Ramakrishnan, T.S.and Ramakrishnan, K.	1950, Additions to fungi of Madras VIII. Ibid., 32 : 97-111.
Ramakrishnan, T.S.and Ramakrishnan, K.	1950, Additions to fungi of Madras IX .Ibid., 32 : 205-214.
Ramakrishnan, T.S. and Rangaswamy, G.	1948, <i>Uromyces acori</i> Ramakrishnan and Rangaswamy sp. nov., on <i>Acorus calamus</i> . Curr. Sci., 17 : 240-241.
Ramakrishnan, T.S. and Soumini, C.K.	1946, <i>Hemileia wrightiae</i> Rac. on <i>Wrightia tinctoria</i> R. Br., and <i>W. tomentosa</i> Roem. and Sch. Ibid., 15 : 256-257.
Ramakrishnan, T.S. and Soumini, C.K.	1947, A new rust on <i>Premna tomentosa Willd.</i> .. Proc. Indian Acad. Sci., B.25 : 35-37.
Ramakrishnan, T.S. and Soumini, C.K.	1948, Wilt disease of Pyrethrum. Indian Phytopath. 1 : 27-33.
Ramakrishnan, T.S and Srinivasan, K.V.	1950, On two new rust fungi. Curr. Sci. 19 : 25-27.
Ramakrishnan, T.S and Srinivasan, K.V.	1950, Two grass smuts. Ibid., 19 : 216.
Ramakrishnan, T.S and Sundaram, N.V.	1952, Additions to fungi of Madras XIII. Proc. Indian Acad. Sci., B.36 : 85-95.
Ramakrishnan, T.S and Sundaram, N.V.	Additions to fungi of Madras XIV. Ibid., 37 : 83-95.

Ramakrishnan, T.S and Subramanian, C.L.	1946, On <i>Catenulopsora zizyphi</i> and <i>Zizyphus oenoplea</i> Mill. <i>Curr. Sci.</i> , 15 : 261-262.
Ramakrishnan, T.S and Sundaram, N.V.	1950, Ergot on two grasses from South India <i>Sci and Cult.</i> 16 : 214.
Ramakrishnan, T.S and Sundaram, N.V.	1952, A new rust on <i>Antidesma</i> in India. <i>Trans. Brit. Mycol. Soc.</i> , 35 : 26-28.
Ramakrishnan, T.S and Sundaram, N.V.	1952, Notes on some fungi from South India. <i>Indian Phytopath.</i> , 5 : 110-115.
Ramakrishnan, T.S and Sundaram, N.V.	1953, Additions to fungi of Madras XV. <i>Proc. Indian Acad. Sci.</i> , B.38: 187-194.
Ramakrishnan, T.S and Sundaram, N.V.	1953, Notes on some fungi from South India..it <i>Indian Phytopath.</i> , 6 : 27-35.
Ramakrishnan, T.S and Sundaram, N.V.	1954, Notes on some fungi from South India IV. <i>Ibid.</i> , 7 : 141-151.
Ramakrishnan, T.S and Sundaram, N.V.	1954, Notes on some fungi from South India III. <i>Ibid.</i> , 7 : 61-68.
Ramakrishnan, T.S and Sundaram, N.V.	1954, Additions to fungi of Madras XVI. <i>Proc. Indian Acad. Sci.</i> , B.40 : 17-23.
Ramakrishnan, T.S and Sundaram, N.V.	1955, Additions to fungi of Madras XVIII. <i>Ibid.</i> , 42 : 58-64.
Ramakrishnan, T.S. and Sundaram, N.V.	1955, Additions to fungi of Madras XVII. <i>Ibid.</i> , 41 : 189-195.
Ramakrishnan, T.S and Sundaram, N.V.	1955, Grape vine diseases and their control <i>Madras agric. J.</i> 42 : 108-115.
Ramakrishnan, T.S and Sundaram, N.V.	1956, The life history of <i>Puccinia romagnoliana</i> ., <i>Proc. Indian Acad. Sci.</i> , 43 : 95-99.
Ramakrishnan, T.S and Sundaram, N.V.	1955, The life history of <i>Puccinia blepharidis</i> ., <i>Ibid.</i> , 44 : 325-328.
	Radhakrishnan, N.V., Ramabardan,R.,1995 Botryodiplodia root rot- A new disease of mulberry. <i>Indian Phytopathology</i> . 48(4): 492-493.
	Rao, A.V., Nagaiyan, M., and 1989 A new leaf spot on <i>Trichosanthes anguina</i> L. Balasubramaian caused by <i>Phaeotrichoconis crotalariae</i> (Saloum & Rao) Subra. <i>Current Science. India</i> . 58 (13): 747.
	Rao, V.G., and Verghese, K.I.M. 1988 Forest micro fungi. VI. Three new taxa of hyphomycetes from India. <i>International Journal of Mycology and Lichenology</i> . 3(2-3): 295-301.

	avikumar, D.R., and Purushothaman, A. 1988 <i>Corollospora intermedia</i> - a lignicolous marine fungus from India. Current Science, India. 57: 898-899.
	Roy, A. and N. Samajpati 1980, Agaricales of West Bengal -III. Indian J. Mycol. Res. 18: 13-24.
Ryan, R.	1928, <i>Asterina</i> spp from India. Mem. Dep. Agric. India, Bot. Ser., 15 : 103-105.
Saccardo	1888 <i>Sylloge Fungorum</i> . 6: 269, 433.
Saccardo, P.A.	Notae mycologicae. Ann. Mycol., 12 : 282.
Safeeulla, K.M.	Species of the genus <i>Albugo</i> in India .Sci. and Cult., 18 : 282-283.
Sarbajana,K.K.	1990 New species of <i>Mycovessosiella</i> and <i>Pyricularia</i> from West Bengal. Journal of Mycopathological Research. 28 (1) : 159-164.
Seethalakshmi, V.	1953, Blight of <i>Cyperus rotundus</i> L and <i>C bulbosus</i> vahl. Indian Phytopath : 6.
Seethalakshmi, V. and Ramakrishnan T.S.	1953, <i>Phytophthora cyperi-bulbosi</i> sp. nov. on <i>Cyperus bulbosus</i> Vahl. 22 : 149-150.
Sharma, S.K.	1988 Prevalence of apple cankers in Himachal Pradesh and their control. Indian Journal of Plant Pathology. 6(2) : 125-127.
Shaw, F.J.F.	1912, The morphology and parasitism of <i>Rhizoctonia</i> ., Mem. De. Agric. India, Bot. Ser., 6 : 115-153.
Sivamani, E. and Gnanamanickam, S.S.	1988 Presence of race 4 <i>Fusarium oxysporum</i> f. sp. <i>cubense</i> in India. Current Science, India. 57 (22): 1251-1252.
Srinivasan, K.V.	1951, A hyperparasite of two species of <i>Kordyana</i> Rac. Curr. Sci., 20 : 262.
Srinivasan, K.V.	1953, <i>Isariopsis griseola</i> Sacc., on <i>Phaseolus vulgaris</i> L., Ibid., 22 : 20.
Sivenesan, K., Rajan, F.S., and Jeyarajan,R.	1986 <i>Pleurotus citrinopileatus</i> -A new Indian edible Mushroom. Current Science, India. 55: 1203.
Soni, K.K., Kalyani, K.B. and Dhanushkoti, T.	1989 Occurrence of heart rot disease in <i>Thespesia Populnea</i> Cav. My Forest. 25 (1) : 89-90.
Soni, K.K., Kalyani, K.B., and Rajarishi, R.	1991 <i>Pythium aphanidermatum</i> seedling blight of <i>ardwickia binata</i> -a new report to India. Indian Journal of Mycology and Plant Pathology. 21 (3): 292-293.
Soni, K.K., V.S. Dadwal and Jamaluddin.	1991 Two new disease of <i>Acacia holosericea</i> from India. My Forest. 27 (1) : 62-64.

Srivastava, R.K.	1987 <i>Aspleniumsporites tridevii</i> Gen.et. sp. nov. in from Neyveli lignite of south India. Current Science, India. 56: 305-306.
Stephens, F.L.	1939, A new species of <i>Phaeosphaerella</i> . Trans.Brit. Mycol. Soc., 23 : 63.
Stevens F.L.	1928, <i>Meliola</i> spp. from Indian and one from Malaya . Mem. Dep. Agric. India, Bot. Ser., 15 : 107-111.
Subramanian, C.V., and K. Sudha	1985 Hyphomycetes from leaf litter-I.Kavaka. 12: 87-90.
Subramanian, C.V., and Bhat, D.J.	1989 Kavaka 15: 74.
Subramanian, C.V., and Sudha,K.	1989 Kavaka. 15 :13.
Subramanian, V. and Bhat., D.J.	1989 Kavaka, 15:5.
Suryanarayanan T.S., and Kumarsen, V., and Johnson, J.A.	1998 Foliar fungal endophytes from two species of the mangrove Rhizophora. Canadian Journal of Microbiology. 44(10): 1003-1006.
Srinivasan, K.V.	1956 <i>Pythium catenulatum</i> Matthew . Sugarcane seedlings root rot. Curr. Sci., 25: 299- 300.
Subramanian, C.V., and K. Sudha.	1986 Hyphomycetes from leaf litter- II. Kavaka, 14:37-40.
Subramanian , C.V.	1952 Fungi Imperfecti from Madras-I. Proc.Indian Acad. Sci., Sect. B., 36: 43-52.
Subramanian, C.V.	1951, Fusaria isolated from South Indian soils. Nature, Lond., 168 : 561.
Subramanian , C.V.	1952, Fungi imperfecti from Madras I. Proc. Indian Acad. Sci., B. 36 : 43-53.
Subramanian , C.V.	1952, Studies in South Indian fusaria II,.Fusaria isolated from black cotton soils, Proc. nat. Inst. Sci. India, 18 : 557-584.
Subramanian , C.V.	1952, Fungi imperfecti from Madras III. Proc. Indian Acad. Sci., B. 36 : 223-228.
Subramanian , C.V.	1952, Fungi imperfecti from Madras II. Ibid., 36 : 160-169.
Subramanian , C.V.	1952, Fungi isolated and recorded from Indian soils. J. Madras Univ., B. 22 : 206-222.
Subramanian , C.V.	1953, Fungi imperfecti from Madras IV . proc. Indian Acad. Sci., B. 37 : 96-105.
Subramanian , C.V.	1953, Fungi imperfecti from Madras V. Curvularia, Ibid., 38 : 27-39.
Subramanian, C.V.	1953, Koorchaloma, a new genus of the Tuberculariaceae, . J. Indian bot. Sco., 32 : 123-126.
Subramanian , C.V.	1954, Fungi imperfecti from Madras VI. Ibid., 33 : 36-42.

Subramanian , C.V.	1954, Three new hyphomycetes . Ibid., 33 : 28-35.
Subramanian , C.V.	1954, Studies on South Indian Fusaria III . Fusaria isolated from some crop plants, J. Madras Univ. B., 24 : 21-46.
Subramanian , C.V.	1955, Fungi imperfecti from Madras VII. Proc. Indian Acad. Sci., B. 42 : 283-292.
Subramanian , C.V.	1955, Some species of Periconia from India . J. Indian bot soc., 34 : 339-361.
Subramanian , C.V.	1956, Hyphomycetes I. Ibid., 35 : 53-91.
Subramanian , C.V. and Ramakrishnan, K.	1952, Rostrospora, a new genus of the Melanconiales . J. Madras Univ., B. 22 : 66-68.
Subramanian , C.V. and Ramakrishnan, K.	1953, Petrakomyces a new genus of the sphaeropsidales . Proc. Indian Acad. Sci., B. 37 : 110-113.
Subramanian , C.V. and Ramakrishnan, K.	1955, On Discella cedrelae Ramakr. T.S. and K. J. Indian Bot. Soc., 34 : 225-226.
Subramanian , C.V. and Ramakrishnan, K.	1956, On the genus Amphichaeta McAlpine .Ibid., 35 : 226-232.
Sukumar, J., and Yadav, B.R.D.	1988 Occurrence of a bud blight disease of mulberry caused by <i>Fusarium lateritium</i> f.sp. <i>miri</i> type- A in India – a new report .Current Science, India. 57 (1) : 49-50
Sundaram, N.V.	1955, Studies on the head smut of sorghum. Madras agric. J., 42 : 136-140.
Sundaram, N.V.	1955, Rhizome rot and wilt of ginger and their control. Ibid., 42 : 541-544.
Sundararaman, S.	1922, The coconut bleeding disease. Agric. Res. Inst. Pusa Bull, 127 : 1-8.
Sundararaman, S.	1923, A new ginger disease in Godavari district. Mem. Dep. Agric. India, 11 : 209-217.
Sundararaman, S.	1926, Vermicularia curcumae Syd., on Curcuma longa . Madras agric. Dep., Year Book,, 1925, 18-19.
Sundararaman, S.	1927, Some Vermicularias of economic importance in South India. Ibid., 1926 : 10-12.
Sundararaman, S.	1928, Annual report of the Government Mycologist, Coimbatore. Rep. Dep. Agric. Madras for 1927-28, 355-372.
Sundararaman, S.	1929, Administration report of the Government Mycologist, Coimbatore. Ibid., 1928-1929, 27 pp.
Sundararaman, S.	1930, Ibid., 1929-1930.
Sundararaman, S. and Marudarajan, D.	1925, Some polyporaceae of the Madras Presidency . Madras agric. Dep. Year Book, 1924, 69-75.

Sundararaman, S. and Ramakrishnan, T.S.	1928, Foot rot and Wilt of Antirrhinums .Mem. Dep. Agric. India, Bot Ser. 16 : 83-100.
Sundararaman, S. and Ramakrishnan, T.S.	1928, A leaf disease of safflower (<i>Carthamus tinctorius</i>) caused by <i>Cercospora carthami</i> nov. sp., Agric. J. India, 23 : 383-389.
Suryahandranselvan, M., and	1989, Effect of planting season on the incidence of rice diseases. Madras Agricultural Journal. 76 (5): 297-300.
Sydow, H.	1913, Beitrage zur Kenntnis der Pilzflora des Sudlichen Ostindiens, I . Ann. mycol., 11 : 326-330.
Sydow, H.	1914, Beitrage dur Kenntnis der Pilzflora des sudlichen Ostindiens. Ibid., 12 : 484-490.
Sydow, H.and Sydow, P.	1915, Novae fungorum species. Ibid., 13 : 35-43.
Sydow, H.and Sydow, P.	1917, Novae fungorum species XV. Ibid., 15 : 143-148.
Sydow, H., Sydow, P.and Butler, E.J.	1906, Fungi Indiae orientalis. Ibid., 4 : 424-445.
Sydow, H., Sydow, P.and Butler, E.J.	1907, Fungi Indiae orientalis pars II Ibid., 5 : 485-515.
Sydow, H., Sydow, P.and Butler, E.J.	1911, Fungi Indiae orientalis pars II .Ibid., 9 : 372-421.
Sydow, H., Sydow, P.and Butler, E.J.	1912, Fungi Indiae orientalis pars IV Ibid., 10 : 243-280.
Sydow, H., Sydow, P.and Butler, E.J.	1916, Fungi Indiae orientalis pars V. Ibid., 14 : 177-220.
Sydow, H. and McRae, W.	1930, Hyphomycetes Indiae orientalis,. Ann. Crypt. Exot., 2 : 262-271.
Sydow, H and Mitter, J.H.	1933, Fungi indici, I. Ann. mycol., 31 : 85.
Sydow, H and Mitter, J.H.	1935, Fungi indici II, Ann. mycol., 33 : 46-71.
Sydow, H and Mitter, J.H.and Tandon, R.N.	1937, Fungi indici III . bid., 35 : 222-243.
Sydow, H. And P. and Bulter, E.J.	1907 Fungi Indiae orientalis. Pars-II.. Ann. Mycol., 5 : 485 -515.
Thakur, A.K. and Norris, R.V.	1928, A biochemical study of some soil fungi with special reference to ammonia production. J. Indian Inst. Sci., A, 11 : 141-160.
Thaxter, R.	1900, Preliminary diagnoses of new species of Laboulbeniales I,.Proc. Amer. Acad. Arts. Sci., 35 : 153-209.
Thaxter, R.	1902, Preliminary diagnoses of new species of Laboulbeniaceae ii Ibid., 37 : 19-45.
Theissen, F.	1912, The fungi of India. J. Bomb. nat. Hist. Soc., 21 : 1273.

Theissen, F.	1912, Legenre Asterinella Broteria, Ser. Bot. X. pp.101-123.
Theissen, F.	1913, Die Gattung Asterina, Abhandl, K.K. Zool. Bot. Gesels Wien, 7 : 1-130.
Theissen, F. and Sydow, H.	1915, Die Dothidiales. Ann. mycol., 13 : 149-746.
Thirumalachar, M.J.	1949 Critical notes on some plant rusts. Bull. Torrey. Bot. Club, 76: 339-342.
Thirumalachar, M.J.	1941, A new species of Puccinia on Ocimum adscendens .Proc. Indian Acad. Sci., B., 14 : 466-470.
Thirumalachar, M.J.	1942, Morphologic land cytological study of the rust on Hedyotis stylosa (Chrysocelis ascotela (Syd.) comb. nov. J. Indian bot. Soc., 21 : 173-177.
Thirumalachar, M.J.	1946, Nuclear cycle and life history of a new species of Doassansia (Ustilaginales). Lloydia, 9 : 24-30.
Thirumalachar, M.J.	1947, Some noteworthy rusts II. Mycologia 39 : 231-248.
Thirumalachar, M.J.	1948, A xenostele on Neolitsea zeylanica., Curr. Sci. 17 : 26-27.
Thirumalachar, M.J.	1949, Telia of the leaf rus on teak. Curr. Sci., 18 : 175-177.
Thirumalachar, M.J.	1949, Critical noteson some plant rusts. Bull. Torrey bot. Cl., 76 : 339-342.
Thirumalachar, M.J.	1950, Some new or interesting fungi II. Sydowia, 4 : 6-73.
Thirumalachar, M.J.	1950, Some noteworthy rusts III. Mycologia 42 : 224-232.
Thirumalachar, M.J.	1950, Notes on some Indian Ustilaginales II. Lloydia, 13 : 173-178.
Thirumalachar, M.J. and Chupp, C.	1948, Notes on some Cercosporae of India. Mycologia, 40 : 352-362.
Thirumalachar, M.J.and Mundkur, BB.	1949, Genera of rusts II . Indian Phytopath., 2 : 193-244.
Thirumalachar, M.J.and Mundkur, BB.	1951, Revisions of and additions to Indian fungi III. Mycol. pap., 40 : 1-15.
Thirumalachar, M.J and Narasimhan, M.J. and Gopalakrishnan, K.S.	1947, Morphology of spore forms and jereroecism of the giant bamboo rust Dasturella divina Bot. Gaz., 108 : 371-379.
Thomas, K.M.	1924, Some coffee diseases of South India . Plant, Chron., 19 : 697-704.
Thuemen, V.F.	1980, Fungorum novorum exoticorum Decas altra. Rev. Mycol. 2 : 36-38.

Tunstall, A.C.	1922 Notes on some fungus diseases prevalent during season of 1922. Quart. J. Sci. Dept. Indian Tea Assoc., 3: 115-123.
Tunstall, A.C.	Fungi on tea roots. Quart. J. Indian Tea Assoc., 1-10.
Vaidya, J.G.	1982 <i>Eutypa sacharri</i> (Acher.) Tul. And <i>Leucostoma mantgiferae</i> sp. nov. – two allantosporous ascomycetes from India. Biovigyanam. 8 : 175-177.
	Veiajhahan, R.; Nakkeeran, S. 1991 Leaf spot of <i>Eugenia jambolana</i> incited by Marimuthu, T. and Jayarajan, R. <i>Otryodiplodia theobrama</i> in Tamil Nadu. South Indian Horticulture. 39(5): 319
	Velazhahan, R., Marimuthu, T., 1992 A new species of <i>Opuntia elatior</i> in T.N. Indian Dinakarana, D., and Jayarajan, R. Phytopathology. 45 (2) : 280.
	Venkateshwarlu, N., Reddy, S.M. and 1996 Hyphomycetes from Warangal - III. Indian Reddy, S.R. Phytopathology. 49 (3): 339-441.
Venkataram, C.S.	Seed borne fungi and loss of cotton seed viability. J. Madras Univ., B. 19 : 79-112.
Venkataram, C.S.	Soil fusaria and their pathogenicity .Proc. Indian Acad. Sci., B. 42 : 129-144.
Venkataram,C.S.	1960 Tea plant and control of root diseases - I. In Situ action of soil fungicides on <i>Fomes noxius</i> , <i>Rosellina arcuata</i> and <i>Ustulina zonata</i> . Rep. Tea Sci. Dep. Un. Assn. S. India, (1959-60), 66-67.
Venkataramani, K.S.	Some aspects of the work of the botanical section of the tea Experiment Station . Bull. United Pl. Assoc. S. India, 11 : 4-11.
Venkataramani, K.S.	A leaf disease of nursery plants of the silver oak (<i>Grevillea robusta</i>) .Plant. Chron. 49 : 570-571.
Udaiyan, K., and Hosagoudar, V.B.	1993 A note on new and less known powdery mildews from Coimbatore, India. New Botanist. 20 (1/4) :115-117.
Udaiyan, K	1988 Basidiomycetes from water cooling towers. Kavaka. 16: 23-26.
Udaiyan, K	Udaiyan, K.. 1989 Some interesting Ascomycetes from water cooling towers. Kavaka. 17: 11-16.
Ullasa, B.A., and Sohi, H.S.	1987 Studies on <i>Cercospora</i> leaf spot of brinjal in Karnataka. Vegetable Science. 14 (1): 92-97.
Vittal, B.P.R., and M. Dorai	1986 <i>Civisubramaniania eucalypti</i> Gen. et.sp. nov. Trans.Br. Mycol. Soc. 87: 482-485

4. LIST OF NEW FUNGI REPORTED FROM TAMIL NADU - AFTER 2002

ACROPHRAGMIS

A. coronata Kiffer & Reisinger, 1970. Revue Ecol. & Biol. Sol. 7: 12-16. Saravanan, T. and Vittal B.P.R. 2007. Some rare and interesting Hyphomycetes from Eastern Ghats in Tamil Nadu, India. Kavaka. 35: 21-44. On unidentified leaf litter from Shervarayan hills. Collected by T. Saravanan and B.P.R. Vittal.

AGARICUS

A. croceolutescens Heinemann and Gooss. On soil, solitary, near Shervarayan temple peak, Yercaud, Salem district, Tamil Nadu. 18.10.2001, Coll. K. Narayanan. Herb MUBL. No. 3361.

A. heterocystis Heinem. and Gooss. collected at the Guindy Campus, University of Madras, Chennai. Current Science, Vol. 82, No. 9, 10 May 2002 by K. Natarajan K. Narayanan, and V. Kumaresan

AGROCYBE

A. wayanadensis Thomas and Manimohan. Natarajan, K. 2003. Mushrooms and Mycorrhizas. Kavaka. 31: 9-16. On soil in Snowdon, Nilgiri Biosphere Reserve, Tamil Nadu. Collected by K. Natarajan.

ALSIDIUM

A. resinae (Fr.) M.B. Ellis, 1971. Dematiaceous Hyphomycetes p. 90. Saravanan, T. and Vittal B.P.R. 2007. Some rare and interesting Hyphomycetes from Eastern Ghats in Tamil Nadu, India. Kavaka. 35: 21-44. On unidentified leaf litter from Shervarayan hills. Collected by T. Saravanan and B.P.R. Vittal.

AMEROSPORIOPSIS Petrak

A. gaubae Petrak, Bot. Arch., 43:84(1941): Stton, B.C., The Coelomycetes CM., England, p.373(1980). On dead leaves of Cupressus sp., kodaikanal, Tamilnadu, Nov.1987: on dead

leaflets of *Peltophorum ferrugineum* Benth., Tamilnadu, Jul. 1988, collected by J. Muthumary IC.NO.112.

AMEROSPORIUM Petrak

A. concinnum Petrak, Sydowia, 7:p.68(1958); Sutton, B.C., The Coelomycetes, CMI. England, p.619(1980)On dead leaves of *Prunus avium* L., Kodaikanal, Tamilnadu, Jul.1989, collected by J. muthumary. IC.NO: 172.

ANAMIKA

A. indica Thomas, Peintner, Moser and Manimohan. Natarajan, K. 2003. Mushrooms and Mycorrhizas. Kavaka. 31: 9-16. On soil in Ponkuzhy, Nilgiri Biosphere Reserve, Tamil Nadu. Collected by K. Natarajan.

APLOSPORELLA Ahmad

A. beaumontiana Ahmad, Biologia, Lahore, 8: 144(1962): Mathur. The Coelomycetes of India, p.16(1979): Sutton, B.C., The Coelomycetes, CMI, England, p.190(1980). On twigs and bark of several unidentified host plants Tamilnadu, Nov.89.collected by J. Muthumary, IC.NO.173.

ARTHRINIUM

A. euphorbiae M.B. Ellis, 1965 Mycol. Pap. 103: 8-10. Saravanan, T. and Vittal B.P.R. 2007. Some rare and interesting Hyphomycetes from Eastern Ghats in Tamil Nadu, India. Kavaka. 35: 21-44. On leaf litter of *Neolitsea scrobiculata*, *Persea mechrantha* and unidentified leaf litter from Kolli hills. Collected by T. Saravanan and B.P.R. Vittal. Mathur (1971) has recorded first species in this genus from India.

ASCOCHYTA Sprague and Johnson

A. avenae Sprague & Johnson, Mycologia, 40:297(1948): Punithalingam, E., Mycol.pap.,NO-142:51(1979). On dead twigs of *Cynodon dactylon*L., Cowtallam, Tamilnadu, Jul.1989, collected by J. Muthumary, IC.NO.174

A. festucae Punithalingam, E., Mycol. Pap.,142:79-81(1979). On dead leaflets of *Phoenix sylvestris* Roxb. Madras. Tamilnadu, Apr.1988, collected by J.Muthumary. IC.NO.145.

A. phaseolorum Saccardo, Sylloge Fungorum, III;398(1884): Sohi, H.S& Nayar, S.K., Indian Phytopath., 22:462-465. On dead fruits of *Pongamia glabra* vent. Madras, Tamilnadu, May 1988: on dead petiole of *carica papaya* L., Madras, Tamilnadu., Apr. 1988 on dead twigs of *Bambusa arundinacea* Willd., Madras, Tamilnadu, May 1988, collected by J. Muthumary IC.NO.146.

A. pisi Lib.,pl.Crypt.Ard.Fasc.,1:59(1830): Anon, Indian J.Agric.Sci.,20:107-142(1960);Mathus, The Coelomycetes of India, p.21(1979):Sutton, B.C., The Coelomycetes, CMI, England, p.409(1980). On dead twigs of *Phaseous vulgaris* collected from Madras, Tamilnadu, Jul.1988 collected by J. Muthumary, IC.NO147.

A. sorghi Sacc., Nuovo. G.Bot. Ital.ser., II 7:302(1875); Mehta and bose, Curr.Sci., 15:49-50(1946): Mathur, The coelomycetes of India, p.22(1979). On dead leaves of *Sorghum bicolor* moench., Courtallam, Tamilnadu, Jul.1989, collected by, J. Muthumary, IC.NO.175.

ASTEROMA

A. psidi Tyagi amd Agnihotri, proc. Indian Acad. Sci., 55B:118(1962); Mathur, The Coelomycetes of India, p.23(1979). On litter of *Pracaena terminalis* W., Madra, Tamilnadu., Jan.1989, collected by J. Muthumary. IC.NO:176.

BELTRANIPELLA

B. pirozynskii Kirk, 1981. Trans. Br. mycol. Soc. 77 (3): 547-473. Saravanan, T. and Vittal B.P.R. 2007. Some rare and interesting Hyphomycetes from Eastern Ghats in Tamil Nadu, India. Kavaka. 35: 21-44. On leaf litter of *Neolitsea scrobiculata* from kolli hills. Collected by T. Saravanan and B.P.R. Vittal.

BLASTOCATENA

B. pulneyensis Subram. & Bhat. Bhat, D.J. 2008. The forests of Western Ghats, an abode of novel and interesting Microfungi. Kavaka. 36: 1-11. On unidentified decaying twigs from Kodaikanal, Tamil Nadu. Isolated by D.J. Bhat.

BOTRYODIPLODIA

B. theobromae Pat., Bull. Trimset.Soc. Mycol.Fr., 8:136(1892): Petrak, K., Annls. Mycol., 21:332(1923): Tandon, B. and Verma, N., Curr. Sci.,33:625-627(1964):Soji, H.S and Mahalay,, M.N.,Indian. J.Mycol.pl.path.,4:26(1974): Mathur, The Coelomycetes of India, pp.29-33(1979):Sutton, B.C., The Coelomycetes, CMI, England, p.191(1980).On dead leaves of Polygonum sp., Cupressus sp., and Rhododendron arboreum sm., Kodaikanal, Tamilnadu, Nov.1987: ON DAED FRUITS OF Theobroma cacao L.Madras, Tamilnadu, Jan.1988: on petiole of Carica papaya L.Madras, Tamilnadu, May 1988: on leaves of Dracaena temiflora Roxb. Madras, Tamilnadu, July 1988: on Phyllode of cactus indicus Roxb. Madras, Tamilnadu, Sep. 1988: on dead twigs of Pedilanthus tithymaloides poit.,Madras, Nov.1988: on dead leaves of Ficus bengalensis L.Madras, Tamilnadu,1988: on dead fruit of Cocos nucifera, L.Madras, Feb.1989, collected by J.Muthumary.

BRACHYSPORIELLINA

B. pulneyensis Subram. & Bhat. Bhat, D.J. 2008. The forests of Western Ghats, an abode of novel and interesting Microfungi. Kavaka. 36: 1-11. On unidentified dead twig from Kodaikanal, Tamil Nadu. Isolated by D.J. Bhat.

CAMAROSPORELLUM

C. nervisequum Tassi, Bull. Lab.ort.Bot.Siena, 5:62(1902): Sutton, B.C. and Pollack, F.G., Mycopath. Mycol.Soc., 48:349-366(1974): Sutton, B.C., The Coelomycetes, CMI, England, p.80(1980). On dead twigs of Magnolia sp., Kodaikanal, Sep, 1980 by J. Muthumary. IC.NO.100

CAMAROSPORIUM

C. quaternatum Schulz, Varh. Zool-Bot.Ges.Wien, 20:641(1870): Sutton, B.C., The Coelomycetes, CMI, England, P.125(1980). On a dead twigs of Acacia decurrens Willd., Koadaikanal, Tamilnadu, Nov.1987, collected by J.Muthumary, IC.NO.113.

CAMPOSPORIUM

C. antennatum Harkn., 1884. Bull. Calir. Acad. Sci. 1: 37-38. Saravanan, T. and Vittal B.P.R. 2007. Some rare and interesting Hyphomycetes from Eastern Ghats in Tamil Nadu, India. Kavaka. 35: 21-44. On leaf litter of Neolitsea scrobiculata and unidentified leaf litter from Kolli hills; on unidentified leaf litter from Shervarayan hills, Yelagiri hills and Kalrayan hills

CATENULARIA

C. kalakadensis Subram. & Bhat. Bhat, D.J. 2008. The forests of Western Ghats, an abode of novel and interesting Microfungi. Kavaka. 36: 1-11. On unidentified decaying twigs from Kalakad, Tamil Nadu. Isolated by D.J. Bhat.

CERATOSPORELLA Hoehnel (Zbl. f. Bakter. u .Parasitenk., 2 Abt., 60: 6, 1923). Imp., Moniliales, Dematiaceae

C. deviata Subram. Kavaka. 35: 21-44. On leaves of Raphistyles sapida, Government Garden, Ootacamund. Saravanan, T. and Vittal B.P.R. 2007. Some rare and interesting Hyphomycetes from Eastern Ghats in Tamil Nadu, India. Kavaka. 35: 21-44. On leaf litter of Persea mechrantha, Neolitsea scrobiculata and unidentified leaf litter from Kolli hills. Collected by T. Saravanan and B.P.R. Vittal.

C. pulneyensis Subram & Bhat. Bhat, D.J. 2008. The forests of Western Ghats, an abode of novel and interesting Microfungi. Kavaka. 36: 1-11. On unidentified dead twig from Kodaikanal, Tamil Nadu. Isolated by D.J. Bhat.

CERATOSPORIUM

C. fuscescens Schw., 1831. Trans. Am. Phil. Soc., N.S. 4: 300. Saravanan, T. and Vittal B.P.R. 2007. Some rare and interesting Hyphomycetes from Eastern Ghats in Tamil Nadu, India. Kavaka. 35: 21-44. On unidentified lea litte from Yelagiri hills. Collected by T. Saravanan and B.P.R. Vittal.

CEUTHOSPORA

C. lauri Grev., Scot. Crypt. Flora, 5:254(1827): Sutton, B.C., The Coelomycetes, CMI, England , p.473(1980): Nag Raj, T.R., Coelomycetes anamorphus with appendage bearing

conidia, mycologue publications, Canada.pp.172-173(1993); Masilamani, S. and J.Muthumary, J.Indian Bot.Soc., 72:311-312(1993). On dead leaves of *Prunus avium* L., Kodaikanal, Tamilnadu, Nov.1987, collected by J.Muthumary. IC.NO.114.

CHACTODIPLODIA

Chactodiplodia sp. Mathur, The coelomycetes of India, p36(1979)., Sutton, B.C., the Coelomycetes, CMI, England, p.429(1980). On dead wigs of unidentified plants Kambakkam, Chennai, Nov.1987, J.Muthumary, IC.NO.119.

CHAETOCHALARA

C. africana Sutton & Pirozynski, 1965. Trans. Br. mycol. Soc. 48: 350-354. Saravanan, T. and Vittal B.P.R. 2007. Some rare and interesting Hyphomycetes from Eastern Ghats in Tamil Nadu, India. Kavaka. 35: 21-44. On leaf litter of *Neolitsea scrobiculata* and unidentified leaf litter from Kolli hills and Kalrayan hills. Collected by T. Saravanan and B.P.R. V ittal.

CHAETOCONIS

C. polygeni Clements, Genera of Fungi, 125(1909):Sutton,B.c., The Coelomycetes, CMI,England, p.412(1980): Nag Raj, T.R., Coelomycetous anamorphs with appendage bearing Conidia, Mycologue publications, Canada, pp.189-191(1993). On dead twigs of *Flacourtie indica*, Kadaikanal, Tamilnadu, 1987, collected by J.Muthumary, IC,NO.116.

CHAETOMELLA

C. acutiseta Sutton and sarbhoy, Trans. Br.Micol.Soc.,299(1976):Sutton, B.C., The Coelomycetes, CMI, England, p.548(1980). On dead leaves of *Pyrus communis* L., Nillgiris, Tamilnadu, Feb.1988, collected by J. Muthumary, IC.NO.148

C. raphigera Swift, Mycologia, 22:165(1930): stolk, A.C., Trans. Br. Mycol.Soc.,46:409-425(1963):Sutton, B.C and Sarbhoy, A.K., Trans.Br.Micol.Soc.,66:297-303(1976):Sutton. B.C., The Coelomycetes. CMI.England,p.548(1980). On dead leaves of several host plants and soil, Tamilnadu.Jul.1988.collected by J. Muthumary.

CHAETOPATELLA

C. indica Vasant Roa and I.M.Verghese, Norw.J.Bot.,24(1):45-47(1977). Mathur, The coelomycetous anamorphus with appendage bearing conidia, mycologia publication, Canada, p,725(1993). On culture of Bambusa sp., Kambakkam, Tamilnadu, Jul.1988, collected by J. Muthumary, IC.NO.149.

CHAETOPSINA

C. fulva Rambelli, 1956. Atti Accad. Sci. Ist. Bologna Rc., Swe. 11, 3: 5. Saravanan, T. and Vittal B.P.R. 2007. Some rare and interesting Hyphomycetes from Eastern Ghats in Tamil Nadu, India. Kavaka. 35: 21-44. On leaf litter of Persea mechrantha and Neolitsea scrobiculata from Kolli hills; on unidentified leaf litter from Shervarayan hills and Pacchaimalai hills. Collected by T. Saravanan and B.P.R. Vittal.

CHLAMYDOMYCES

C. palmarum (Cooke) Mason. Saravanan, T. and Vittal B.P.R. 2007. Some rare and interesting Hyphomycetes from Eastern Ghats in Tamil Nadu, India. Kavaka. 35: 21-44. On leaf litter of Neolitsea scrobiculata from Kolli hills; on unidentified leaf litter from Pacchaimalai hills. Collected by T. Saravanan and B.P.R. Vittal.

CILIOCHORELLA

C. mangiferae Sydow and Mitter, Annls Mycol.,33:63(1935): Mathur. The Coelomycetes of India, pp.40-41(1979): Sutton, B.C., The Coelomycetes, CMI, England, p.480(1980): Nag Raj, T.R., Coelomycetous anamorphs with appendage bearing conidia, Mycologue publication, Canada, pp.210-213(1993): shrama, N.D. and N.Sushma, Indian phytopath.,43(3):477-481(1900): Masilamani, S. and Muthumary, J., Mycol. Res., 98(8):857-861(1994). On dead leaves of Thebroma cacao L., Madras, Tamilnadu, Jan.1988: on dead leaves of Psidium guajava L., Mangifera indica L., Dodonea viscosa L., Aritocarpus hetero phyla Lam. And Bauhinia pupurea L., courtallam, Tamilnadu, Jul. 1989, collected by J.Muthumary. IC.NO:121.

CIRCINOTRICHUM

C. fertile Pirozynski & Hodges, 1973. Can. J. Bot. 51: 159-162. Saravanan, T. and Vittal B.P.R. 2007. Some rare and interesting Hyphomycetes from Eastern Ghats in Tamil Nadu, India. Kavaka. 35: 21-44. On leaf litter of *Persea mechnertha* and *Neolitsea scrobiculata* from Kolli hills; on unidentified leaf litter from Shervarayan hills, Jawadi hills and Kalrayan hills. Collected by T. Saravanan and B.P.R. Vittal.

CLARKEINDA

Clarkeinda trachodes (Berk.) Leelavathy, K.M., S. Zachariah, & K.V. Sankaran (1981). *Clarkeinda rhacodes* a new record from India. *Mycologia* 73(1): 204–207. Kumar, M. & V. Kaviyarasan (2011). A rare agaric (Agaricomycetes: Agaricaceae) from a sacred grove of Eastern Ghats, India. *Journal of Threatened Taxa* 3(5): 1778–1781. Collected at Kolli Hills , Tamilnadu

CODINAEA

C. assamica (Agnihothrudu) Hughes & Kendrick, 1968. N.Z. Jl. Bot. 6: 347-348. Saravanan, T. and Vittal B.P.R. 2007. Some rare and interesting Hyphomycetes from Eastern Ghats in Tamil Nadu, India. Kavaka. 35: 21-44. On leaf litter of *Persea mechnertha* and *Neolitsea scrobiculata* from Kolli hills; on unidentified leaf litter from Shervarayan hills, Pacchaimalai hills and Kalrayan hills. Collected by T. Saravanan and B.P.R. Vittal.

C. fertillis Hughes & Kendrick, 1968. N.Z. Jl. Bot. 6: 347-348. Saravanan, T. and Vittal B.P.R. 2007. Some rare and interesting Hyphomycetes from Eastern Ghats in Tamil Nadu, India. Kavaka. 35: 21-44. On unidentified leaf litter from Kolli hills and Jawadi hills. Collected by T. Saravanan and B.P.R. Vittal.

COLEOPHOMA

C. crateriformis Hohn, Sher, Akad,Wiss, Wien., 116:637(1907)., Sutton, B.C., The coelomycetes, CMI, England, P.403(1980): Muthumary, J. and S. Masilamani, J. Indian. Bot.Soc., 68:131-133(1989). On dead leaves of *Litsea wightiana* (Lauraceae), Bombay shoal, Kodaikanal (altitude 2,400M) Tamilnadu, November 1987. Collected by J. Muthumary, IC.NO.132.

C. cylindrospora Hohn , Ber. Dtsch. Bot. Ges.,37:14(1919): Sutton, B.C., The Coelomycetes, CMI, England, p.403(1980): Muthumary, J. and S. Masilamani, J. Indian Bot.Soc., 68:131-133(1989). On litter of *Ilex wightiana*, Kodaikanal, Tamilnadu, Nov.1987, collected by J.Muthumary. IC.NO.124.

C. empetri Petrak, Annls, Mycol., 27:331(1929): Laxminarayanan P. and S.M. Reddy, Curr. Sci.,45:530(1976): Mathur, The Caelomycetes of India, P.42(1979): Sutton, B.C., The Coelomycetes, CMI, England, P.403(1930). On dead leaves of *Yucca gloriosa* L., Kodaikanal, Taminadu, Nov, 1987, collected by J.Muthumary, IC.NO.120.

COLLETOGLOCCUM

C. feroniae Sutton, B.C., The coelomycetes, CMI, England, p.312(1980). On dead leaves of *Feronia elephantum*, Kambakkam, Tamilnadu, collected by J.Muthumary, October 1990. IC.NO.204.

COLLETOGLOCCUM

C. sissoo Sutton, B.C., Mycol pap., 97:14(1964): Mathur. The Coelomycetes of India, p.42(1979): Sutton, B.C., The Coelomycetes, CMI, England, P.318(1980). On leaves, dead twigs and pods of *Dalbergia sissoo*, Vandalur zoo. 1990, collected by J.Muthumary. IC.NO.205.

COLLECTOTRICHUM

C. capsici Butter and Bisby, Imp. Counc.Agr.Res.India Sci, Monoger.,1:152: Sutton, B.C., The Coelomycetes, CMI,E ngland, p.537(1980). On dead leaf of *Capsicum annum*, collected by J.A.Jayachandra, Dec. Vandalur zoo, IC.NO.223.

C. lindemuthianum Br. and Cav., Fungi parass, p.50(1889): Sahni, V.P. Mycopath. Mycol. Appl.,27:342-356(1965): Mathur, The Coelomycetes of India, pp.61-62(1979): Sutton, B.C., The Coelomycetes, CMI, England, p.528(1980). On dead leaves of *Pongamia glabra* Vent., Madras, Tamilnadu, Nov.1988:on dead twigs of *Bambusa arundinacea* Wild. Collected from Madras, Tamilnadu, Jan.1988, collected by J.Muthumary.

CONIELLA

C. castaneicola Sutton, B.C., The Coelomycetes, CMI, England, p.420(1980): Muthumary, J. and S.Masilamani, J.Indian Bot. Soc.68:131-133(1986). On litter of Elaeocarpus sp., Bombay Shola, Kodaikanal,(altitude 2400M) Tamilnadu, November 1987, collected by J. Muthumary.

C. fragariae Sutton, Mycol. Pap.,141:p.47(1977): Mathur, The Coelomycetes of India, pp65(1979): Sutton, B.C. The Coelomycetes, CMI, England, p.422(1980): Muthumary, J. and R.Vanaja, Trans. Br. Mycol.Soc.,87(1):109-113(1986). On dead leaves of Eucalyptus globules Labill. Collected from Bryant park, Kodaikanal, Tamilnadu, Jul.1988, collected by J. Muthumary, IC.NO.150.

CONIOTHYRIUM

C. fuckelii Sacc. In.Ven. novi vel critici ser., 5:200: Sahni, V.P., Mycopath. Mycol. Appl., 29: 226-229(1966). Mathur, The Coelomycetes of India, pp.68(1979). On dead leaves of Magifera indica L., Theosophical society, Madras, Tamilnadu, Nov.1987, collected by J.Muthumary, IC.NO.121

C. palmarum Cda., Icones fungarum, 4:38(1840): Sutton, B.C., The Coelomycetes, CMI, England, p.123(1980). On dead leaves of unidentified palm, Kambakkam, Tamilnadu, India, Jul, 1988, collected by J. Muthumary. IC.NO.151.

CONOSTROMA

C. quercicola Muthumary, J., current science, 55(21):pp1081-1082)(1986). On fallen twigs of Quercus alba, Bryant park, Kodaikanal, Tamilnadu, December 1983 collected by J.Muthumary, MUBL NO. 2914.

CORTINARIUS

C. conopileus Thomas, Moser, Peintner and Manimohan. Natarajan, K. 2003. Mushrooms and Mycorrhizas. Kavaka. 31: 9-16. On soil in Ponkuzhy, Nilgiri Biosphere Reserve, Tamil Nadu. Collected by Natarajan.

C. keralensis Thomas, Moser, Peintner and Manimohan. Natarajan, K. 2003. Mushrooms and Mycorrhizas. Kavaka. 31: 9-16. On soil in Ponkuzhy, Nilgiri Biosphere Reserve, Tamil Nadu. Collected by Natarajan.

C. phlegmophorus Thomas, Moser, Peintner and Manimohan. Natarajan, K. 2003. Mushrooms and Mycorrhizas. Kavaka. 31: 9-16. On soil in Ponkuzhy, Nilgiri Biosphere Reserve, Tamil Nadu. Collected by Natarajan.

C. pseudosalor Thomas, Moser, Peintner and Manimohan. Natarajan, K. 2003. Mushrooms and Mycorrhizas. Kavaka. 31: 9-16. Ponkuzhy, Nilgiri Biosphere Reserve, Tamil Nadu. Collected by Natarajan.

CORYNEUM

C. indicum Sutton, B.C and Rizwi, Nova Hedwigia, 32: 341-346(1980). On dead twigs of Quereus sp., Kodaikanal, Tamilnadu, Nov.1987, collected by J. Muthumary, IC.NO.151.

C. modonium Griff and Maubl., Bull. Trimmest. Soc.Mycol.Fr., 26:379(1910); Sutton, B.C. Mycological papers.,138;38-40(1975). Sutton , B.C., The coelomycetes, CMI, England, p.354,(1980); Muthumary, J., Current science, 56(23);pp.1245-1247(1987).On dead twigs of Ficus bengalensis Theosophical society, Adayar, Tamilnadu, April 1980. Herb. MUBL NO.2916: Srivaikuntam, Thirunelveli District, Tamilnadu, October 1980, Herb. MUBL.NO.2917

C. quercinum Muthumary, J. and B.C. Sutton, Trans. Br. Mycol. Soc, 86(3):512-515(1986).

On fallen twigs of Quereus alba, Kodaikanal, Tamilnadu, Jan. 1986, J. Muthumary, MUBL.NO. 2872.

CRASPEDODIDYMUM

C. pulneyensis Subram & Bhat. Bhat, D.J. 2008. The forests of Western Ghats, an abode of novel and interesting Microfungi. Kavaka. 36: 1-11. On unidentified dead twig from Kodaikanal, Tamil Nadu. Isolated by D.J. Bhat.

CRYPTOPHIALE

C. apicalis Bhat & Kendrick, 1993. Mycotaxon XLIX: 38-40. Saravanan, T. and Vittal B.P.R. 2007. Some rare and interesting Hyphomycetes from Eastern Ghats in Tamil Nadu, India.

Kavaka. 35: 21-44. On unidentified leaf litter from Yelagiri hills. Collected by T. Saravanan and B.P.R. V ittal.

C. secunda Kuthubutheen & Sutton, 1985. Trans. Br. mycol. Soc. 84: 303-306. Saravanan, T. and Vittal B.P.R. 2007. Some rare and interesting Hyphomycetes from Eastern Ghats in Tamil Nadu, India. Kavaka. 35: 21-44. On leaf litter of *Neolitsea scrobiculata* and unidentified leaf litter from Kolli hills; on unidentified leaf litter from Shervarayan hills. Collected by T. Saravanan and B.P.R. V ittal.

C. udagawae Pirozynski & Ichinoe, 1968. Can. J. Bot. 46: 1126-1127. Saravanan, T. and Vittal B.P.R. 2007. Some rare and interesting Hyphomycetes from Eastern Ghats in Tamil Nadu, India. Kavaka. 35: 21-44. On leaf litter of *Persea mechnertha* and *Neolitsea scrobiculata* from Kolli hills; on unidentified leaf litter from Shervarayan hills and Pacchaimalai hills. Collected by T. Saravanan and B.P.R. Vittal.

CRYPTOSPORIOPSIS

C. malicorticis Nannfeldt, Nova, Aeta Reg. Soc. Scient. Upsal., Ser.4, 8:91(1932): Sutton, B.C., The Coelomycetes, CMI, England, p.513(1980). On fresh leaves of *Plumeria obtuse*(Apocynaceae), Theosophical society, Adayar, Chennai, On May 2000, collected by Senthil priya, IC.NO.260.

CYLINDROGLOEUM

C. trilli Arx, Verh. K.Ned.Akad, wet. Afd. Natuurk.,51:143(1957): Sutton, B.C., The coelomycetes, CMI, England, p.596(1980). On dead leaves of *citrus lemonium* L., Madras, on Mar.1989, collected by J.Muthumary, IC.NO.177

CYSTOLEPIOTA

C. hemisclera (Berk. And Curt.) Pegler, in Agaric Fl. Of the Lesser Antilles: Kew bull. Add. Ser. 9:378 (1983 a). On soil, solitary, way to Shervarayan temple peak, Yercaud, Salem district, Tamil Nadu. 18.10.2001,Coll. K. Narayanan. Herb MUBL. No. 3347.

DENDRYPHIOPSIS

D. incrustans Ellis & Ecerh., 1892. N. Am. Pyrenom. 201. Saravanan, T. and Vittal B.P.R. 2007. Some rare and interesting Hyphomycetes from Eastern Ghats in Tamil Nadu, India. Kavaka. 35: 21-44. On leaf litter of *Neolitsea scrobiculata* and unidentified leaf litter from Kolli hills. Collected by T. Saravanan and B.P.R. Vittal.

DESCOLEA

D. maculate. Natarajan, K. 2003. Mushrooms and Mycorrhizas. Kavaka. 31: 9-16. Sim's park, Nilgiri Biosphere Reserve, Tamil Nadu. Collected by Natarajan.

DIARIMELLA

D. setulosa Sutton, B.C., The Coelomycetes, CMI, England, p.454(1980),Masilamani, S.Ph.D. thesis 1989. On dead leaves of *Magnolia* sp., Nilgiris, Tamilnadu, on Feb. 1988, collected by S.Masilamani, IC.NO.152.

DICTYOARTHRINIUM

D. sacchari (Stevenson) Damon. Saravanan, T. and Vittal B.P.R. 2007. Some rare and interesting Hyphomycetes from Eastern Ghats in Tamil Nadu, India. Kavaka. 35: 21-44. On leaf litter of *Persea mechrantha* and *Neolitsea scrobiculata* from Kolli hills; on unidentified leaf litter from Shervarayan hills, Yelagiri hills and Pacchaimalai hills. Collected by T. Saravanan and B.P.R. Vittal.

DICTYOSPORIUM

D. heptasperum (Garov.) Damon. Saravanan, T. and Vittal B.P.R. 2007. Some rare and interesting Hyphomycetes from Eastern Ghats in Tamil Nadu, India. Kavaka. 35: 21-44. On unidentified leaf litter from Kolli hills. Collected by T. Saravanan and B.P.R. Vittal.

DINEMASPORIUM

D. aberrans Sutton, B.C., Can. J. Bot., 47:p.2098(1969): Sutton, B.C., The colemycetes, CMI, England, p.457(1980): Nag Raj, T.R., Colemycetous anamorphus with appendage bearing

Conidia, Mycologue publication, Canada.PP.261-262(1993). On dead leaves of Hydrocotyle asiatica L., Kodaikanal, Tamilnadu, On, Nov.1987, collected by J. Muthumary. IC.NO:123.

D. strigosum Saccardo, Michelia 2:281(1881): Sutton, B.C., The Coelomycetes, CMI, England, p.458(1980); Nag Raj, T.R., Coelomycetes anamorphus with appendage bearing conidia, Mycologue publication, Canada. Pp.270-272(1993). On leave and culms of Bambusa sp., Cynodon dactylon, Kodaikanal, Jul. 1987, collected by J. Muthumary, IC.NO.153. Mehrotra(1979) has recorded *D. erysiphoida*, Ell. And Ev., *D. grominum*(Berk) Leu.D. *Hispidulum*(Schrod) Sacc. And *D. Microsporum* sacc. From India.

DIPLODIA

D. sycina Mont, In cast, Cat. Pl. Mars.Suppl., p.54(1851) Saccardo, Sylloge Fungorum, 3: 350(1884): Sydow and Butler, Annls. Mycol., 14:198(1916): Mathur, The coelomycetes of India, pp.86(1976): Masilamani, S., Ph.D. thesis, university of Madras,(1994). On dead leaves of *Ficus bengalensis* L., Madras, Tamilnadu, on May 1988: on dead leaves of *Lagerstroemia parviflora* Roxb., Madras, Tamilnadu on Sep.1988, collected by J. Muthumary. IC.NO.154. More than seventy species were recorded from India in Diplodia from various host(Mathur, 1979) *Diplodia Mutila* Fr. And Mont. Is the type species of this genus (Sutton 1980).

DISCOGLOEUM

D. veronicae Petrak, Annls Mycol., 27:370(1929): Sutton, B.C., The Coelomycetes, CMI, England., p.505(1980). On dead petiole of *Monstera* sp., Madras, Taminadu, on Jan., 1988; on dead petiol:e of *Carica* leaves L., Madras, Tamilnadu, on Apr. 1988: on dead leaves of *Colocasia antiquorum* Schott, Madras, Tamilnadu, on Mar.1989, collected by J. Muthumary, IC.NO:155.

DWAYABEEJA Subram. (J. India bot. Soc., 37, p. 56, 1958). Imp., Moniliales, Dematiaceae .

D. sundara Subram. on dead leaf rachis of *Phoenix canariensis*, Sim's Park, Coonoor. Saravanan, T. and Vittal B.P.R. 2007. Some rare and interesting Hyphomycetes from Eastern Ghats in Tamil Nadu, India. Kavaka. 35: 21-44. On unidentified leaf litter from Kolli hills. Collected by T. Saravanan and B.P.R. Vittal.

EXCIPULARIA

E. narsapurensis Subram. Saravanan, T. and Vittal B.P.R. 2007. Some rare and interesting Hyphomycetes from Eastern Ghats in Tamil Nadu, India. Kavaka. 35: 21-44. On unidentified leaf litter from Kalrayan hills. Collected by T. Saravanan and B.P.R. Vittal.

E. phyllantheum (Sacc.) M.B. Ellis. Saravanan, T. and Vittal B.P.R. 2007. Some rare and interesting Hyphomycetes from Eastern Ghats in Tamil Nadu, India. Kavaka. 35: 21-44. On unidentified leaf litter from Yelagiri hills and Kalrayan hills. Collected by T. Saravanan and B.P.R. Vittal.

ENTOLOMA

E. nilgiriensis Natarajan and Ravindran. Natarajan, K. 2003. Mushrooms and Mycorrhizas. Kavaka. 31: 9-16. On soil in Snowdon, Nilgiri Biosphere Reserve, Tamil Nadu. Collected by Natarajan and Ravindran.

E. indica Natarajan and Ravindran. Natarajan, K. 2003. Mushrooms and Mycorrhizas. Kavaka. 31: 9-16. On rotting wood in Thaishola Reserve Forest, Nilgiri Biosphere Reserve, Tamil Nadu. Collected by Natarajan and Ravindran.

FALCOCLADIUM

F. multivesiculatum Silveira, Alfenos, Crous & Wingfield. Saravanan, T. and Vittal B.P.R. 2007. Some rare and interesting Hyphomycetes from Eastern Ghats in Tamil Nadu, India. Kavaka. 35: 21-44. On unidentified leaf litter from Kolli hills. Collected by T. Saravanan and B.P.R. Vittal.

GONYTRICHUM

G. macrocladum (Sacc.) Huges. Saravanan, T. and Vittal B.P.R. 2007. Some rare and interesting Hyphomycetes from Eastern Ghats in Tamil Nadu, India. Kavaka. 35: 21-44. On leaf litter of Neolitsea scrobiculata and unidentified leaf litter from Kolli hills. On unidentified leaf litter from Shervarayan hills. Collected by T. Saravanan and B.P.R. Vittal.

HELICOMA

H. dennisii M.B. Ellis. Saravanan, T. and Vittal B.P.R. 2007. Some rare and interesting Hyphomycetes from Eastern Ghats in Tamil Nadu, India. Kavaka. 35: 21-44. On unidentified leaf litter from Kolli hills. Collected by T. Saravanan and B.P.R. Vittal.

HELICOMINA

H. caperoniae Olive. Saravanan, T. and Vittal B.P.R. 2007. Some rare and interesting Hyphomycetes from Eastern Ghats in Tamil Nadu, India. Kavaka. 35: 21-44. On unidentified leaf litter from Kolli hills. Collected by T. Saravanan and B.P.R. Vittal.

HELICOSPORIUM

H. serpentinum Linder. Saravanan, T. and Vittal B.P.R. 2007. Some rare and interesting Hyphomycetes from Eastern Ghats in Tamil Nadu, India. Kavaka. 35: 21-44. On leaf litter of Persea mechrantha and Neolitsea scrobiculata and unidentified leaf litter Kolli hills; on unidentified leaf litter from Shervarayan hills, Jawadi hills and Kalrayan hills. Collected by T. Saravanan and B.P.R. Vittal.

HELICOUBISIA

H. coronate Lunghini & Rambilli. Saravanan, T. and Vittal B.P.R. 2007. Some rare and interesting Hyphomycetes from Eastern Ghats in Tamil Nadu, India. Kavaka. 35: 21-44. On unidentified leaf litter from Jawadi hills. Collected by T. Saravanan and B.P.R. Vittal.

HEMIBELTRANIA

H. cinnamomi (Deighton) Pirozynski. 2007. Some rare and interesting Hyphomycetes from Eastern Ghats in Tamil Nadu, India. Kavaka. 35: 21-44. On leaf litter of Cinnamomum zeylanicum from Kolli hills; on unidentified leaf litter from Jawadi hills. Collected by T. Saravanan and B.P.R. Vittal.

HENICOSPORA

H. coronate Kirk & Sutton. Saravanan, T. and Vittal B.P.R. 2007. Some rare and interesting Hyphomycetes from Eastern Ghats in Tamil Nadu, India. Kavaka. 35: 21-44. On

unidentified leaf litter from Kolli hills, Pacchaimalai and Jawadi hills. Collected by T. Saravanan and B.P.R. Vittal.

IDRIELLA

I. lunata Nelson & Wilhelm. Saravanan, T. and Vittal B.P.R. 2007. Some rare and interesting Hyphomycetes from Eastern Ghats in Tamil Nadu, India. Kavaka. 35: 21-44. On leaf litter of *Persea mechrantha* and *Neolitsea scrobiculata* and unidentified leaf litter Kolli hills; on unidentified leaf litter from Yelagiri hills and Pacchaimalai. Collected by T. Saravanan and B.P.R. Vittal.

INOCYBE

I. glbripes. Natarajan, K. 2003. Mushrooms and Mycorrhizas. Kavaka. 31: 9-16. Thaishola Reserve Forest, Nilgiri Biosphere Reserve, Tamil Nadu. Collected by K. Natarajan.

I. neoumbrina. Natarajan, K. 2003. Mushrooms and Mycorrhizas. Kavaka. 31: 9-16. Thaishola Reserve Forest, Nilgiri Biosphere Reserve, Tamil Nadu. Collected by K. Natarajan.

I. egenula. Natarajan, K. 2003. Mushrooms and Mycorrhizas. Kavaka. 31: 9-16. Thaishola Reserve Forest, Nilgiri Biosphere Reserve, Tamil Nadu. Collected by K. Natarajan.

I. jacobii. Natarajan, K. 2003. Mushrooms and Mycorrhizas. Kavaka. 31: 9-16. Masinigudi, Nilgiri Biosphere Reserve, Tamil Nadu. Collected by K. Natarajan.

I. trivialis. Natarajan, K. 2003. Mushrooms and Mycorrhizas. Kavaka. 31: 9-16. Lovedale, Nilgiri Biosphere Reserve, Tamil Nadu. Collected by K. Natarajan.

KIONOCHAETA

K. ramifera (Mats.) Kirk & Sutton. Saravanan, T. and Vittal B.P.R. 2007. Some rare and interesting Hyphomycetes from Eastern Ghats in Tamil Nadu, India. Kavaka. 35: 21-44. On unidentified leaf litter from Kolli hills. Collected by T. Saravanan and B.P.R. Vittal.

K. spissa Kirk & Sutton. Saravanan, T. and Vittal B.P.R. 2007. Some rare and interesting Hyphomycetes from Eastern Ghats in Tamil Nadu, India. Kavaka. 35: 21-44. On leaf litter of *Persea mechrantha* and *Neolitsea scrobiculata* from Kolli hills; on unidentified leaf litter from Shervarayan hills and Jawadi hills. Collected by T. Saravanan and B.P.R. Vittal.

KRAMASAMUHA

K. sibika Subram. & Vittal. Saravanan, T. and Vittal B.P.R. 2007. Some rare and interesting Hyphomycetes from Eastern Ghats in Tamil Nadu, India. Kavaka. 35: 21-44. On leaf litter of *Neolitsea scrobiculata* Kolli hills. Collected by T. Saravanan and B.P.R. Vittal.

KUMANASAMUHA

K. kalakadensis Subram. & Bhat. Bhat, D.J. 2008. The forests of Western Ghats, an abode of novel and interesting Microfungi. Kavaka. 36: 1-11. On unidentified dead twig from Kalakad, Tamil Nadu. Isolated by D.J. Bhat. *K. sundara* Rao & Dev Rao. Saravanan, T. and Vittal B.P.R. 2007. Some rare and interesting Hyphomycetes from Eastern Ghats in Tamil Nadu, India. Kavaka. 35: 21-44. On unidentified leaf litter from Kolli hills and Shervarayan hills. Collected by T. Saravanan and B.P.R. Vittal.

LACCARIA

L. fraterna. Natarajan, K. 2003. Mushrooms and Mycorrhizas. Kavaka. 31: 9-16. On Eucalyptus plantations at Naduvattam and Doddabetta, Nilgiri Biosphere Reserve, Tamil Nadu. Collected by K. Natarajan.

LEPIOTA

L. erythrosticta (Berk. And Br.) Sacc. On soil, in groups, near Orchidarium, Yercaud, Salem district, Tamil Nadu. 17.10.2001, Coll. K. Narayanan. Herb MUBL. No. 3348.

L. kigumuensis Pegler. On soil, solitary, way to Botanical garden, Yercaud, Salem district, Tamil Nadu. 17.10.2001, Coll. K. Narayanan. Herb MUBL. No. 3349.

L. leprica (Berk. And Br.) Sacc. On ground, solitary to groups, near Madhikettan sholai, Kodaikanal, Tamil Nadu. 11.10.2001, Coll. K. Narayanan. Herb MUBL. No. 3351.

L. tepeitensis Murr.var. cystidiosa var.nov. On ground, solitary to groups, near Silver cascade falls, Kodaikanal, Tamil Nadu. 10.10.2001, Coll. K. Narayanan. Herb MUBL. No. 3353.

LEUCOAGARICUS

L. rhodocephalus (Berk.) Pegler. On soil, solitary to scattered, in groups, University of Madras campus, Chennai district, Tamil Nadu. 28.09.2000, Coll. K. Narayanan. Herb MUBL. No. 3355.

LEUCOCOPRINUS

L. venezuelans Dennis. On soil – wood interface, scattered, in groups, Avalanche, Nilgiri district, Tamil Nadu. 26.08.2002, Coll. K. Narayanan. Herb MUBL. No. 3357.

MACROLEPIOTA

M. mallea (Berk.) Manjula. Natarajan, K. 2003. Mushrooms and Mycorrhizas. Kavaka. 31: 9-16. On rotting wood in Wellington, Nilgiri Biosphere Reserve, Tamil Nadu. Collected by Natarajan and Manjula.

MENISPOROPSIS

M. pirozynskii Varghese & Rao. Saravanan, T. and Vittal B.P.R. 2007. Some rare and interesting Hyphomycetes from Eastern Ghats in Tamil Nadu, India. Kavaka. 35: 21-44. On unidentified leaf litter from Kolli hills. Collected by T. Saravanan and B.P.R. Vittal.

PAPPIMYCES

P. hastatus Sutton & Hodges. Saravanan, T. and Vittal B.P.R. 2007. Some rare and interesting Hyphomycetes from Eastern Ghats in Tamil Nadu, India. Kavaka. 35: 21-44. On unidentified leaf litter from Kolli hills. Collected by T. Saravanan and B.P.R. Vittal.

PARASYMPODIELLA

P. laxa (Subram. & Vittal) Ponnappa. Saravanan, T. and Vittal B.P.R. 2007. Some rare and interesting Hyphomycetes from Eastern Ghats in Tamil Nadu, India. Kavaka. 35: 21-44. On leaf litter of *Persea mechrantha* and *Neolitsea scrobiculata* and unidentified leaf litter from Kolli hills; on unidentified leaf litter from Shervarayan hills and Yelagiri hills. Collected by T. Saravanan and B.P.R. Vittal.

PHIALOSPOROSTILBE

P. setosa Bhat & Kendrick. Saravanan, T. and Vittal B.P.R. 2007. Some rare and interesting Hyphomycetes from Eastern Ghats in Tamil Nadu, India. Kavaka. 35: 21-44. On unidentified leaf litter from Shervarayan hills. Collected by T. Saravanan and B.P.R. Vittal.

PHRAGMOSPATHULA

P. phoenicis Bubram. & Nair. Saravanan, T. and Vittal B.P.R. 2007. Some rare and interesting Hyphomycetes from Eastern Ghats in Tamil Nadu, India. Kavaka. 35: 21-44. On unidentified leaf litter from Yelagiri hill and Kalrayan \

PHOLIOTA

P. sylva Natarajan and Ravindran. Natarajan, K. 2003. Mushrooms and Mycorrhizas. Kavaka. 31: 9-16. On soil in Naduvattam, Nilgiri Biosphere Reserve, Tamil Nadu. Collected by Natarajan and Ravindran.

P. catervaria (Lev.) Manjula. Natarajan, K. 2003. Mushrooms and Mycorrhizas. Kavaka. 31: 9-16. On soil in Naduvattam, Nilgiri Biosphere Reserve, Tamil Nadu. Collected by Collected by Natarajan and Manjula.hills. Collected by T. Saravanan and B.P.R. Vittal.

PSEUDOTORULA

P. helica Subram. & Bhat. Bhat, D.J. 2008. The forests of Western Ghats, an abode of novel and interesting Microfungi. Kavaka. 36: 1-11. On unidentified dead twig from Kodaikanal, Tamil Nadu. Isolated by D.J. Bhat.

PSILOCYBE

P. keralensis Thomas, Manimohan and Guzman. Natarajan, K. 2003. Mushrooms and Mycorrhizas. Kavaka. 31: 9-16. On soil in Ponkuzhy, Nilgiri Biosphere Reserve, Tamil Nadu. Collected by K. Natarajan.

P. wayanadensis Thomas, Manimohan and Guzman. Natarajan, K. 2003. Mushrooms and Mycorrhizas. Kavaka. 31: 9-16. On soil in Muthanga, Nilgiri Biosphere Reserve, Tamil Nadu. Collected by K. Natarajan.

RAMOCONIDIIFERA

R. verrucosa Sutton, Carmaran & Romero. Saravanan, T. and Vittal B.P.R. 2007. Some rare and interesting Hyphomycetes from Eastern Ghats in Tamil Nadu, India. Kavaka. 35: 21-44. On unidentified leaf litter from Shervarayan hills. Collected by T. Saravanan and B.P.R. Vittal.

SEPTORIA

S. dianthi Desm. 1849. Ann.Sci.Nat.11:346. Saccardo, P.A. 1876. Michelia 1:187. Saccardo, P.A. 1884. Syll. Fung. 3:516 Grove, W.B.1885. J.Bot.23:163, Grove, W.B.1935. British Stem and Leaf Fungi Die Pilze Abt.6:772, Ramakrishnan, T.S and K. 1950. Proc. Ind. Acad. Sci., Sec. B, 32:212. On leaves of Dianthus caryophyllus Kinn. Sim's park, Coonoor, Nilgiris, India. Coll. T.S. Ramakrishnan, 25-6-1949, Herb.Department of Pathology, Tamilnadu, Agriculture University, Coimbatore, India.

S. dolichi Berk. And Curt.1853. Ann.and Mag. Nat.Hist.2 Ser.12:417, Saccardo, P.A.1884. Syll. Fung.3:509.

Sydow, H. and P. and Butler, E.J. 1916. Ann. Mycol.14:212. On leaves of Dolichos lablab Linn, Nilgris, India, collected by the author 12-2-1978, Herb. MUBL 2656

S. prinsepiae. On leaves pf Prinsipia utilis Royle, Nilgiris(6000ft), India coll.J. Muthumary, 2-8-1979,Herb.MUBL 2659.

S. rosac Desm.1825. Plantes Cryptogames du Nord de la France. Ser 1.Exs No.535. Saccardo, P.A.1878. Michelia 1:176 Saccardo, P.A.1884. Syll. Fung.1:485 Allescher, A.1901. Ranenharsts Kryptogaman Flora 1. Die Pilze, Abt.6:846. Sydow. H. and P. and Butler, E.J. 1916. Ann. Mycol 14:231 Grove, W.B.1935. British Stem and Leaf Fungi(Coelomycetes)1:404 Sukapure, R.S and Thirumalachar, M.J. 1963. Sydowia 17:5 Pavgi, M.S.and Singh, V.P. 1970. Sydowia 24:118. On leaves of Rosa sp. Kodaikanal, India. Coll. J.Muthumary, 6-6-1976, Herb.MUBL 2660

S. apii chests, 1891. Bull. Torrey Bot. CI. 18:373.

S. apii- graveolentis Dorogin, 1915. Materially Mikol.i. Kitopatol 1(4):72. Padwick, G.W. and Merk, J.L. 1943. Mycol. Pap.7:7 Ramakrishnan, T.S. and Sundaram, N.V. 1954. Indian Phytopth. 7:66 On leaves of apium graveolens L.nilgiris. India. Coll. J.Muthumary,17-2-1978, Herb. MUBL.2661

S. fusiformis., On living leaves of Hydrocotyle asiatica. Ootacamund, India, J.Muthumary, 17-2-1978, Herb. MUBL 2663(Holotypes)

S. adanensis Petrak, 1953. Sydowia 7:40-41 Punithalingam, E.1965. Trans.Br.Mycol.Soc.48:436-437.

On leaves of Chrysanthimum sp. Madras, India. Coll. J.Muthumary, 8-2-1979, Herb. MUBL 2664.

S. modonia Sacc. 1909. Ann. Mycol. 7:434:1913, Syll. Fung. 22:1108, Ananthannaryanan, S. 1962, Sci. and Cult. 28:536-537. On leaves of Sonchus sp. Kodaikanal India. Coll. J.Muthumary, 11-8-1977, Herb. MUBL 2665.

S. divaricatae Ell. And Everh. 1889. J.Mycol. 5:151, Saccardo, P.A. 1892. Syll. Fung. 10:377-378.

Allescher, A. 1901. Rabenhorsts kryptogamen Floro I, Die Pilze, Abt. 6:827. Grove, W.B. 1935. British Stem and Leaf- Fungi(Coelomycetes)1:396.

S. phlogis Sacc. and Speg. On leaves of Phlox sp. Sim's park, Coonoor, Nilgiris. Coll. T.S. Ramakrishnan, 25-6-1949, Tamilnadu Agriculture University, Coimbatore.

S. convolvuli Desm. Ann. Sci. Nat. 17:1842. Saccardo, P.A. 1884. Syll. Fung. 3:536. Allescher, A. 1901. Rabenhorsts Kryptogaman Flora I Die. Pilze, Abt. 6:764. Grove, W.B. 1935. British stem and leaf fungi(Coelomycetes)1:377-378. On leaves of Convolvulus sp. Nilgiris(6000ft), India. Coll. J.Muthumary, 2-8-1979. Herb. MUBL.2666.

S. lycopersici Speg. 1881. Fungi. Argentini pugillus Buenos Airis, 4:289. Saccardo, P.A. 1884. Syll. Fung. 3:535. Allescher, A. 1901. Rabenhorts Kryptogamen Flora I, Die Pilze, Abt.6:858. Grove, W.B. 1935. British Stem and Leaf Fungi(Coelomycetes)1:410. Ramakrishnan, T.S and Sundaram, N.V. 1954. INDIAN Phytopath. 7:140. Gupta, S.C. 1958. Septoria lycopersici ssp as a serious leaf spot disease of tomato in Naenital area Proc. 48th Ind. Sci.Congress pt.3:276-277. Sukapure, R.S and Thirumalachar, M.J. 1963. Sydowia 17:10.

On leaves of Lycopersicon esculentum Mill.(Solanum lycopersicon Mill.). Coimbatore, India. Coll. T.S. Ramakrishnan, 1953. Herb, Taminadu Agriculture University, Coimbatore, India.

S. graminum Desm. 1843. Ann.Sci. Nat.19:339. Saccardo, P.A. 1884. Syll. Fung.3:565. Allescher, A.1901. Rabenhorst's Kryptogamen Flora I, Die Pilze, Abt.6:789. Grove, W.B.1935. British Stem and Leaf Fungi(Coelomycetes)1:421. Ramakrishnan, T.S and K.1950. Proc. Indian Acad. Sci.8,32:111 Sukapure, R.S and Thirumalachar, M.J. 1965. Sydowia, 19:168. On leaves

and clumps of *Digitoria marginata* Link., Coimbatore, 1950. Coll. T.S.Ramakrishnan, Herb of Tamilnadu Agriculture University, Coimbatore, India.

S. macropoda Pass. Var. *Septulata*(Gonz. Frag) Sprague(*Septoria poae- annuae* Var. *septulata* Gonz. Frag)

Sprague, R.1942. *Phytopathology* 32:737-738. Sprague, R.1950. Diseases of Cereals and Grasses in North America, Ronald Press, New York, pp.242-243. Chona, B.L. and Munjal, R.L.1956. Indian phytopath. 9:59.

On leaves of *Poa* sp. Ootacamund, Nilgiris, India. Coll. R.L.Munjal, 15-12-1951. Hclo 22668.

S. saccharicola Pavgi and Singh, 1971. *Mycopath. Mycol. Appl.*48:123.

On leaves of *Saccharum officinarum*, Coimbatore, India, Coll. J.Muthumary, 10-10-1976, Herb.MUBL Slid NO.2669.

SESQUICILLIUM

S. candelabrum (Bonorden) Gams. Saravanan, T. and Vittal B.P.R. 2007. Some rare and interesting Hyphomycetes from Eastern Ghats in Tamil Nadu, India. Kavaka. 35: 21-44. On unidentified leaf litter from Kalrayan hills. Collected by T. Saravanan and B.P.R. Vittal.

SOLOSYMPODIELLA

S. clavata Mats. Saravanan, T. and Vittal B.P.R. 2007. Some rare and interesting Hyphomycetes from Eastern Ghats in Tamil Nadu, India. Kavaka. 35: 21-44. On unidentified leaf litter from Shervarayan hills. Collected by T. Saravanan and B.P.R. Vittal.

SPORIDESMIUM

S. filiferum Pirozynski. Saravanan, T. and Vittal B.P.R. 2007. Some rare and interesting Hyphomycetes from Eastern Ghats in Tamil Nadu, India. Kavaka. 35: 21-44. On unidentified leaf litter from Yelagiri hills. Collected by T. Saravanan and B.P.R. Vittal.

SUBRAMANIOMYCES Mani Varghese & V.G. Rao, Hypho.

S. fusisaprophyticus (Matsushima) Kirk. On *Myrica nagi* Thunb, Solan, H.P.; on leaf litter, Ooty, Tamil Nadu (658a). Saravanan, T. and Vittal B.P.R. 2007. Some rare and interesting Hyphomycetes from Eastern Ghats in Tamil Nadu, India. Kavaka. 35: 21-44. On leaf litter of

Persea mechrantha and *Neolitsea scrobiculata* from Kolli hills; on unidentified leaf litter from Shervarayan hills. Collected by T. Saravanan and B.P.R. Vittal.

S. indicus Mani Varghese & Rao. Saravanan, T. and Vittal B.P.R. 2007. Some rare and interesting Hyphomycetes from Eastern Ghats in Tamil Nadu, India. Kavaka. 35: 21-44. On unidentified leaf litter from Jawadi hills. Collected by T. Saravanan and B.P.R. Vittal.

SUBULISPORA

S.procurvata Tubaki ap. Tubaki & yokoyama. Saravanan, T. and Vittal B.P.R. 2007. Some rare and interesting Hyphomycetes from Eastern Ghats in Tamil Nadu, India. Kavaka. 35: 21-44. On unidentified leaf litter from Kolli hills and Kalrayan hills. Collected by T. Saravanan and B.P.R. Vittal.

TRETOSPEIRA

T. ugandensis (Hansf.) Pirozynski. Saravanan, T. and Vittal B.P.R. 2007. Some rare and interesting Hyphomycetes from Eastern Ghats in Tamil Nadu, India. Kavaka. 35: 21-44. On unidentified leaf litter from Yelagiri hills. Collected by T. Saravanan and B.P.R. Vittal.

TRICHOLOMA

T. rhacophorum. Natarajan, K. 2003. Mushrooms and Mycorrhizas. Kavaka. 31: 9-16. Lamb's rock, Nilgiri Biosphere Reserve, Tamil Nadu. Collected by K. Natarajan.

VOLVARIELLA

V. minuta. On soil, solitary, in a shaddy place near Mullukuruchi, foot hill of Kolli hills, Tamil Nadu, India. 20th November, 2007. Collected by M.Kumar. Herb. MUBL. No. 3653.

XENOHETEROCONIUM

X. bicolor Bhat, Kendrick & Nag Raj. Saravanan, T. and Vittal B.P.R. 2007. Some rare and interesting Hyphomycetes from Eastern Ghats in Tamil Nadu, India. Kavaka. 35: 21-44. On unidentified leaf litter from Yelagiri hills. Collected by T. Saravanan and B.P.R. Vittal.

XERULA

X. furfuracea var. *bispora* Natarajan and Raman. Natarajan, K. 2003. Mushrooms and Mycorrhizas. Kavaka. 31: 9-16. On soil in Sandynallah, Nilgiri Biosphere Reserve, Tamil Nadu. Collected by Natarajan and Raman.

ZANCLOSPORA

Z. brevispora Hughes & Kendrick. Saravanan, T. and Vittal B.P.R. 2007. Some rare and interesting Hyphomycetes from Eastern Ghats in Tamil Nadu, India. Kavaka. 35: 21-44. On unidentified leaf litter from Kolli hills. Collected by T. Saravanan and B.P.R. Vittal.